15047108.pxlQa

Mon Feb 17 11:57:13 2014


Entries 1000000
The number of RawHits vs. sensorID
nRawHits
Sensor ID


Entries 787521
The number of RawHits vs. sensorID
<nRawHits>
Sensor ID


Entries 100000
RawHits vs. sensorNo: Sector 1
nRawHits
Sensor No.


Entries 78341
RawHits vs. sensorNo: Sector 1
<nRawHits>
Sensor No.


Entries 100000
RawHits vs. sensorNo: Sector 2
nRawHits
Sensor No.


Entries 79505
RawHits vs. sensorNo: Sector 2
<nRawHits>
Sensor No.


Entries 100000
RawHits vs. sensorNo: Sector 3
nRawHits
Sensor No.


Entries 75618
RawHits vs. sensorNo: Sector 3
<nRawHits>
Sensor No.


Entries 100000
RawHits vs. sensorNo: Sector 4
nRawHits
Sensor No.


Entries 82300
RawHits vs. sensorNo: Sector 4
<nRawHits>
Sensor No.


Entries 100000
RawHits vs. sensorNo: Sector 5
nRawHits
Sensor No.


Entries 72548
RawHits vs. sensorNo: Sector 5
<nRawHits>
Sensor No.


Entries 100000
RawHits vs. sensorNo: Sector 6
nRawHits
Sensor No.


Entries 77887
RawHits vs. sensorNo: Sector 6
<nRawHits>
Sensor No.


Entries 100000
RawHits vs. sensorNo: Sector 7
nRawHits
Sensor No.


Entries 87107
RawHits vs. sensorNo: Sector 7
<nRawHits>
Sensor No.


Entries 100000
RawHits vs. sensorNo: Sector 8
nRawHits
Sensor No.


Entries 74714
RawHits vs. sensorNo: Sector 8
<nRawHits>
Sensor No.


Entries 100000
RawHits vs. sensorNo: Sector 9
nRawHits
Sensor No.


Entries 82341
RawHits vs. sensorNo: Sector 9
<nRawHits>
Sensor No.


Entries 100000
RawHits vs. sensorNo: Sector 10
nRawHits
Sensor No.


Entries 77160
RawHits vs. sensorNo: Sector 10
<nRawHits>
Sensor No.


Entries 1000000
The number of Hits vs. sensorID
nHits
Sensor ID


Entries 787521
The number of Hits vs. sensorID
<nHits>
Sensor ID


Entries 100000
Hits vs. sensorNo: Sector 1
nHits
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^2
10
1


Entries 78341
Hits vs. sensorNo: Sector 1
<nHits>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 2
nHits
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^2
10
1


Entries 79505
Hits vs. sensorNo: Sector 2
<nHits>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 3
nHits
Sensor No.


Entries 75618
Hits vs. sensorNo: Sector 3
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 4
nHits
Sensor No.


Entries 82300
Hits vs. sensorNo: Sector 4
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 5
nHits
Sensor No.


Entries 72548
Hits vs. sensorNo: Sector 5
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 6
nHits
Sensor No.


Entries 77887
Hits vs. sensorNo: Sector 6
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 7
nHits
Sensor No.


Entries 87107
Hits vs. sensorNo: Sector 7
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 8
nHits
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^2
10
1


Entries 74714
Hits vs. sensorNo: Sector 8
<nHits>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 9
nHits
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^2
10
1


Entries 82341
Hits vs. sensorNo: Sector 9
<nHits>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 10
nHits
Sensor No.


Entries 77160
Hits vs. sensorNo: Sector 10
<nHits>
Sensor No.


Entries 2129629
The number of RawHits per hit vs. sensorID
RawHits per hit
Sensor ID
1
10
50
100
150
200
250
300
350
400
10^4
10^3
10^2


Entries 1927264
The number of RawHits per hit vs. sensorID
<RawHits per hit>
Sensor ID
1
10
50
100
150
200
250
300
350
400
10^3
10^2


Entries 163465
RawHits per hit vs. sensorNo: Sector 1
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^4
10^3
10^2
10
1


Entries 163465
RawHits per hit vs. sensorNo: Sector 1
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 159340
RawHits per hit vs. sensorNo: Sector 2
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^3
10^2
10
1


Entries 159340
RawHits per hit vs. sensorNo: Sector 2
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 156420
RawHits per hit vs. sensorNo: Sector 3
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^3
10^2
10
1


Entries 156420
RawHits per hit vs. sensorNo: Sector 3
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 243945
RawHits per hit vs. sensorNo: Sector 4
RawHits per hit
Sensor No.


Entries 243945
RawHits per hit vs. sensorNo: Sector 4
<RawHits per hit>
Sensor No.


Entries 131026
RawHits per hit vs. sensorNo: Sector 5
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^3
10^2
10
1


Entries 131026
RawHits per hit vs. sensorNo: Sector 5
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 199911
RawHits per hit vs. sensorNo: Sector 6
RawHits per hit
Sensor No.


Entries 199911
RawHits per hit vs. sensorNo: Sector 6
<RawHits per hit>
Sensor No.


Entries 411939
RawHits per hit vs. sensorNo: Sector 7
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^4
10^3
10^2
10
1


Entries 322747
RawHits per hit vs. sensorNo: Sector 7
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 141348
RawHits per hit vs. sensorNo: Sector 8
RawHits per hit
Sensor No.


Entries 141348
RawHits per hit vs. sensorNo: Sector 8
<RawHits per hit>
Sensor No.


Entries 316532
RawHits per hit vs. sensorNo: Sector 9
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^4
10^3
10^2
10
1


Entries 203359
RawHits per hit vs. sensorNo: Sector 9
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 205703
RawHits per hit vs. sensorNo: Sector 10
RawHits per hit
Sensor No.


Entries 205703
RawHits per hit vs. sensorNo: Sector 10
<RawHits per hit>
Sensor No.


Entries 2129629
Global X vs. Y
Global Y
Global X
10
8
6
4
2
0
-2
-4
-6
-8
-10
-10 -8 -6 -4 -2 0 2 4 6 8 10
10^5
10^4
10^3
10^2
10
1


Entries 2129629
Global Z
Counts
10^4
-10 -8 -6 -4 -2 0 2 4 6 8 10
Global Z


Entries 442799
Global ϕ vs. global Z, inner
Global Z
10
8
6
4
2
0
-2
-4
-6
-8
-10
-3
-2
-1
0
1
2
3
Global ϕ
10^4
10^3
10^2
10
1


Entries 1686830
Global ϕ vs. global Z, outer
Global Z
10
8
6
4
2
0
-2
-4
-6
-8
-10
-3
-2
-1
0
1
2
3
Global ϕ
10^4
10^3
10^2
10
1


Inner hits vs. outer hits: Sector 1
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 1
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 2
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 2
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 3
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 3
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 4
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 4
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 5
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 5
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 6
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 6
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 7
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 7
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 8
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 8
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 9
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 9
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 10
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 10
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Entries 3986
rawHit column vs. row: Sector 1 Ladder 1 Sensor 1
row
column


Entries 3986
rawHit column vs. row: Sector 1 Ladder 1 Sensor 1
Counts
column


Entries 3986
rawHit column vs. row: Sector 1 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 2474
rawHit column vs. row: Sector 1 Ladder 1 Sensor 2
row
column
×10^3


Entries 2474
rawHit column vs. row: Sector 1 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 2474
rawHit column vs. row: Sector 1 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 15573
rawHit column vs. row: Sector 1 Ladder 1 Sensor 3
row
column


Entries 15573
rawHit column vs. row: Sector 1 Ladder 1 Sensor 3
Counts
column


Entries 15573
rawHit column vs. row: Sector 1 Ladder 1 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 4731
rawHit column vs. row: Sector 1 Ladder 1 Sensor 4
row
column
×10^3


Entries 4731
rawHit column vs. row: Sector 1 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 4731
rawHit column vs. row: Sector 1 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 5607
rawHit column vs. row: Sector 1 Ladder 1 Sensor 5
row
column


Entries 5607
rawHit column vs. row: Sector 1 Ladder 1 Sensor 5
Counts
column


Entries 5607
rawHit column vs. row: Sector 1 Ladder 1 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 3263
rawHit column vs. row: Sector 1 Ladder 1 Sensor 6
row
column
×10^3


Entries 3263
rawHit column vs. row: Sector 1 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 3263
rawHit column vs. row: Sector 1 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 5379
rawHit column vs. row: Sector 1 Ladder 1 Sensor 7
row
column
×10^3


Entries 5379
rawHit column vs. row: Sector 1 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 5379
rawHit column vs. row: Sector 1 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2947
rawHit column vs. row: Sector 1 Ladder 1 Sensor 8
row
column


Entries 2947
rawHit column vs. row: Sector 1 Ladder 1 Sensor 8
Counts
column


Entries 2947
rawHit column vs. row: Sector 1 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 2286
rawHit column vs. row: Sector 1 Ladder 1 Sensor 9
row
column
×10^3


Entries 2286
rawHit column vs. row: Sector 1 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 2286
rawHit column vs. row: Sector 1 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 5294
rawHit column vs. row: Sector 1 Ladder 1 Sensor 10
row
column


Entries 5294
rawHit column vs. row: Sector 1 Ladder 1 Sensor 10
Counts
column


Entries 5294
rawHit column vs. row: Sector 1 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 4595
rawHit column vs. row: Sector 1 Ladder 2 Sensor 1
row
column


Entries 4595
rawHit column vs. row: Sector 1 Ladder 2 Sensor 1
Counts
column


Entries 4595
rawHit column vs. row: Sector 1 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3652
rawHit column vs. row: Sector 1 Ladder 2 Sensor 2
row
column


Entries 3652
rawHit column vs. row: Sector 1 Ladder 2 Sensor 2
Counts
column


Entries 3652
rawHit column vs. row: Sector 1 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 3509
rawHit column vs. row: Sector 1 Ladder 2 Sensor 3
row
column
×10^3


Entries 3509
rawHit column vs. row: Sector 1 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 3509
rawHit column vs. row: Sector 1 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 3601
rawHit column vs. row: Sector 1 Ladder 2 Sensor 4
row
column
×10^3


Entries 3601
rawHit column vs. row: Sector 1 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 3601
rawHit column vs. row: Sector 1 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 4026
rawHit column vs. row: Sector 1 Ladder 2 Sensor 5
row
column
×10^3


Entries 4026
rawHit column vs. row: Sector 1 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 4026
rawHit column vs. row: Sector 1 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3847
rawHit column vs. row: Sector 1 Ladder 2 Sensor 6
row
column
×10^3


Entries 3847
rawHit column vs. row: Sector 1 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3847
rawHit column vs. row: Sector 1 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 2407
rawHit column vs. row: Sector 1 Ladder 2 Sensor 7
row
column
×10^3


Entries 2407
rawHit column vs. row: Sector 1 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 2407
rawHit column vs. row: Sector 1 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2779
rawHit column vs. row: Sector 1 Ladder 2 Sensor 8
row
column


Entries 2779
rawHit column vs. row: Sector 1 Ladder 2 Sensor 8
Counts
column


Entries 2779
rawHit column vs. row: Sector 1 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 4081
rawHit column vs. row: Sector 1 Ladder 2 Sensor 9
row
column
×10^3


Entries 4081
rawHit column vs. row: Sector 1 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 4081
rawHit column vs. row: Sector 1 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 3470
rawHit column vs. row: Sector 1 Ladder 2 Sensor 10
row
column


Entries 3470
rawHit column vs. row: Sector 1 Ladder 2 Sensor 10
Counts
column


Entries 3470
rawHit column vs. row: Sector 1 Ladder 2 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 3874
rawHit column vs. row: Sector 1 Ladder 3 Sensor 1
row
column
×10^3


Entries 3874
rawHit column vs. row: Sector 1 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 3874
rawHit column vs. row: Sector 1 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3433
rawHit column vs. row: Sector 1 Ladder 3 Sensor 2
row
column


Entries 3433
rawHit column vs. row: Sector 1 Ladder 3 Sensor 2
Counts
column


Entries 3433
rawHit column vs. row: Sector 1 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3053
rawHit column vs. row: Sector 1 Ladder 3 Sensor 3
row
column


Entries 3053
rawHit column vs. row: Sector 1 Ladder 3 Sensor 3
Counts
column


Entries 3053
rawHit column vs. row: Sector 1 Ladder 3 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3015
rawHit column vs. row: Sector 1 Ladder 3 Sensor 4
row
column
×10^3


Entries 3015
rawHit column vs. row: Sector 1 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 3015
rawHit column vs. row: Sector 1 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 4101
rawHit column vs. row: Sector 1 Ladder 3 Sensor 5
row
column
×10^3


Entries 4101
rawHit column vs. row: Sector 1 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 4101
rawHit column vs. row: Sector 1 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3679
rawHit column vs. row: Sector 1 Ladder 3 Sensor 6
row
column
×10^3


Entries 3679
rawHit column vs. row: Sector 1 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3679
rawHit column vs. row: Sector 1 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 4439
rawHit column vs. row: Sector 1 Ladder 3 Sensor 7
row
column
×10^3


Entries 4439
rawHit column vs. row: Sector 1 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 4439
rawHit column vs. row: Sector 1 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3821
rawHit column vs. row: Sector 1 Ladder 3 Sensor 8
row
column
×10^3


Entries 3821
rawHit column vs. row: Sector 1 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 3821
rawHit column vs. row: Sector 1 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 4651
rawHit column vs. row: Sector 1 Ladder 3 Sensor 9
row
column
×10^3


Entries 4651
rawHit column vs. row: Sector 1 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 4651
rawHit column vs. row: Sector 1 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 2988
rawHit column vs. row: Sector 1 Ladder 3 Sensor 10
row
column


Entries 2988
rawHit column vs. row: Sector 1 Ladder 3 Sensor 10
Counts
column


Entries 2988
rawHit column vs. row: Sector 1 Ladder 3 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3127
rawHit column vs. row: Sector 1 Ladder 4 Sensor 1
row
column
×10^3


Entries 3127
rawHit column vs. row: Sector 1 Ladder 4 Sensor 1
Counts
column
×10^3


Entries 3127
rawHit column vs. row: Sector 1 Ladder 4 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 4271
rawHit column vs. row: Sector 1 Ladder 4 Sensor 2
row
column
×10^3


Entries 4271
rawHit column vs. row: Sector 1 Ladder 4 Sensor 2
Counts
column
×10^3


Entries 4271
rawHit column vs. row: Sector 1 Ladder 4 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3865
rawHit column vs. row: Sector 1 Ladder 4 Sensor 3
row
column
×10^3


Entries 3865
rawHit column vs. row: Sector 1 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 3865
rawHit column vs. row: Sector 1 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 3972
rawHit column vs. row: Sector 1 Ladder 4 Sensor 4
row
column
×10^3


Entries 3972
rawHit column vs. row: Sector 1 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 3972
rawHit column vs. row: Sector 1 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 4042
rawHit column vs. row: Sector 1 Ladder 4 Sensor 5
row
column
×10^3


Entries 4042
rawHit column vs. row: Sector 1 Ladder 4 Sensor 5
Counts
column
×10^3


Entries 4042
rawHit column vs. row: Sector 1 Ladder 4 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3357
rawHit column vs. row: Sector 1 Ladder 4 Sensor 6
row
column


Entries 3357
rawHit column vs. row: Sector 1 Ladder 4 Sensor 6
Counts
column


Entries 3357
rawHit column vs. row: Sector 1 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3705
rawHit column vs. row: Sector 1 Ladder 4 Sensor 7
row
column
×10^3


Entries 3705
rawHit column vs. row: Sector 1 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 3705
rawHit column vs. row: Sector 1 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 5625
rawHit column vs. row: Sector 1 Ladder 4 Sensor 8
row
column


Entries 5625
rawHit column vs. row: Sector 1 Ladder 4 Sensor 8
Counts
column


Entries 5625
rawHit column vs. row: Sector 1 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 3863
rawHit column vs. row: Sector 1 Ladder 4 Sensor 9
row
column
×10^3


Entries 3863
rawHit column vs. row: Sector 1 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 3863
rawHit column vs. row: Sector 1 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 3154
rawHit column vs. row: Sector 1 Ladder 4 Sensor 10
row
column
×10^3


Entries 3154
rawHit column vs. row: Sector 1 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 3154
rawHit column vs. row: Sector 1 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 5570
rawHit column vs. row: Sector 2 Ladder 1 Sensor 1
row
column


Entries 5570
rawHit column vs. row: Sector 2 Ladder 1 Sensor 1
Counts
column


Entries 5570
rawHit column vs. row: Sector 2 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 5647
rawHit column vs. row: Sector 2 Ladder 1 Sensor 2
row
column


Entries 5647
rawHit column vs. row: Sector 2 Ladder 1 Sensor 2
Counts
column


Entries 5647
rawHit column vs. row: Sector 2 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 2875
rawHit column vs. row: Sector 2 Ladder 1 Sensor 3
row
column


Entries 2875
rawHit column vs. row: Sector 2 Ladder 1 Sensor 3
Counts
column


Entries 2875
rawHit column vs. row: Sector 2 Ladder 1 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 4849
rawHit column vs. row: Sector 2 Ladder 1 Sensor 4
row
column


Entries 4849
rawHit column vs. row: Sector 2 Ladder 1 Sensor 4
Counts
column


Entries 4849
rawHit column vs. row: Sector 2 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 5276
rawHit column vs. row: Sector 2 Ladder 1 Sensor 5
row
column


Entries 5276
rawHit column vs. row: Sector 2 Ladder 1 Sensor 5
Counts
column


Entries 5276
rawHit column vs. row: Sector 2 Ladder 1 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 1810
rawHit column vs. row: Sector 2 Ladder 1 Sensor 6
row
column
×10^3


Entries 1810
rawHit column vs. row: Sector 2 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 1810
rawHit column vs. row: Sector 2 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 5541
rawHit column vs. row: Sector 2 Ladder 1 Sensor 7
row
column


Entries 5541
rawHit column vs. row: Sector 2 Ladder 1 Sensor 7
Counts
column


Entries 5541
rawHit column vs. row: Sector 2 Ladder 1 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 6120
rawHit column vs. row: Sector 2 Ladder 1 Sensor 8
row
column


Entries 6120
rawHit column vs. row: Sector 2 Ladder 1 Sensor 8
Counts
column


Entries 6120
rawHit column vs. row: Sector 2 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 5767
rawHit column vs. row: Sector 2 Ladder 1 Sensor 9
row
column


Entries 5767
rawHit column vs. row: Sector 2 Ladder 1 Sensor 9
Counts
column


Entries 5767
rawHit column vs. row: Sector 2 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 13153
rawHit column vs. row: Sector 2 Ladder 1 Sensor 10
row
column


Entries 13153
rawHit column vs. row: Sector 2 Ladder 1 Sensor 10
Counts
column


Entries 13153
rawHit column vs. row: Sector 2 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 4299
rawHit column vs. row: Sector 2 Ladder 2 Sensor 1
row
column


Entries 4299
rawHit column vs. row: Sector 2 Ladder 2 Sensor 1
Counts
column


Entries 4299
rawHit column vs. row: Sector 2 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 1852
rawHit column vs. row: Sector 2 Ladder 2 Sensor 2
row
column


Entries 1852
rawHit column vs. row: Sector 2 Ladder 2 Sensor 2
Counts
column


Entries 1852
rawHit column vs. row: Sector 2 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4023
rawHit column vs. row: Sector 2 Ladder 2 Sensor 3
row
column


Entries 4023
rawHit column vs. row: Sector 2 Ladder 2 Sensor 3
Counts
column


Entries 4023
rawHit column vs. row: Sector 2 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 4462
rawHit column vs. row: Sector 2 Ladder 2 Sensor 4
row
column


Entries 4462
rawHit column vs. row: Sector 2 Ladder 2 Sensor 4
Counts
column


Entries 4462
rawHit column vs. row: Sector 2 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3466
rawHit column vs. row: Sector 2 Ladder 2 Sensor 5
row
column
×10^3


Entries 3466
rawHit column vs. row: Sector 2 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 3466
rawHit column vs. row: Sector 2 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3584
rawHit column vs. row: Sector 2 Ladder 2 Sensor 6
row
column
×10^3


Entries 3584
rawHit column vs. row: Sector 2 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3584
rawHit column vs. row: Sector 2 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3161
rawHit column vs. row: Sector 2 Ladder 2 Sensor 7
row
column
×10^3


Entries 3161
rawHit column vs. row: Sector 2 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3161
rawHit column vs. row: Sector 2 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 3722
rawHit column vs. row: Sector 2 Ladder 2 Sensor 8
row
column
×10^3


Entries 3722
rawHit column vs. row: Sector 2 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 3722
rawHit column vs. row: Sector 2 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 4346
rawHit column vs. row: Sector 2 Ladder 2 Sensor 9
row
column


Entries 4346
rawHit column vs. row: Sector 2 Ladder 2 Sensor 9
Counts
column


Entries 4346
rawHit column vs. row: Sector 2 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2632
rawHit column vs. row: Sector 2 Ladder 2 Sensor 10
row
column


Entries 2632
rawHit column vs. row: Sector 2 Ladder 2 Sensor 10
Counts
column


Entries 2632
rawHit column vs. row: Sector 2 Ladder 2 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 2668
rawHit column vs. row: Sector 2 Ladder 3 Sensor 1
row
column
×10^3


Entries 2668
rawHit column vs. row: Sector 2 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 2668
rawHit column vs. row: Sector 2 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3034
rawHit column vs. row: Sector 2 Ladder 3 Sensor 2
row
column
×10^3


Entries 3034
rawHit column vs. row: Sector 2 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 3034
rawHit column vs. row: Sector 2 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3971
rawHit column vs. row: Sector 2 Ladder 3 Sensor 3
row
column
×10^3


Entries 3971
rawHit column vs. row: Sector 2 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 3971
rawHit column vs. row: Sector 2 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 4423
rawHit column vs. row: Sector 2 Ladder 3 Sensor 4
row
column


Entries 4423
rawHit column vs. row: Sector 2 Ladder 3 Sensor 4
Counts
column


Entries 4423
rawHit column vs. row: Sector 2 Ladder 3 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


rawHit column vs. row: Sector 2 Ladder 3 Sensor 5
Entries 3788
row
column


rawHit column vs. row: Sector 2 Ladder 3 Sensor 5
Entries 3788
Counts
column


rawHit column vs. row: Sector 2 Ladder 3 Sensor 5
Entries 3788
Counts
row


rawHits vs. EventID: Sector 2 Ladder 3 Sensor 5
Entries 2500
<rawhits>
EventID (Time)


Entries 3409
rawHit column vs. row: Sector 2 Ladder 3 Sensor 6
row
column
×10^3


Entries 3409
rawHit column vs. row: Sector 2 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3409
rawHit column vs. row: Sector 2 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 2365
rawHit column vs. row: Sector 2 Ladder 3 Sensor 7
row
column


Entries 2365
rawHit column vs. row: Sector 2 Ladder 3 Sensor 7
Counts
column


Entries 2365
rawHit column vs. row: Sector 2 Ladder 3 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 2700
rawHit column vs. row: Sector 2 Ladder 3 Sensor 8
row
column
×10^3


Entries 2700
rawHit column vs. row: Sector 2 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 2700
rawHit column vs. row: Sector 2 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 4051
rawHit column vs. row: Sector 2 Ladder 3 Sensor 9
row
column
×10^3


Entries 4051
rawHit column vs. row: Sector 2 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 4051
rawHit column vs. row: Sector 2 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3944
rawHit column vs. row: Sector 2 Ladder 3 Sensor 10
row
column
×10^3


Entries 3944
rawHit column vs. row: Sector 2 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 3944
rawHit column vs. row: Sector 2 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3905
rawHit column vs. row: Sector 2 Ladder 4 Sensor 1
row
column
×10^3


Entries 3905
rawHit column vs. row: Sector 2 Ladder 4 Sensor 1
Counts
column
×10^3


Entries 3905
rawHit column vs. row: Sector 2 Ladder 4 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 3180
rawHit column vs. row: Sector 2 Ladder 4 Sensor 2
row
column
×10^3


Entries 3180
rawHit column vs. row: Sector 2 Ladder 4 Sensor 2
Counts
column
×10^3


Entries 3180
rawHit column vs. row: Sector 2 Ladder 4 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 4312
rawHit column vs. row: Sector 2 Ladder 4 Sensor 3
row
column
×10^3


Entries 4312
rawHit column vs. row: Sector 2 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 4312
rawHit column vs. row: Sector 2 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 4186
rawHit column vs. row: Sector 2 Ladder 4 Sensor 4
row
column
×10^3


Entries 4186
rawHit column vs. row: Sector 2 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 4186
rawHit column vs. row: Sector 2 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 3687
rawHit column vs. row: Sector 2 Ladder 4 Sensor 5
row
column


Entries 3687
rawHit column vs. row: Sector 2 Ladder 4 Sensor 5
Counts
column


Entries 3687
rawHit column vs. row: Sector 2 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3506
rawHit column vs. row: Sector 2 Ladder 4 Sensor 6
row
column
×10^3


Entries 3506
rawHit column vs. row: Sector 2 Ladder 4 Sensor 6
Counts
column
×10^3


Entries 3506
rawHit column vs. row: Sector 2 Ladder 4 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 4198
rawHit column vs. row: Sector 2 Ladder 4 Sensor 7
row
column
×10^3


Entries 4198
rawHit column vs. row: Sector 2 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 4198
rawHit column vs. row: Sector 2 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3690
rawHit column vs. row: Sector 2 Ladder 4 Sensor 8
row
column


Entries 3690
rawHit column vs. row: Sector 2 Ladder 4 Sensor 8
Counts
column


Entries 3690
rawHit column vs. row: Sector 2 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 4151
rawHit column vs. row: Sector 2 Ladder 4 Sensor 9
row
column


Entries 4151
rawHit column vs. row: Sector 2 Ladder 4 Sensor 9
Counts
column


Entries 4151
rawHit column vs. row: Sector 2 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 3257
rawHit column vs. row: Sector 2 Ladder 4 Sensor 10
row
column
×10^3


Entries 3257
rawHit column vs. row: Sector 2 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 3257
rawHit column vs. row: Sector 2 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 4971
rawHit column vs. row: Sector 3 Ladder 1 Sensor 1
row
column


Entries 4971
rawHit column vs. row: Sector 3 Ladder 1 Sensor 1
Counts
column


Entries 4971
rawHit column vs. row: Sector 3 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 3004
rawHit column vs. row: Sector 3 Ladder 1 Sensor 2
row
column
×10^3


Entries 3004
rawHit column vs. row: Sector 3 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 3004
rawHit column vs. row: Sector 3 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 2720
rawHit column vs. row: Sector 3 Ladder 1 Sensor 3
row
column
×10^3


Entries 2720
rawHit column vs. row: Sector 3 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 2720
rawHit column vs. row: Sector 3 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 2458
rawHit column vs. row: Sector 3 Ladder 1 Sensor 4
row
column


Entries 2458
rawHit column vs. row: Sector 3 Ladder 1 Sensor 4
Counts
column


Entries 2458
rawHit column vs. row: Sector 3 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 3709
rawHit column vs. row: Sector 3 Ladder 1 Sensor 5
row
column
×10^3


Entries 3709
rawHit column vs. row: Sector 3 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 3709
rawHit column vs. row: Sector 3 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 2741
rawHit column vs. row: Sector 3 Ladder 1 Sensor 6
row
column
×10^3
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1
10
1
10^-1


Entries 2741
rawHit column vs. row: Sector 3 Ladder 1 Sensor 6
Counts
column
×10^3
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1
10^2
10
1


Entries 2741
rawHit column vs. row: Sector 3 Ladder 1 Sensor 6
Counts
row
×10^3
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1
10^2
10
1


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 6
<rawhits>
EventID (Time)
0 10 20 30 40 50
1


Entries 2837
rawHit column vs. row: Sector 3 Ladder 1 Sensor 7
row
column


Entries 2837
rawHit column vs. row: Sector 3 Ladder 1 Sensor 7
Counts
column


Entries 2837
rawHit column vs. row: Sector 3 Ladder 1 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2884
rawHit column vs. row: Sector 3 Ladder 1 Sensor 8
row
column


Entries 2884
rawHit column vs. row: Sector 3 Ladder 1 Sensor 8
Counts
column


Entries 2884
rawHit column vs. row: Sector 3 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 3509
rawHit column vs. row: Sector 3 Ladder 1 Sensor 9
row
column
×10^3


Entries 3509
rawHit column vs. row: Sector 3 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 3509
rawHit column vs. row: Sector 3 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 3286
rawHit column vs. row: Sector 3 Ladder 1 Sensor 10
row
column


Entries 3286
rawHit column vs. row: Sector 3 Ladder 1 Sensor 10
Counts
column


Entries 3286
rawHit column vs. row: Sector 3 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3292
rawHit column vs. row: Sector 3 Ladder 2 Sensor 1
row
column
×10^3


Entries 3292
rawHit column vs. row: Sector 3 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 3292
rawHit column vs. row: Sector 3 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3474
rawHit column vs. row: Sector 3 Ladder 2 Sensor 2
row
column
×10^3


Entries 3474
rawHit column vs. row: Sector 3 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3474
rawHit column vs. row: Sector 3 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4566
rawHit column vs. row: Sector 3 Ladder 2 Sensor 3
row
column
×10^3


Entries 4566
rawHit column vs. row: Sector 3 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 4566
rawHit column vs. row: Sector 3 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 3209
rawHit column vs. row: Sector 3 Ladder 2 Sensor 4
row
column


Entries 3209
rawHit column vs. row: Sector 3 Ladder 2 Sensor 4
Counts
column


Entries 3209
rawHit column vs. row: Sector 3 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 2931
rawHit column vs. row: Sector 3 Ladder 2 Sensor 5
row
column
×10^3


Entries 2931
rawHit column vs. row: Sector 3 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 2931
rawHit column vs. row: Sector 3 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3345
rawHit column vs. row: Sector 3 Ladder 2 Sensor 6
row
column
×10^3


Entries 3345
rawHit column vs. row: Sector 3 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3345
rawHit column vs. row: Sector 3 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3827
rawHit column vs. row: Sector 3 Ladder 2 Sensor 7
row
column


Entries 3827
rawHit column vs. row: Sector 3 Ladder 2 Sensor 7
Counts
column


Entries 3827
rawHit column vs. row: Sector 3 Ladder 2 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 3946
rawHit column vs. row: Sector 3 Ladder 2 Sensor 8
row
column


Entries 3946
rawHit column vs. row: Sector 3 Ladder 2 Sensor 8
Counts
column


Entries 3946
rawHit column vs. row: Sector 3 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 3313
rawHit column vs. row: Sector 3 Ladder 2 Sensor 9
row
column


Entries 3313
rawHit column vs. row: Sector 3 Ladder 2 Sensor 9
Counts
column


Entries 3313
rawHit column vs. row: Sector 3 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 99373
rawHit column vs. row: Sector 3 Ladder 2 Sensor 10
row
column


Entries 99373
rawHit column vs. row: Sector 3 Ladder 2 Sensor 10
Counts
column


Entries 99373
rawHit column vs. row: Sector 3 Ladder 2 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 2583
rawHit column vs. row: Sector 3 Ladder 3 Sensor 1
row
column
×10^3


Entries 2583
rawHit column vs. row: Sector 3 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 2583
rawHit column vs. row: Sector 3 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 4803
rawHit column vs. row: Sector 3 Ladder 3 Sensor 2
row
column
×10^3


Entries 4803
rawHit column vs. row: Sector 3 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 4803
rawHit column vs. row: Sector 3 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 4820
rawHit column vs. row: Sector 3 Ladder 3 Sensor 3
row
column
×10^3


Entries 4820
rawHit column vs. row: Sector 3 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 4820
rawHit column vs. row: Sector 3 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 4751
rawHit column vs. row: Sector 3 Ladder 3 Sensor 4
row
column
×10^3


Entries 4751
rawHit column vs. row: Sector 3 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 4751
rawHit column vs. row: Sector 3 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3288
rawHit column vs. row: Sector 3 Ladder 3 Sensor 5
row
column
×10^3


Entries 3288
rawHit column vs. row: Sector 3 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 3288
rawHit column vs. row: Sector 3 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3558
rawHit column vs. row: Sector 3 Ladder 3 Sensor 6
row
column


Entries 3558
rawHit column vs. row: Sector 3 Ladder 3 Sensor 6
Counts
column


Entries 3558
rawHit column vs. row: Sector 3 Ladder 3 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 6105
rawHit column vs. row: Sector 3 Ladder 3 Sensor 7
row
column
×10^3


Entries 6105
rawHit column vs. row: Sector 3 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 6105
rawHit column vs. row: Sector 3 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 2639
rawHit column vs. row: Sector 3 Ladder 3 Sensor 8
row
column


Entries 2639
rawHit column vs. row: Sector 3 Ladder 3 Sensor 8
Counts
column


Entries 2639
rawHit column vs. row: Sector 3 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 4872
rawHit column vs. row: Sector 3 Ladder 3 Sensor 9
row
column
×10^3


Entries 4872
rawHit column vs. row: Sector 3 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 4872
rawHit column vs. row: Sector 3 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3066
rawHit column vs. row: Sector 3 Ladder 3 Sensor 10
row
column


Entries 3066
rawHit column vs. row: Sector 3 Ladder 3 Sensor 10
Counts
column


Entries 3066
rawHit column vs. row: Sector 3 Ladder 3 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3366
rawHit column vs. row: Sector 3 Ladder 4 Sensor 1
row
column
×10^3


Entries 3366
rawHit column vs. row: Sector 3 Ladder 4 Sensor 1
Counts
column
×10^3


Entries 3366
rawHit column vs. row: Sector 3 Ladder 4 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 3393
rawHit column vs. row: Sector 3 Ladder 4 Sensor 2
row
column


Entries 3393
rawHit column vs. row: Sector 3 Ladder 4 Sensor 2
Counts
column


Entries 3393
rawHit column vs. row: Sector 3 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 2925
rawHit column vs. row: Sector 3 Ladder 4 Sensor 3
row
column
×10^3


Entries 2925
rawHit column vs. row: Sector 3 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 2925
rawHit column vs. row: Sector 3 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 3168
rawHit column vs. row: Sector 3 Ladder 4 Sensor 4
row
column
×10^3


Entries 3168
rawHit column vs. row: Sector 3 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 3168
rawHit column vs. row: Sector 3 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 3736
rawHit column vs. row: Sector 3 Ladder 4 Sensor 5
row
column


Entries 3736
rawHit column vs. row: Sector 3 Ladder 4 Sensor 5
Counts
column


Entries 3736
rawHit column vs. row: Sector 3 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3687
rawHit column vs. row: Sector 3 Ladder 4 Sensor 6
row
column


Entries 3687
rawHit column vs. row: Sector 3 Ladder 4 Sensor 6
Counts
column


Entries 3687
rawHit column vs. row: Sector 3 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3968
rawHit column vs. row: Sector 3 Ladder 4 Sensor 7
row
column


Entries 3968
rawHit column vs. row: Sector 3 Ladder 4 Sensor 7
Counts
column


Entries 3968
rawHit column vs. row: Sector 3 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3107
rawHit column vs. row: Sector 3 Ladder 4 Sensor 8
row
column
×10^3


Entries 3107
rawHit column vs. row: Sector 3 Ladder 4 Sensor 8
Counts
column
×10^3


Entries 3107
rawHit column vs. row: Sector 3 Ladder 4 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 4354
rawHit column vs. row: Sector 3 Ladder 4 Sensor 9
row
column


Entries 4354
rawHit column vs. row: Sector 3 Ladder 4 Sensor 9
Counts
column


Entries 4354
rawHit column vs. row: Sector 3 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 2676
rawHit column vs. row: Sector 3 Ladder 4 Sensor 10
row
column
×10^3


Entries 2676
rawHit column vs. row: Sector 3 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 2676
rawHit column vs. row: Sector 3 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 2290
rawHit column vs. row: Sector 4 Ladder 1 Sensor 1
row
column
×10^3


Entries 2290
rawHit column vs. row: Sector 4 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 2290
rawHit column vs. row: Sector 4 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 3828
rawHit column vs. row: Sector 4 Ladder 1 Sensor 2
row
column
×10^3


Entries 3828
rawHit column vs. row: Sector 4 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 3828
rawHit column vs. row: Sector 4 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 2926
rawHit column vs. row: Sector 4 Ladder 1 Sensor 3
row
column
×10^3


Entries 2926
rawHit column vs. row: Sector 4 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 2926
rawHit column vs. row: Sector 4 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 2715
rawHit column vs. row: Sector 4 Ladder 1 Sensor 4
row
column


Entries 2715
rawHit column vs. row: Sector 4 Ladder 1 Sensor 4
Counts
column


Entries 2715
rawHit column vs. row: Sector 4 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 2400
rawHit column vs. row: Sector 4 Ladder 1 Sensor 5
row
column
×10^3


Entries 2400
rawHit column vs. row: Sector 4 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 2400
rawHit column vs. row: Sector 4 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 2563
rawHit column vs. row: Sector 4 Ladder 1 Sensor 6
row
column
×10^3


Entries 2563
rawHit column vs. row: Sector 4 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 2563
rawHit column vs. row: Sector 4 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 3078
rawHit column vs. row: Sector 4 Ladder 1 Sensor 7
row
column
×10^3


Entries 3078
rawHit column vs. row: Sector 4 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 3078
rawHit column vs. row: Sector 4 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2942
rawHit column vs. row: Sector 4 Ladder 1 Sensor 8
row
column
×10^3


Entries 2942
rawHit column vs. row: Sector 4 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2942
rawHit column vs. row: Sector 4 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 2314
rawHit column vs. row: Sector 4 Ladder 1 Sensor 9
row
column
×10^3


Entries 2314
rawHit column vs. row: Sector 4 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 2314
rawHit column vs. row: Sector 4 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2939
rawHit column vs. row: Sector 4 Ladder 1 Sensor 10
row
column
×10^3


Entries 2939
rawHit column vs. row: Sector 4 Ladder 1 Sensor 10
Counts
column
×10^3


Entries 2939
rawHit column vs. row: Sector 4 Ladder 1 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3376
rawHit column vs. row: Sector 4 Ladder 2 Sensor 1
row
column


Entries 3376
rawHit column vs. row: Sector 4 Ladder 2 Sensor 1
Counts
column


Entries 3376
rawHit column vs. row: Sector 4 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3500
rawHit column vs. row: Sector 4 Ladder 2 Sensor 2
row
column
×10^3


Entries 3500
rawHit column vs. row: Sector 4 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3500
rawHit column vs. row: Sector 4 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 3532
rawHit column vs. row: Sector 4 Ladder 2 Sensor 3
row
column


Entries 3532
rawHit column vs. row: Sector 4 Ladder 2 Sensor 3
Counts
column


Entries 3532
rawHit column vs. row: Sector 4 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 2945
rawHit column vs. row: Sector 4 Ladder 2 Sensor 4
row
column


Entries 2945
rawHit column vs. row: Sector 4 Ladder 2 Sensor 4
Counts
column


Entries 2945
rawHit column vs. row: Sector 4 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3405
rawHit column vs. row: Sector 4 Ladder 2 Sensor 5
row
column
×10^3


Entries 3405
rawHit column vs. row: Sector 4 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 3405
rawHit column vs. row: Sector 4 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 4172
rawHit column vs. row: Sector 4 Ladder 2 Sensor 6
row
column
×10^3


Entries 4172
rawHit column vs. row: Sector 4 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 4172
rawHit column vs. row: Sector 4 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3811
rawHit column vs. row: Sector 4 Ladder 2 Sensor 7
row
column
×10^3


Entries 3811
rawHit column vs. row: Sector 4 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3811
rawHit column vs. row: Sector 4 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2669
rawHit column vs. row: Sector 4 Ladder 2 Sensor 8
row
column
×10^3


Entries 2669
rawHit column vs. row: Sector 4 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 2669
rawHit column vs. row: Sector 4 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 3172
rawHit column vs. row: Sector 4 Ladder 2 Sensor 9
row
column
×10^3


Entries 3172
rawHit column vs. row: Sector 4 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 3172
rawHit column vs. row: Sector 4 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 3602
rawHit column vs. row: Sector 4 Ladder 2 Sensor 10
row
column
×10^3


Entries 3602
rawHit column vs. row: Sector 4 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 3602
rawHit column vs. row: Sector 4 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 11919
rawHit column vs. row: Sector 4 Ladder 3 Sensor 1
row
column


Entries 11919
rawHit column vs. row: Sector 4 Ladder 3 Sensor 1
Counts
column


Entries 11919
rawHit column vs. row: Sector 4 Ladder 3 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3339
rawHit column vs. row: Sector 4 Ladder 3 Sensor 2
row
column
×10^3


Entries 3339
rawHit column vs. row: Sector 4 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 3339
rawHit column vs. row: Sector 4 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3848
rawHit column vs. row: Sector 4 Ladder 3 Sensor 3
row
column


Entries 3848
rawHit column vs. row: Sector 4 Ladder 3 Sensor 3
Counts
column


Entries 3848
rawHit column vs. row: Sector 4 Ladder 3 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 45596
rawHit column vs. row: Sector 4 Ladder 3 Sensor 4
row
column


Entries 45596
rawHit column vs. row: Sector 4 Ladder 3 Sensor 4
Counts
column


Entries 45596
rawHit column vs. row: Sector 4 Ladder 3 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 31846
rawHit column vs. row: Sector 4 Ladder 3 Sensor 5
row
column


Entries 31846
rawHit column vs. row: Sector 4 Ladder 3 Sensor 5
Counts
column


Entries 31846
rawHit column vs. row: Sector 4 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 67994
rawHit column vs. row: Sector 4 Ladder 3 Sensor 6
row
column


Entries 67994
rawHit column vs. row: Sector 4 Ladder 3 Sensor 6
Counts
column


Entries 67994
rawHit column vs. row: Sector 4 Ladder 3 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 8807
rawHit column vs. row: Sector 4 Ladder 3 Sensor 7
row
column


Entries 8807
rawHit column vs. row: Sector 4 Ladder 3 Sensor 7
Counts
column


Entries 8807
rawHit column vs. row: Sector 4 Ladder 3 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 42589
rawHit column vs. row: Sector 4 Ladder 3 Sensor 8
row
column


Entries 42589
rawHit column vs. row: Sector 4 Ladder 3 Sensor 8
Counts
column


Entries 42589
rawHit column vs. row: Sector 4 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 5379
rawHit column vs. row: Sector 4 Ladder 3 Sensor 9
row
column


Entries 5379
rawHit column vs. row: Sector 4 Ladder 3 Sensor 9
Counts
column


Entries 5379
rawHit column vs. row: Sector 4 Ladder 3 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 2899
rawHit column vs. row: Sector 4 Ladder 3 Sensor 10
row
column
×10^3


Entries 2899
rawHit column vs. row: Sector 4 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 2899
rawHit column vs. row: Sector 4 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3373
rawHit column vs. row: Sector 4 Ladder 4 Sensor 1
row
column


Entries 3373
rawHit column vs. row: Sector 4 Ladder 4 Sensor 1
Counts
column


Entries 3373
rawHit column vs. row: Sector 4 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 4997
rawHit column vs. row: Sector 4 Ladder 4 Sensor 2
row
column


Entries 4997
rawHit column vs. row: Sector 4 Ladder 4 Sensor 2
Counts
column


Entries 4997
rawHit column vs. row: Sector 4 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 6691
rawHit column vs. row: Sector 4 Ladder 4 Sensor 3
row
column


Entries 6691
rawHit column vs. row: Sector 4 Ladder 4 Sensor 3
Counts
column


Entries 6691
rawHit column vs. row: Sector 4 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 6070
rawHit column vs. row: Sector 4 Ladder 4 Sensor 4
row
column


Entries 6070
rawHit column vs. row: Sector 4 Ladder 4 Sensor 4
Counts
column


Entries 6070
rawHit column vs. row: Sector 4 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 33267
rawHit column vs. row: Sector 4 Ladder 4 Sensor 5
row
column


Entries 33267
rawHit column vs. row: Sector 4 Ladder 4 Sensor 5
Counts
column


Entries 33267
rawHit column vs. row: Sector 4 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 5449
rawHit column vs. row: Sector 4 Ladder 4 Sensor 6
row
column


Entries 5449
rawHit column vs. row: Sector 4 Ladder 4 Sensor 6
Counts
column


Entries 5449
rawHit column vs. row: Sector 4 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 5855
rawHit column vs. row: Sector 4 Ladder 4 Sensor 7
row
column


Entries 5855
rawHit column vs. row: Sector 4 Ladder 4 Sensor 7
Counts
column


Entries 5855
rawHit column vs. row: Sector 4 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 111307
rawHit column vs. row: Sector 4 Ladder 4 Sensor 8
row
column


Entries 111307
rawHit column vs. row: Sector 4 Ladder 4 Sensor 8
Counts
column


Entries 111307
rawHit column vs. row: Sector 4 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 6193
rawHit column vs. row: Sector 4 Ladder 4 Sensor 9
row
column


Entries 6193
rawHit column vs. row: Sector 4 Ladder 4 Sensor 9
Counts
column


Entries 6193
rawHit column vs. row: Sector 4 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 8751
rawHit column vs. row: Sector 4 Ladder 4 Sensor 10
row
column
×10^3


Entries 8751
rawHit column vs. row: Sector 4 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 8751
rawHit column vs. row: Sector 4 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 2931
rawHit column vs. row: Sector 5 Ladder 1 Sensor 1
row
column
×10^3


Entries 2931
rawHit column vs. row: Sector 5 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 2931
rawHit column vs. row: Sector 5 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 2956
rawHit column vs. row: Sector 5 Ladder 1 Sensor 2
row
column
×10^3


Entries 2956
rawHit column vs. row: Sector 5 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 2956
rawHit column vs. row: Sector 5 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 3337
rawHit column vs. row: Sector 5 Ladder 1 Sensor 3
row
column
×10^3


Entries 3337
rawHit column vs. row: Sector 5 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 3337
rawHit column vs. row: Sector 5 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 2397
rawHit column vs. row: Sector 5 Ladder 1 Sensor 4
row
column


Entries 2397
rawHit column vs. row: Sector 5 Ladder 1 Sensor 4
Counts
column


Entries 2397
rawHit column vs. row: Sector 5 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 3475
rawHit column vs. row: Sector 5 Ladder 1 Sensor 5
row
column
×10^3


Entries 3475
rawHit column vs. row: Sector 5 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 3475
rawHit column vs. row: Sector 5 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 2838
rawHit column vs. row: Sector 5 Ladder 1 Sensor 6
row
column
×10^3


Entries 2838
rawHit column vs. row: Sector 5 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 2838
rawHit column vs. row: Sector 5 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 2671
rawHit column vs. row: Sector 5 Ladder 1 Sensor 7
row
column
×10^3


Entries 2671
rawHit column vs. row: Sector 5 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 2671
rawHit column vs. row: Sector 5 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2932
rawHit column vs. row: Sector 5 Ladder 1 Sensor 8
row
column


Entries 2932
rawHit column vs. row: Sector 5 Ladder 1 Sensor 8
Counts
column


Entries 2932
rawHit column vs. row: Sector 5 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 3813
rawHit column vs. row: Sector 5 Ladder 1 Sensor 9
row
column
×10^3


Entries 3813
rawHit column vs. row: Sector 5 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 3813
rawHit column vs. row: Sector 5 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2750
rawHit column vs. row: Sector 5 Ladder 1 Sensor 10
row
column


Entries 2750
rawHit column vs. row: Sector 5 Ladder 1 Sensor 10
Counts
column


Entries 2750
rawHit column vs. row: Sector 5 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3469
rawHit column vs. row: Sector 5 Ladder 2 Sensor 1
row
column
×10^3


Entries 3469
rawHit column vs. row: Sector 5 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 3469
rawHit column vs. row: Sector 5 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3973
rawHit column vs. row: Sector 5 Ladder 2 Sensor 2
row
column
×10^3


Entries 3973
rawHit column vs. row: Sector 5 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3973
rawHit column vs. row: Sector 5 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 2609
rawHit column vs. row: Sector 5 Ladder 2 Sensor 3
row
column
×10^3


Entries 2609
rawHit column vs. row: Sector 5 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 2609
rawHit column vs. row: Sector 5 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 4714
rawHit column vs. row: Sector 5 Ladder 2 Sensor 4
row
column
×10^3


Entries 4714
rawHit column vs. row: Sector 5 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 4714
rawHit column vs. row: Sector 5 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3837
rawHit column vs. row: Sector 5 Ladder 2 Sensor 5
row
column


Entries 3837
rawHit column vs. row: Sector 5 Ladder 2 Sensor 5
Counts
column


Entries 3837
rawHit column vs. row: Sector 5 Ladder 2 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 4461
rawHit column vs. row: Sector 5 Ladder 2 Sensor 6
row
column
×10^3


Entries 4461
rawHit column vs. row: Sector 5 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 4461
rawHit column vs. row: Sector 5 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3658
rawHit column vs. row: Sector 5 Ladder 2 Sensor 7
row
column
×10^3


Entries 3658
rawHit column vs. row: Sector 5 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3658
rawHit column vs. row: Sector 5 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2166
rawHit column vs. row: Sector 5 Ladder 2 Sensor 8
row
column


Entries 2166
rawHit column vs. row: Sector 5 Ladder 2 Sensor 8
Counts
column


Entries 2166
rawHit column vs. row: Sector 5 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 3747
rawHit column vs. row: Sector 5 Ladder 2 Sensor 9
row
column


Entries 3747
rawHit column vs. row: Sector 5 Ladder 2 Sensor 9
Counts
column


Entries 3747
rawHit column vs. row: Sector 5 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2970
rawHit column vs. row: Sector 5 Ladder 2 Sensor 10
row
column


Entries 2970
rawHit column vs. row: Sector 5 Ladder 2 Sensor 10
Counts
column


Entries 2970
rawHit column vs. row: Sector 5 Ladder 2 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 2819
rawHit column vs. row: Sector 5 Ladder 3 Sensor 1
row
column
×10^3


Entries 2819
rawHit column vs. row: Sector 5 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 2819
rawHit column vs. row: Sector 5 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3561
rawHit column vs. row: Sector 5 Ladder 3 Sensor 2
row
column


Entries 3561
rawHit column vs. row: Sector 5 Ladder 3 Sensor 2
Counts
column


Entries 3561
rawHit column vs. row: Sector 5 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3405
rawHit column vs. row: Sector 5 Ladder 3 Sensor 3
row
column
×10^3


Entries 3405
rawHit column vs. row: Sector 5 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 3405
rawHit column vs. row: Sector 5 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3360
rawHit column vs. row: Sector 5 Ladder 3 Sensor 4
row
column
×10^3


Entries 3360
rawHit column vs. row: Sector 5 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 3360
rawHit column vs. row: Sector 5 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3454
rawHit column vs. row: Sector 5 Ladder 3 Sensor 5
row
column


Entries 3454
rawHit column vs. row: Sector 5 Ladder 3 Sensor 5
Counts
column


Entries 3454
rawHit column vs. row: Sector 5 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3217
rawHit column vs. row: Sector 5 Ladder 3 Sensor 6
row
column


Entries 3217
rawHit column vs. row: Sector 5 Ladder 3 Sensor 6
Counts
column


Entries 3217
rawHit column vs. row: Sector 5 Ladder 3 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 3062
rawHit column vs. row: Sector 5 Ladder 3 Sensor 7
row
column
×10^3


Entries 3062
rawHit column vs. row: Sector 5 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 3062
rawHit column vs. row: Sector 5 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3387
rawHit column vs. row: Sector 5 Ladder 3 Sensor 8
row
column
×10^3


Entries 3387
rawHit column vs. row: Sector 5 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 3387
rawHit column vs. row: Sector 5 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3162
rawHit column vs. row: Sector 5 Ladder 3 Sensor 9
row
column
×10^3


Entries 3162
rawHit column vs. row: Sector 5 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 3162
rawHit column vs. row: Sector 5 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3965
rawHit column vs. row: Sector 5 Ladder 3 Sensor 10
row
column
×10^3


Entries 3965
rawHit column vs. row: Sector 5 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 3965
rawHit column vs. row: Sector 5 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 2964
rawHit column vs. row: Sector 5 Ladder 4 Sensor 1
row
column


Entries 2964
rawHit column vs. row: Sector 5 Ladder 4 Sensor 1
Counts
column


Entries 2964
rawHit column vs. row: Sector 5 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 2806
rawHit column vs. row: Sector 5 Ladder 4 Sensor 2
row
column
×10^3


Entries 2806
rawHit column vs. row: Sector 5 Ladder 4 Sensor 2
Counts
column
×10^3


Entries 2806
rawHit column vs. row: Sector 5 Ladder 4 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3016
rawHit column vs. row: Sector 5 Ladder 4 Sensor 3
row
column
×10^3


Entries 3016
rawHit column vs. row: Sector 5 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 3016
rawHit column vs. row: Sector 5 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 3988
rawHit column vs. row: Sector 5 Ladder 4 Sensor 4
row
column


Entries 3988
rawHit column vs. row: Sector 5 Ladder 4 Sensor 4
Counts
column


Entries 3988
rawHit column vs. row: Sector 5 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 3806
rawHit column vs. row: Sector 5 Ladder 4 Sensor 5
row
column
×10^3


Entries 3806
rawHit column vs. row: Sector 5 Ladder 4 Sensor 5
Counts
column
×10^3


Entries 3806
rawHit column vs. row: Sector 5 Ladder 4 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3065
rawHit column vs. row: Sector 5 Ladder 4 Sensor 6
row
column


Entries 3065
rawHit column vs. row: Sector 5 Ladder 4 Sensor 6
Counts
column


Entries 3065
rawHit column vs. row: Sector 5 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 2388
rawHit column vs. row: Sector 5 Ladder 4 Sensor 7
row
column
×10^3


Entries 2388
rawHit column vs. row: Sector 5 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 2388
rawHit column vs. row: Sector 5 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3245
rawHit column vs. row: Sector 5 Ladder 4 Sensor 8
row
column


Entries 3245
rawHit column vs. row: Sector 5 Ladder 4 Sensor 8
Counts
column


Entries 3245
rawHit column vs. row: Sector 5 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 3894
rawHit column vs. row: Sector 5 Ladder 4 Sensor 9
row
column
×10^3


Entries 3894
rawHit column vs. row: Sector 5 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 3894
rawHit column vs. row: Sector 5 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 2841
rawHit column vs. row: Sector 5 Ladder 4 Sensor 10
row
column
×10^3


Entries 2841
rawHit column vs. row: Sector 5 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 2841
rawHit column vs. row: Sector 5 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 5648
rawHit column vs. row: Sector 6 Ladder 1 Sensor 1
row
column


Entries 5648
rawHit column vs. row: Sector 6 Ladder 1 Sensor 1
Counts
column


Entries 5648
rawHit column vs. row: Sector 6 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 24928
rawHit column vs. row: Sector 6 Ladder 1 Sensor 2
row
column


Entries 24928
rawHit column vs. row: Sector 6 Ladder 1 Sensor 2
Counts
column


Entries 24928
rawHit column vs. row: Sector 6 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 5657
rawHit column vs. row: Sector 6 Ladder 1 Sensor 3
row
column


Entries 5657
rawHit column vs. row: Sector 6 Ladder 1 Sensor 3
Counts
column


Entries 5657
rawHit column vs. row: Sector 6 Ladder 1 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 4114
rawHit column vs. row: Sector 6 Ladder 1 Sensor 4
row
column
×10^3


Entries 4114
rawHit column vs. row: Sector 6 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 4114
rawHit column vs. row: Sector 6 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 3846
rawHit column vs. row: Sector 6 Ladder 1 Sensor 5
row
column
×10^3


Entries 3846
rawHit column vs. row: Sector 6 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 3846
rawHit column vs. row: Sector 6 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 27407
rawHit column vs. row: Sector 6 Ladder 1 Sensor 6
row
column


Entries 27407
rawHit column vs. row: Sector 6 Ladder 1 Sensor 6
Counts
column


Entries 27407
rawHit column vs. row: Sector 6 Ladder 1 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 2480
rawHit column vs. row: Sector 6 Ladder 1 Sensor 7
row
column
×10^3


Entries 2480
rawHit column vs. row: Sector 6 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 2480
rawHit column vs. row: Sector 6 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2154
rawHit column vs. row: Sector 6 Ladder 1 Sensor 8
row
column
×10^3


Entries 2154
rawHit column vs. row: Sector 6 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2154
rawHit column vs. row: Sector 6 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 15098
rawHit column vs. row: Sector 6 Ladder 1 Sensor 9
row
column


Entries 15098
rawHit column vs. row: Sector 6 Ladder 1 Sensor 9
Counts
column


Entries 15098
rawHit column vs. row: Sector 6 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 3462
rawHit column vs. row: Sector 6 Ladder 1 Sensor 10
row
column
×10^3


Entries 3462
rawHit column vs. row: Sector 6 Ladder 1 Sensor 10
Counts
column
×10^3


Entries 3462
rawHit column vs. row: Sector 6 Ladder 1 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3000
rawHit column vs. row: Sector 6 Ladder 2 Sensor 1
row
column


Entries 3000
rawHit column vs. row: Sector 6 Ladder 2 Sensor 1
Counts
column


Entries 3000
rawHit column vs. row: Sector 6 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3231
rawHit column vs. row: Sector 6 Ladder 2 Sensor 2
row
column


Entries 3231
rawHit column vs. row: Sector 6 Ladder 2 Sensor 2
Counts
column


Entries 3231
rawHit column vs. row: Sector 6 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 3136
rawHit column vs. row: Sector 6 Ladder 2 Sensor 3
row
column
×10^3


Entries 3136
rawHit column vs. row: Sector 6 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 3136
rawHit column vs. row: Sector 6 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 31899
rawHit column vs. row: Sector 6 Ladder 2 Sensor 4
row
column


Entries 31899
rawHit column vs. row: Sector 6 Ladder 2 Sensor 4
Counts
column


Entries 31899
rawHit column vs. row: Sector 6 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 2686
rawHit column vs. row: Sector 6 Ladder 2 Sensor 5
row
column


Entries 2686
rawHit column vs. row: Sector 6 Ladder 2 Sensor 5
Counts
column


Entries 2686
rawHit column vs. row: Sector 6 Ladder 2 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 4031
rawHit column vs. row: Sector 6 Ladder 2 Sensor 6
row
column
×10^3


Entries 4031
rawHit column vs. row: Sector 6 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 4031
rawHit column vs. row: Sector 6 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3006
rawHit column vs. row: Sector 6 Ladder 2 Sensor 7
row
column
×10^3


Entries 3006
rawHit column vs. row: Sector 6 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3006
rawHit column vs. row: Sector 6 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2807
rawHit column vs. row: Sector 6 Ladder 2 Sensor 8
row
column
×10^3


Entries 2807
rawHit column vs. row: Sector 6 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 2807
rawHit column vs. row: Sector 6 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2643
rawHit column vs. row: Sector 6 Ladder 2 Sensor 9
row
column


Entries 2643
rawHit column vs. row: Sector 6 Ladder 2 Sensor 9
Counts
column


Entries 2643
rawHit column vs. row: Sector 6 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 3158
rawHit column vs. row: Sector 6 Ladder 2 Sensor 10
row
column
×10^3


Entries 3158
rawHit column vs. row: Sector 6 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 3158
rawHit column vs. row: Sector 6 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 4407
rawHit column vs. row: Sector 6 Ladder 3 Sensor 1
row
column
×10^3


Entries 4407
rawHit column vs. row: Sector 6 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 4407
rawHit column vs. row: Sector 6 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 4551
rawHit column vs. row: Sector 6 Ladder 3 Sensor 2
row
column


Entries 4551
rawHit column vs. row: Sector 6 Ladder 3 Sensor 2
Counts
column


Entries 4551
rawHit column vs. row: Sector 6 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3102
rawHit column vs. row: Sector 6 Ladder 3 Sensor 3
row
column
×10^3


Entries 3102
rawHit column vs. row: Sector 6 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 3102
rawHit column vs. row: Sector 6 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3769
rawHit column vs. row: Sector 6 Ladder 3 Sensor 4
row
column
×10^3


Entries 3769
rawHit column vs. row: Sector 6 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 3769
rawHit column vs. row: Sector 6 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3317
rawHit column vs. row: Sector 6 Ladder 3 Sensor 5
row
column
×10^3


Entries 3317
rawHit column vs. row: Sector 6 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 3317
rawHit column vs. row: Sector 6 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3589
rawHit column vs. row: Sector 6 Ladder 3 Sensor 6
row
column
×10^3


Entries 3589
rawHit column vs. row: Sector 6 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3589
rawHit column vs. row: Sector 6 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 4069
rawHit column vs. row: Sector 6 Ladder 3 Sensor 7
row
column
×10^3


Entries 4069
rawHit column vs. row: Sector 6 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 4069
rawHit column vs. row: Sector 6 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3458
rawHit column vs. row: Sector 6 Ladder 3 Sensor 8
row
column
×10^3


Entries 3458
rawHit column vs. row: Sector 6 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 3458
rawHit column vs. row: Sector 6 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3044
rawHit column vs. row: Sector 6 Ladder 3 Sensor 9
row
column


Entries 3044
rawHit column vs. row: Sector 6 Ladder 3 Sensor 9
Counts
column


Entries 3044
rawHit column vs. row: Sector 6 Ladder 3 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3692
rawHit column vs. row: Sector 6 Ladder 3 Sensor 10
row
column
×10^3


Entries 3692
rawHit column vs. row: Sector 6 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 3692
rawHit column vs. row: Sector 6 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3583
rawHit column vs. row: Sector 6 Ladder 4 Sensor 1
row
column
×10^3


Entries 3583
rawHit column vs. row: Sector 6 Ladder 4 Sensor 1
Counts
column
×10^3


Entries 3583
rawHit column vs. row: Sector 6 Ladder 4 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 3971
rawHit column vs. row: Sector 6 Ladder 4 Sensor 2
row
column
×10^3


Entries 3971
rawHit column vs. row: Sector 6 Ladder 4 Sensor 2
Counts
column
×10^3


Entries 3971
rawHit column vs. row: Sector 6 Ladder 4 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3902
rawHit column vs. row: Sector 6 Ladder 4 Sensor 3
row
column
×10^3


Entries 3902
rawHit column vs. row: Sector 6 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 3902
rawHit column vs. row: Sector 6 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 3030
rawHit column vs. row: Sector 6 Ladder 4 Sensor 4
row
column
×10^3


Entries 3030
rawHit column vs. row: Sector 6 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 3030
rawHit column vs. row: Sector 6 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 3023
rawHit column vs. row: Sector 6 Ladder 4 Sensor 5
row
column


Entries 3023
rawHit column vs. row: Sector 6 Ladder 4 Sensor 5
Counts
column


Entries 3023
rawHit column vs. row: Sector 6 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 4247
rawHit column vs. row: Sector 6 Ladder 4 Sensor 6
row
column


Entries 4247
rawHit column vs. row: Sector 6 Ladder 4 Sensor 6
Counts
column


Entries 4247
rawHit column vs. row: Sector 6 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3703
rawHit column vs. row: Sector 6 Ladder 4 Sensor 7
row
column
×10^3


Entries 3703
rawHit column vs. row: Sector 6 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 3703
rawHit column vs. row: Sector 6 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3212
rawHit column vs. row: Sector 6 Ladder 4 Sensor 8
row
column


Entries 3212
rawHit column vs. row: Sector 6 Ladder 4 Sensor 8
Counts
column


Entries 3212
rawHit column vs. row: Sector 6 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 3024
rawHit column vs. row: Sector 6 Ladder 4 Sensor 9
row
column


Entries 3024
rawHit column vs. row: Sector 6 Ladder 4 Sensor 9
Counts
column


Entries 3024
rawHit column vs. row: Sector 6 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 2993
rawHit column vs. row: Sector 6 Ladder 4 Sensor 10
row
column
×10^3


Entries 2993
rawHit column vs. row: Sector 6 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 2993
rawHit column vs. row: Sector 6 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 12805
rawHit column vs. row: Sector 7 Ladder 1 Sensor 1
row
column


Entries 12805
rawHit column vs. row: Sector 7 Ladder 1 Sensor 1
Counts
column


Entries 12805
rawHit column vs. row: Sector 7 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 6349
rawHit column vs. row: Sector 7 Ladder 1 Sensor 2
row
column


Entries 6349
rawHit column vs. row: Sector 7 Ladder 1 Sensor 2
Counts
column


Entries 6349
rawHit column vs. row: Sector 7 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 75276
rawHit column vs. row: Sector 7 Ladder 1 Sensor 3
row
column


Entries 75276
rawHit column vs. row: Sector 7 Ladder 1 Sensor 3
Counts
column


Entries 75276
rawHit column vs. row: Sector 7 Ladder 1 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 5621
rawHit column vs. row: Sector 7 Ladder 1 Sensor 4
row
column


Entries 5621
rawHit column vs. row: Sector 7 Ladder 1 Sensor 4
Counts
column


Entries 5621
rawHit column vs. row: Sector 7 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 7944
rawHit column vs. row: Sector 7 Ladder 1 Sensor 5
row
column


Entries 7944
rawHit column vs. row: Sector 7 Ladder 1 Sensor 5
Counts
column


Entries 7944
rawHit column vs. row: Sector 7 Ladder 1 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 5448
rawHit column vs. row: Sector 7 Ladder 1 Sensor 6
row
column


Entries 5448
rawHit column vs. row: Sector 7 Ladder 1 Sensor 6
Counts
column


Entries 5448
rawHit column vs. row: Sector 7 Ladder 1 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 3152
rawHit column vs. row: Sector 7 Ladder 1 Sensor 7
row
column


Entries 3152
rawHit column vs. row: Sector 7 Ladder 1 Sensor 7
Counts
column


Entries 3152
rawHit column vs. row: Sector 7 Ladder 1 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2788
rawHit column vs. row: Sector 7 Ladder 1 Sensor 8
row
column
×10^3


Entries 2788
rawHit column vs. row: Sector 7 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2788
rawHit column vs. row: Sector 7 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 17980
rawHit column vs. row: Sector 7 Ladder 1 Sensor 9
row
column


Entries 17980
rawHit column vs. row: Sector 7 Ladder 1 Sensor 9
Counts
column


Entries 17980
rawHit column vs. row: Sector 7 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 8027
rawHit column vs. row: Sector 7 Ladder 1 Sensor 10
row
column


Entries 8027
rawHit column vs. row: Sector 7 Ladder 1 Sensor 10
Counts
column


Entries 8027
rawHit column vs. row: Sector 7 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 43918
rawHit column vs. row: Sector 7 Ladder 2 Sensor 1
row
column


Entries 43918
rawHit column vs. row: Sector 7 Ladder 2 Sensor 1
Counts
column


Entries 43918
rawHit column vs. row: Sector 7 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3286
rawHit column vs. row: Sector 7 Ladder 2 Sensor 2
row
column
×10^3


Entries 3286
rawHit column vs. row: Sector 7 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3286
rawHit column vs. row: Sector 7 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4476
rawHit column vs. row: Sector 7 Ladder 2 Sensor 3
row
column
×10^3


Entries 4476
rawHit column vs. row: Sector 7 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 4476
rawHit column vs. row: Sector 7 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 3828
rawHit column vs. row: Sector 7 Ladder 2 Sensor 4
row
column


Entries 3828
rawHit column vs. row: Sector 7 Ladder 2 Sensor 4
Counts
column


Entries 3828
rawHit column vs. row: Sector 7 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3954
rawHit column vs. row: Sector 7 Ladder 2 Sensor 5
row
column


Entries 3954
rawHit column vs. row: Sector 7 Ladder 2 Sensor 5
Counts
column


Entries 3954
rawHit column vs. row: Sector 7 Ladder 2 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3422
rawHit column vs. row: Sector 7 Ladder 2 Sensor 6
row
column


Entries 3422
rawHit column vs. row: Sector 7 Ladder 2 Sensor 6
Counts
column


Entries 3422
rawHit column vs. row: Sector 7 Ladder 2 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3815
rawHit column vs. row: Sector 7 Ladder 2 Sensor 7
row
column


Entries 3815
rawHit column vs. row: Sector 7 Ladder 2 Sensor 7
Counts
column


Entries 3815
rawHit column vs. row: Sector 7 Ladder 2 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2556
rawHit column vs. row: Sector 7 Ladder 2 Sensor 8
row
column
×10^3


Entries 2556
rawHit column vs. row: Sector 7 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 2556
rawHit column vs. row: Sector 7 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 5048
rawHit column vs. row: Sector 7 Ladder 2 Sensor 9
row
column
×10^3


Entries 5048
rawHit column vs. row: Sector 7 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 5048
rawHit column vs. row: Sector 7 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2748
rawHit column vs. row: Sector 7 Ladder 2 Sensor 10
row
column
×10^3


Entries 2748
rawHit column vs. row: Sector 7 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 2748
rawHit column vs. row: Sector 7 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 3857
rawHit column vs. row: Sector 7 Ladder 3 Sensor 1
row
column
×10^3


Entries 3857
rawHit column vs. row: Sector 7 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 3857
rawHit column vs. row: Sector 7 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 23673
rawHit column vs. row: Sector 7 Ladder 3 Sensor 2
row
column


Entries 23673
rawHit column vs. row: Sector 7 Ladder 3 Sensor 2
Counts
column


Entries 23673
rawHit column vs. row: Sector 7 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3740
rawHit column vs. row: Sector 7 Ladder 3 Sensor 3
row
column


Entries 3740
rawHit column vs. row: Sector 7 Ladder 3 Sensor 3
Counts
column


Entries 3740
rawHit column vs. row: Sector 7 Ladder 3 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3736
rawHit column vs. row: Sector 7 Ladder 3 Sensor 4
row
column
×10^3


Entries 3736
rawHit column vs. row: Sector 7 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 3736
rawHit column vs. row: Sector 7 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 4587
rawHit column vs. row: Sector 7 Ladder 3 Sensor 5
row
column


Entries 4587
rawHit column vs. row: Sector 7 Ladder 3 Sensor 5
Counts
column


Entries 4587
rawHit column vs. row: Sector 7 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 4223
rawHit column vs. row: Sector 7 Ladder 3 Sensor 6
row
column
×10^3


Entries 4223
rawHit column vs. row: Sector 7 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 4223
rawHit column vs. row: Sector 7 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 3986
rawHit column vs. row: Sector 7 Ladder 3 Sensor 7
row
column
×10^3


Entries 3986
rawHit column vs. row: Sector 7 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 3986
rawHit column vs. row: Sector 7 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 4226
rawHit column vs. row: Sector 7 Ladder 3 Sensor 8
row
column
×10^3


Entries 4226
rawHit column vs. row: Sector 7 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 4226
rawHit column vs. row: Sector 7 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3257
rawHit column vs. row: Sector 7 Ladder 3 Sensor 9
row
column
×10^3


Entries 3257
rawHit column vs. row: Sector 7 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 3257
rawHit column vs. row: Sector 7 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3287
rawHit column vs. row: Sector 7 Ladder 3 Sensor 10
row
column
×10^3


Entries 3287
rawHit column vs. row: Sector 7 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 3287
rawHit column vs. row: Sector 7 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 9839
rawHit column vs. row: Sector 7 Ladder 4 Sensor 1
row
column


Entries 9839
rawHit column vs. row: Sector 7 Ladder 4 Sensor 1
Counts
column


Entries 9839
rawHit column vs. row: Sector 7 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 132726
rawHit column vs. row: Sector 7 Ladder 4 Sensor 2
row
column


Entries 132726
rawHit column vs. row: Sector 7 Ladder 4 Sensor 2
Counts
column


Entries 132726
rawHit column vs. row: Sector 7 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 46674
rawHit column vs. row: Sector 7 Ladder 4 Sensor 3
row
column


Entries 46674
rawHit column vs. row: Sector 7 Ladder 4 Sensor 3
Counts
column


Entries 46674
rawHit column vs. row: Sector 7 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 50842
rawHit column vs. row: Sector 7 Ladder 4 Sensor 4
row
column
×10^3


Entries 50842
rawHit column vs. row: Sector 7 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 50842
rawHit column vs. row: Sector 7 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 47838
rawHit column vs. row: Sector 7 Ladder 4 Sensor 5
row
column


Entries 47838
rawHit column vs. row: Sector 7 Ladder 4 Sensor 5
Counts
column


Entries 47838
rawHit column vs. row: Sector 7 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 6395
rawHit column vs. row: Sector 7 Ladder 4 Sensor 6
row
column


Entries 6395
rawHit column vs. row: Sector 7 Ladder 4 Sensor 6
Counts
column


Entries 6395
rawHit column vs. row: Sector 7 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 85203
rawHit column vs. row: Sector 7 Ladder 4 Sensor 7
row
column


Entries 85203
rawHit column vs. row: Sector 7 Ladder 4 Sensor 7
Counts
column


Entries 85203
rawHit column vs. row: Sector 7 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3532
rawHit column vs. row: Sector 7 Ladder 4 Sensor 8
row
column


Entries 3532
rawHit column vs. row: Sector 7 Ladder 4 Sensor 8
Counts
column


Entries 3532
rawHit column vs. row: Sector 7 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 3295
rawHit column vs. row: Sector 7 Ladder 4 Sensor 9
row
column
×10^3


Entries 3295
rawHit column vs. row: Sector 7 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 3295
rawHit column vs. row: Sector 7 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 6352
rawHit column vs. row: Sector 7 Ladder 4 Sensor 10
row
column


Entries 6352
rawHit column vs. row: Sector 7 Ladder 4 Sensor 10
Counts
column


Entries 6352
rawHit column vs. row: Sector 7 Ladder 4 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 10538
rawHit column vs. row: Sector 8 Ladder 1 Sensor 1
row
column


Entries 10538
rawHit column vs. row: Sector 8 Ladder 1 Sensor 1
Counts
column


Entries 10538
rawHit column vs. row: Sector 8 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 2987
rawHit column vs. row: Sector 8 Ladder 1 Sensor 2
row
column
×10^3


Entries 2987
rawHit column vs. row: Sector 8 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 2987
rawHit column vs. row: Sector 8 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 5196
rawHit column vs. row: Sector 8 Ladder 1 Sensor 3
row
column
×10^3


Entries 5196
rawHit column vs. row: Sector 8 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 5196
rawHit column vs. row: Sector 8 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 2982
rawHit column vs. row: Sector 8 Ladder 1 Sensor 4
row
column


Entries 2982
rawHit column vs. row: Sector 8 Ladder 1 Sensor 4
Counts
column


Entries 2982
rawHit column vs. row: Sector 8 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 2720
rawHit column vs. row: Sector 8 Ladder 1 Sensor 5
row
column
×10^3


Entries 2720
rawHit column vs. row: Sector 8 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 2720
rawHit column vs. row: Sector 8 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 2391
rawHit column vs. row: Sector 8 Ladder 1 Sensor 6
row
column
×10^3


Entries 2391
rawHit column vs. row: Sector 8 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 2391
rawHit column vs. row: Sector 8 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 3440
rawHit column vs. row: Sector 8 Ladder 1 Sensor 7
row
column
×10^3


Entries 3440
rawHit column vs. row: Sector 8 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 3440
rawHit column vs. row: Sector 8 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 3264
rawHit column vs. row: Sector 8 Ladder 1 Sensor 8
row
column


Entries 3264
rawHit column vs. row: Sector 8 Ladder 1 Sensor 8
Counts
column


Entries 3264
rawHit column vs. row: Sector 8 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 2979
rawHit column vs. row: Sector 8 Ladder 1 Sensor 9
row
column
×10^3


Entries 2979
rawHit column vs. row: Sector 8 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 2979
rawHit column vs. row: Sector 8 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2818
rawHit column vs. row: Sector 8 Ladder 1 Sensor 10
row
column
×10^3


Entries 2818
rawHit column vs. row: Sector 8 Ladder 1 Sensor 10
Counts
column
×10^3


Entries 2818
rawHit column vs. row: Sector 8 Ladder 1 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3327
rawHit column vs. row: Sector 8 Ladder 2 Sensor 1
row
column
×10^3


Entries 3327
rawHit column vs. row: Sector 8 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 3327
rawHit column vs. row: Sector 8 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3003
rawHit column vs. row: Sector 8 Ladder 2 Sensor 2
row
column
×10^3


Entries 3003
rawHit column vs. row: Sector 8 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3003
rawHit column vs. row: Sector 8 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4225
rawHit column vs. row: Sector 8 Ladder 2 Sensor 3
row
column
×10^3


Entries 4225
rawHit column vs. row: Sector 8 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 4225
rawHit column vs. row: Sector 8 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 4149
rawHit column vs. row: Sector 8 Ladder 2 Sensor 4
row
column


Entries 4149
rawHit column vs. row: Sector 8 Ladder 2 Sensor 4
Counts
column


Entries 4149
rawHit column vs. row: Sector 8 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3674
rawHit column vs. row: Sector 8 Ladder 2 Sensor 5
row
column
×10^3


Entries 3674
rawHit column vs. row: Sector 8 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 3674
rawHit column vs. row: Sector 8 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 2810
rawHit column vs. row: Sector 8 Ladder 2 Sensor 6
row
column
×10^3


Entries 2810
rawHit column vs. row: Sector 8 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 2810
rawHit column vs. row: Sector 8 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3167
rawHit column vs. row: Sector 8 Ladder 2 Sensor 7
row
column


Entries 3167
rawHit column vs. row: Sector 8 Ladder 2 Sensor 7
Counts
column


Entries 3167
rawHit column vs. row: Sector 8 Ladder 2 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2992
rawHit column vs. row: Sector 8 Ladder 2 Sensor 8
row
column


Entries 2992
rawHit column vs. row: Sector 8 Ladder 2 Sensor 8
Counts
column


Entries 2992
rawHit column vs. row: Sector 8 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2955
rawHit column vs. row: Sector 8 Ladder 2 Sensor 9
row
column


Entries 2955
rawHit column vs. row: Sector 8 Ladder 2 Sensor 9
Counts
column


Entries 2955
rawHit column vs. row: Sector 8 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 3452
rawHit column vs. row: Sector 8 Ladder 2 Sensor 10
row
column
×10^3


Entries 3452
rawHit column vs. row: Sector 8 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 3452
rawHit column vs. row: Sector 8 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 2603
rawHit column vs. row: Sector 8 Ladder 3 Sensor 1
row
column
×10^3
10
1
10^-1


Entries 2603
rawHit column vs. row: Sector 8 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 2603
rawHit column vs. row: Sector 8 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3487
rawHit column vs. row: Sector 8 Ladder 3 Sensor 2
row
column


Entries 3487
rawHit column vs. row: Sector 8 Ladder 3 Sensor 2
Counts
column


Entries 3487
rawHit column vs. row: Sector 8 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3339
rawHit column vs. row: Sector 8 Ladder 3 Sensor 3
row
column


Entries 3339
rawHit column vs. row: Sector 8 Ladder 3 Sensor 3
Counts
column


Entries 3339
rawHit column vs. row: Sector 8 Ladder 3 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3143
rawHit column vs. row: Sector 8 Ladder 3 Sensor 4
row
column
×10^3


Entries 3143
rawHit column vs. row: Sector 8 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 3143
rawHit column vs. row: Sector 8 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3133
rawHit column vs. row: Sector 8 Ladder 3 Sensor 5
row
column
×10^3


Entries 3133
rawHit column vs. row: Sector 8 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 3133
rawHit column vs. row: Sector 8 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3968
rawHit column vs. row: Sector 8 Ladder 3 Sensor 6
row
column
×10^3


Entries 3968
rawHit column vs. row: Sector 8 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3968
rawHit column vs. row: Sector 8 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 4301
rawHit column vs. row: Sector 8 Ladder 3 Sensor 7
row
column


Entries 4301
rawHit column vs. row: Sector 8 Ladder 3 Sensor 7
Counts
column


Entries 4301
rawHit column vs. row: Sector 8 Ladder 3 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3858
rawHit column vs. row: Sector 8 Ladder 3 Sensor 8
row
column
×10^3


Entries 3858
rawHit column vs. row: Sector 8 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 3858
rawHit column vs. row: Sector 8 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3916
rawHit column vs. row: Sector 8 Ladder 3 Sensor 9
row
column
×10^3


Entries 3916
rawHit column vs. row: Sector 8 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 3916
rawHit column vs. row: Sector 8 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 2237
rawHit column vs. row: Sector 8 Ladder 3 Sensor 10
row
column


Entries 2237
rawHit column vs. row: Sector 8 Ladder 3 Sensor 10
Counts
column


Entries 2237
rawHit column vs. row: Sector 8 Ladder 3 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3412
rawHit column vs. row: Sector 8 Ladder 4 Sensor 1
row
column
×10^3


Entries 3412
rawHit column vs. row: Sector 8 Ladder 4 Sensor 1
Counts
column
×10^3


Entries 3412
rawHit column vs. row: Sector 8 Ladder 4 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 3895
rawHit column vs. row: Sector 8 Ladder 4 Sensor 2
row
column


Entries 3895
rawHit column vs. row: Sector 8 Ladder 4 Sensor 2
Counts
column


Entries 3895
rawHit column vs. row: Sector 8 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3628
rawHit column vs. row: Sector 8 Ladder 4 Sensor 3
row
column
×10^3


Entries 3628
rawHit column vs. row: Sector 8 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 3628
rawHit column vs. row: Sector 8 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 4331
rawHit column vs. row: Sector 8 Ladder 4 Sensor 4
row
column


Entries 4331
rawHit column vs. row: Sector 8 Ladder 4 Sensor 4
Counts
column


Entries 4331
rawHit column vs. row: Sector 8 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 4245
rawHit column vs. row: Sector 8 Ladder 4 Sensor 5
row
column
×10^3


Entries 4245
rawHit column vs. row: Sector 8 Ladder 4 Sensor 5
Counts
column
×10^3


Entries 4245
rawHit column vs. row: Sector 8 Ladder 4 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3451
rawHit column vs. row: Sector 8 Ladder 4 Sensor 6
row
column


Entries 3451
rawHit column vs. row: Sector 8 Ladder 4 Sensor 6
Counts
column


Entries 3451
rawHit column vs. row: Sector 8 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 4068
rawHit column vs. row: Sector 8 Ladder 4 Sensor 7
row
column
×10^3


Entries 4068
rawHit column vs. row: Sector 8 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 4068
rawHit column vs. row: Sector 8 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3290
rawHit column vs. row: Sector 8 Ladder 4 Sensor 8
row
column


Entries 3290
rawHit column vs. row: Sector 8 Ladder 4 Sensor 8
Counts
column


Entries 3290
rawHit column vs. row: Sector 8 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 3495
rawHit column vs. row: Sector 8 Ladder 4 Sensor 9
row
column
×10^3


Entries 3495
rawHit column vs. row: Sector 8 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 3495
rawHit column vs. row: Sector 8 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 3283
rawHit column vs. row: Sector 8 Ladder 4 Sensor 10
row
column
×10^3


Entries 3283
rawHit column vs. row: Sector 8 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 3283
rawHit column vs. row: Sector 8 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 2330
rawHit column vs. row: Sector 9 Ladder 1 Sensor 1
row
column


Entries 2330
rawHit column vs. row: Sector 9 Ladder 1 Sensor 1
Counts
column


Entries 2330
rawHit column vs. row: Sector 9 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 6958
rawHit column vs. row: Sector 9 Ladder 1 Sensor 2
row
column


Entries 6958
rawHit column vs. row: Sector 9 Ladder 1 Sensor 2
Counts
column


Entries 6958
rawHit column vs. row: Sector 9 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 3407
rawHit column vs. row: Sector 9 Ladder 1 Sensor 3
row
column
×10^3


Entries 3407
rawHit column vs. row: Sector 9 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 3407
rawHit column vs. row: Sector 9 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 3840
rawHit column vs. row: Sector 9 Ladder 1 Sensor 4
row
column
×10^3


Entries 3840
rawHit column vs. row: Sector 9 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 3840
rawHit column vs. row: Sector 9 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 4909
rawHit column vs. row: Sector 9 Ladder 1 Sensor 5
row
column
×10^3


Entries 4909
rawHit column vs. row: Sector 9 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 4909
rawHit column vs. row: Sector 9 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 3101
rawHit column vs. row: Sector 9 Ladder 1 Sensor 6
row
column


Entries 3101
rawHit column vs. row: Sector 9 Ladder 1 Sensor 6
Counts
column


Entries 3101
rawHit column vs. row: Sector 9 Ladder 1 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 3269
rawHit column vs. row: Sector 9 Ladder 1 Sensor 7
row
column
×10^3


Entries 3269
rawHit column vs. row: Sector 9 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 3269
rawHit column vs. row: Sector 9 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 3848
rawHit column vs. row: Sector 9 Ladder 1 Sensor 8
row
column
×10^3
×10^3
10
1
10^-1


Entries 3848
rawHit column vs. row: Sector 9 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 3848
rawHit column vs. row: Sector 9 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 8083
rawHit column vs. row: Sector 9 Ladder 1 Sensor 9
row
column


Entries 8083
rawHit column vs. row: Sector 9 Ladder 1 Sensor 9
Counts
column


Entries 8083
rawHit column vs. row: Sector 9 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 6055
rawHit column vs. row: Sector 9 Ladder 1 Sensor 10
row
column


Entries 6055
rawHit column vs. row: Sector 9 Ladder 1 Sensor 10
Counts
column


Entries 6055
rawHit column vs. row: Sector 9 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3922
rawHit column vs. row: Sector 9 Ladder 2 Sensor 1
row
column
×10^3


Entries 3922
rawHit column vs. row: Sector 9 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 3922
rawHit column vs. row: Sector 9 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3372
rawHit column vs. row: Sector 9 Ladder 2 Sensor 2
row
column
×10^3


Entries 3372
rawHit column vs. row: Sector 9 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3372
rawHit column vs. row: Sector 9 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4762
rawHit column vs. row: Sector 9 Ladder 2 Sensor 3
row
column


Entries 4762
rawHit column vs. row: Sector 9 Ladder 2 Sensor 3
Counts
column


Entries 4762
rawHit column vs. row: Sector 9 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 4174
rawHit column vs. row: Sector 9 Ladder 2 Sensor 4
row
column


Entries 4174
rawHit column vs. row: Sector 9 Ladder 2 Sensor 4
Counts
column


Entries 4174
rawHit column vs. row: Sector 9 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3429
rawHit column vs. row: Sector 9 Ladder 2 Sensor 5
row
column
×10^3


Entries 3429
rawHit column vs. row: Sector 9 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 3429
rawHit column vs. row: Sector 9 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 2733
rawHit column vs. row: Sector 9 Ladder 2 Sensor 6
row
column


Entries 2733
rawHit column vs. row: Sector 9 Ladder 2 Sensor 6
Counts
column


Entries 2733
rawHit column vs. row: Sector 9 Ladder 2 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3339
rawHit column vs. row: Sector 9 Ladder 2 Sensor 7
row
column


Entries 3339
rawHit column vs. row: Sector 9 Ladder 2 Sensor 7
Counts
column


Entries 3339
rawHit column vs. row: Sector 9 Ladder 2 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 3073
rawHit column vs. row: Sector 9 Ladder 2 Sensor 8
row
column


Entries 3073
rawHit column vs. row: Sector 9 Ladder 2 Sensor 8
Counts
column


Entries 3073
rawHit column vs. row: Sector 9 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 3346
rawHit column vs. row: Sector 9 Ladder 2 Sensor 9
row
column
×10^3


Entries 3346
rawHit column vs. row: Sector 9 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 3346
rawHit column vs. row: Sector 9 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 3162
rawHit column vs. row: Sector 9 Ladder 2 Sensor 10
row
column
×10^3


Entries 3162
rawHit column vs. row: Sector 9 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 3162
rawHit column vs. row: Sector 9 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 3469
rawHit column vs. row: Sector 9 Ladder 3 Sensor 1
row
column
×10^3


Entries 3469
rawHit column vs. row: Sector 9 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 3469
rawHit column vs. row: Sector 9 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 4082
rawHit column vs. row: Sector 9 Ladder 3 Sensor 2
row
column
×10^3


Entries 4082
rawHit column vs. row: Sector 9 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 4082
rawHit column vs. row: Sector 9 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 4689
rawHit column vs. row: Sector 9 Ladder 3 Sensor 3
row
column
×10^3


Entries 4689
rawHit column vs. row: Sector 9 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 4689
rawHit column vs. row: Sector 9 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 4905
rawHit column vs. row: Sector 9 Ladder 3 Sensor 4
row
column
×10^3


Entries 4905
rawHit column vs. row: Sector 9 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 4905
rawHit column vs. row: Sector 9 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 4628
rawHit column vs. row: Sector 9 Ladder 3 Sensor 5
row
column


Entries 4628
rawHit column vs. row: Sector 9 Ladder 3 Sensor 5
Counts
column


Entries 4628
rawHit column vs. row: Sector 9 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3114
rawHit column vs. row: Sector 9 Ladder 3 Sensor 6
row
column


Entries 3114
rawHit column vs. row: Sector 9 Ladder 3 Sensor 6
Counts
column


Entries 3114
rawHit column vs. row: Sector 9 Ladder 3 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 3675
rawHit column vs. row: Sector 9 Ladder 3 Sensor 7
row
column
×10^3


Entries 3675
rawHit column vs. row: Sector 9 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 3675
rawHit column vs. row: Sector 9 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3172
rawHit column vs. row: Sector 9 Ladder 3 Sensor 8
row
column
×10^3


Entries 3172
rawHit column vs. row: Sector 9 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 3172
rawHit column vs. row: Sector 9 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3546
rawHit column vs. row: Sector 9 Ladder 3 Sensor 9
row
column
×10^3


Entries 3546
rawHit column vs. row: Sector 9 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 3546
rawHit column vs. row: Sector 9 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3536
rawHit column vs. row: Sector 9 Ladder 3 Sensor 10
row
column


Entries 3536
rawHit column vs. row: Sector 9 Ladder 3 Sensor 10
Counts
column


Entries 3536
rawHit column vs. row: Sector 9 Ladder 3 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 5814
rawHit column vs. row: Sector 9 Ladder 4 Sensor 1
row
column


Entries 5814
rawHit column vs. row: Sector 9 Ladder 4 Sensor 1
Counts
column


Entries 5814
rawHit column vs. row: Sector 9 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 6014
rawHit column vs. row: Sector 9 Ladder 4 Sensor 2
row
column


Entries 6014
rawHit column vs. row: Sector 9 Ladder 4 Sensor 2
Counts
column


Entries 6014
rawHit column vs. row: Sector 9 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3417
rawHit column vs. row: Sector 9 Ladder 4 Sensor 3
row
column


Entries 3417
rawHit column vs. row: Sector 9 Ladder 4 Sensor 3
Counts
column


Entries 3417
rawHit column vs. row: Sector 9 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 4414
rawHit column vs. row: Sector 9 Ladder 4 Sensor 4
row
column


Entries 4414
rawHit column vs. row: Sector 9 Ladder 4 Sensor 4
Counts
column


Entries 4414
rawHit column vs. row: Sector 9 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 5617
rawHit column vs. row: Sector 9 Ladder 4 Sensor 5
row
column


Entries 5617
rawHit column vs. row: Sector 9 Ladder 4 Sensor 5
Counts
column


Entries 5617
rawHit column vs. row: Sector 9 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 41325
rawHit column vs. row: Sector 9 Ladder 4 Sensor 6
row
column


Entries 41325
rawHit column vs. row: Sector 9 Ladder 4 Sensor 6
Counts
column


Entries 41325
rawHit column vs. row: Sector 9 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3738
rawHit column vs. row: Sector 9 Ladder 4 Sensor 7
row
column


Entries 3738
rawHit column vs. row: Sector 9 Ladder 4 Sensor 7
Counts
column


Entries 3738
rawHit column vs. row: Sector 9 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 5257
rawHit column vs. row: Sector 9 Ladder 4 Sensor 8
row
column


Entries 5257
rawHit column vs. row: Sector 9 Ladder 4 Sensor 8
Counts
column


Entries 5257
rawHit column vs. row: Sector 9 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 155020
rawHit column vs. row: Sector 9 Ladder 4 Sensor 9
row
column


Entries 155020
rawHit column vs. row: Sector 9 Ladder 4 Sensor 9
Counts
column


Entries 155020
rawHit column vs. row: Sector 9 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 5589
rawHit column vs. row: Sector 9 Ladder 4 Sensor 10
row
column


Entries 5589
rawHit column vs. row: Sector 9 Ladder 4 Sensor 10
Counts
column


Entries 5589
rawHit column vs. row: Sector 9 Ladder 4 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 3058
rawHit column vs. row: Sector 10 Ladder 1 Sensor 1
row
column
×10^3


Entries 3058
rawHit column vs. row: Sector 10 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 3058
rawHit column vs. row: Sector 10 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 3707
rawHit column vs. row: Sector 10 Ladder 1 Sensor 2
row
column
×10^3


Entries 3707
rawHit column vs. row: Sector 10 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 3707
rawHit column vs. row: Sector 10 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 4020
rawHit column vs. row: Sector 10 Ladder 1 Sensor 3
row
column
×10^3


Entries 4020
rawHit column vs. row: Sector 10 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 4020
rawHit column vs. row: Sector 10 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 4002
rawHit column vs. row: Sector 10 Ladder 1 Sensor 4
row
column


Entries 4002
rawHit column vs. row: Sector 10 Ladder 1 Sensor 4
Counts
column


Entries 4002
rawHit column vs. row: Sector 10 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 3827
rawHit column vs. row: Sector 10 Ladder 1 Sensor 5
row
column


Entries 3827
rawHit column vs. row: Sector 10 Ladder 1 Sensor 5
Counts
column


Entries 3827
rawHit column vs. row: Sector 10 Ladder 1 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 3486
rawHit column vs. row: Sector 10 Ladder 1 Sensor 6
row
column
×10^3


Entries 3486
rawHit column vs. row: Sector 10 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 3486
rawHit column vs. row: Sector 10 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 3131
rawHit column vs. row: Sector 10 Ladder 1 Sensor 7
row
column
×10^3


Entries 3131
rawHit column vs. row: Sector 10 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 3131
rawHit column vs. row: Sector 10 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2322
rawHit column vs. row: Sector 10 Ladder 1 Sensor 8
row
column
×10^3


Entries 2322
rawHit column vs. row: Sector 10 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2322
rawHit column vs. row: Sector 10 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 1997
rawHit column vs. row: Sector 10 Ladder 1 Sensor 9
row
column


Entries 1997
rawHit column vs. row: Sector 10 Ladder 1 Sensor 9
Counts
column


Entries 1997
rawHit column vs. row: Sector 10 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2645
rawHit column vs. row: Sector 10 Ladder 1 Sensor 10
row
column
×10^3


Entries 2645
rawHit column vs. row: Sector 10 Ladder 1 Sensor 10
Counts
column
×10^3


Entries 2645
rawHit column vs. row: Sector 10 Ladder 1 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 4055
rawHit column vs. row: Sector 10 Ladder 2 Sensor 1
row
column


Entries 4055
rawHit column vs. row: Sector 10 Ladder 2 Sensor 1
Counts
column


Entries 4055
rawHit column vs. row: Sector 10 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3118
rawHit column vs. row: Sector 10 Ladder 2 Sensor 2
row
column


Entries 3118
rawHit column vs. row: Sector 10 Ladder 2 Sensor 2
Counts
column


Entries 3118
rawHit column vs. row: Sector 10 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4545
rawHit column vs. row: Sector 10 Ladder 2 Sensor 3
row
column
×10^3


Entries 4545
rawHit column vs. row: Sector 10 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 4545
rawHit column vs. row: Sector 10 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 3930
rawHit column vs. row: Sector 10 Ladder 2 Sensor 4
row
column
×10^3
10
1
10^-1


Entries 3930
rawHit column vs. row: Sector 10 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 3930
rawHit column vs. row: Sector 10 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 2592
rawHit column vs. row: Sector 10 Ladder 2 Sensor 5
row
column
×10^3
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1
10
1
10^-1


Entries 2592
rawHit column vs. row: Sector 10 Ladder 2 Sensor 5
Counts
column
×10^3
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1
10^2
10
1


Entries 2592
rawHit column vs. row: Sector 10 Ladder 2 Sensor 5
Counts
row
×10^3
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1
10^2
10
1


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 5
<rawhits>
EventID (Time)
0 10 20 30 40 50
1


Entries 3171
rawHit column vs. row: Sector 10 Ladder 2 Sensor 6
row
column
×10^3


Entries 3171
rawHit column vs. row: Sector 10 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3171
rawHit column vs. row: Sector 10 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3106
rawHit column vs. row: Sector 10 Ladder 2 Sensor 7
row
column
×10^3


Entries 3106
rawHit column vs. row: Sector 10 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3106
rawHit column vs. row: Sector 10 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 3722
rawHit column vs. row: Sector 10 Ladder 2 Sensor 8
row
column


Entries 3722
rawHit column vs. row: Sector 10 Ladder 2 Sensor 8
Counts
column


Entries 3722
rawHit column vs. row: Sector 10 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2841
rawHit column vs. row: Sector 10 Ladder 2 Sensor 9
row
column
×10^3


Entries 2841
rawHit column vs. row: Sector 10 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 2841
rawHit column vs. row: Sector 10 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2863
rawHit column vs. row: Sector 10 Ladder 2 Sensor 10
row
column


Entries 2863
rawHit column vs. row: Sector 10 Ladder 2 Sensor 10
Counts
column


Entries 2863
rawHit column vs. row: Sector 10 Ladder 2 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 3638
rawHit column vs. row: Sector 10 Ladder 3 Sensor 1
row
column
×10^3


Entries 3638
rawHit column vs. row: Sector 10 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 3638
rawHit column vs. row: Sector 10 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3009
rawHit column vs. row: Sector 10 Ladder 3 Sensor 2
row
column
×10^3


Entries 3009
rawHit column vs. row: Sector 10 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 3009
rawHit column vs. row: Sector 10 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 2866
rawHit column vs. row: Sector 10 Ladder 3 Sensor 3
row
column
×10^3


Entries 2866
rawHit column vs. row: Sector 10 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 2866
rawHit column vs. row: Sector 10 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 2936
rawHit column vs. row: Sector 10 Ladder 3 Sensor 4
row
column


Entries 2936
rawHit column vs. row: Sector 10 Ladder 3 Sensor 4
Counts
column


Entries 2936
rawHit column vs. row: Sector 10 Ladder 3 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3471
rawHit column vs. row: Sector 10 Ladder 3 Sensor 5
row
column
×10^3


Entries 3471
rawHit column vs. row: Sector 10 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 3471
rawHit column vs. row: Sector 10 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 4209
rawHit column vs. row: Sector 10 Ladder 3 Sensor 6
row
column


Entries 4209
rawHit column vs. row: Sector 10 Ladder 3 Sensor 6
Counts
column


Entries 4209
rawHit column vs. row: Sector 10 Ladder 3 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 3358
rawHit column vs. row: Sector 10 Ladder 3 Sensor 7
row
column


Entries 3358
rawHit column vs. row: Sector 10 Ladder 3 Sensor 7
Counts
column


Entries 3358
rawHit column vs. row: Sector 10 Ladder 3 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3361
rawHit column vs. row: Sector 10 Ladder 3 Sensor 8
row
column
×10^3


Entries 3361
rawHit column vs. row: Sector 10 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 3361
rawHit column vs. row: Sector 10 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 2987
rawHit column vs. row: Sector 10 Ladder 3 Sensor 9
row
column
×10^3


Entries 2987
rawHit column vs. row: Sector 10 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 2987
rawHit column vs. row: Sector 10 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3375
rawHit column vs. row: Sector 10 Ladder 3 Sensor 10
row
column


Entries 3375
rawHit column vs. row: Sector 10 Ladder 3 Sensor 10
Counts
column


Entries 3375
rawHit column vs. row: Sector 10 Ladder 3 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 73610
rawHit column vs. row: Sector 10 Ladder 4 Sensor 1
row
column


Entries 73610
rawHit column vs. row: Sector 10 Ladder 4 Sensor 1
Counts
column


Entries 73610
rawHit column vs. row: Sector 10 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 3866
rawHit column vs. row: Sector 10 Ladder 4 Sensor 2
row
column


Entries 3866
rawHit column vs. row: Sector 10 Ladder 4 Sensor 2
Counts
column


Entries 3866
rawHit column vs. row: Sector 10 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3916
rawHit column vs. row: Sector 10 Ladder 4 Sensor 3
row
column
×10^3


Entries 3916
rawHit column vs. row: Sector 10 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 3916
rawHit column vs. row: Sector 10 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 3800
rawHit column vs. row: Sector 10 Ladder 4 Sensor 4
row
column


Entries 3800
rawHit column vs. row: Sector 10 Ladder 4 Sensor 4
Counts
column


Entries 3800
rawHit column vs. row: Sector 10 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 4524
rawHit column vs. row: Sector 10 Ladder 4 Sensor 5
row
column


Entries 4524
rawHit column vs. row: Sector 10 Ladder 4 Sensor 5
Counts
column


Entries 4524
rawHit column vs. row: Sector 10 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 4337
rawHit column vs. row: Sector 10 Ladder 4 Sensor 6
row
column


Entries 4337
rawHit column vs. row: Sector 10 Ladder 4 Sensor 6
Counts
column


Entries 4337
rawHit column vs. row: Sector 10 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 6897
rawHit column vs. row: Sector 10 Ladder 4 Sensor 7
row
column


Entries 6897
rawHit column vs. row: Sector 10 Ladder 4 Sensor 7
Counts
column


Entries 6897
rawHit column vs. row: Sector 10 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 5944
rawHit column vs. row: Sector 10 Ladder 4 Sensor 8
row
column


Entries 5944
rawHit column vs. row: Sector 10 Ladder 4 Sensor 8
Counts
column


Entries 5944
rawHit column vs. row: Sector 10 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 63019
rawHit column vs. row: Sector 10 Ladder 4 Sensor 9
row
column


Entries 63019
rawHit column vs. row: Sector 10 Ladder 4 Sensor 9
Counts
column


Entries 63019
rawHit column vs. row: Sector 10 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 46223
rawHit column vs. row: Sector 10 Ladder 4 Sensor 10
row
column


Entries 46223
rawHit column vs. row: Sector 10 Ladder 4 Sensor 10
Counts
column


Entries 46223
rawHit column vs. row: Sector 10 Ladder 4 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 10
<rawhits>
EventID (Time)