15053038.pxlQa

Sun Feb 23 12:31:50 2014


Entries 1000000
The number of RawHits vs. sensorID
nRawHits
Sensor ID


Entries 782770
The number of RawHits vs. sensorID
<nRawHits>
Sensor ID


Entries 400000
RawHits vs. sensorNo: Sector 1
nRawHits
Sub-array


Entries 123922
RawHits vs. sensorNo: Sector 1
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 2
nRawHits
Sub-array


Entries 130023
RawHits vs. sensorNo: Sector 2
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 3
nRawHits
Sub-array


Entries 121693
RawHits vs. sensorNo: Sector 3
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 4
nRawHits
Sub-array


Entries 141607
RawHits vs. sensorNo: Sector 4
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 5
nRawHits
Sub-array


Entries 117025
RawHits vs. sensorNo: Sector 5
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 6
nRawHits
Sub-array


Entries 126168
RawHits vs. sensorNo: Sector 6
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 7
nRawHits
Sub-array


Entries 171433
RawHits vs. sensorNo: Sector 7
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 8
nRawHits
Sub-array


Entries 114220
RawHits vs. sensorNo: Sector 8
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 9
nRawHits
Sub-array


Entries 149441
RawHits vs. sensorNo: Sector 9
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 10
nRawHits
Sub-array


Entries 126896
RawHits vs. sensorNo: Sector 10
<nRawHits>
Sub-array


Entries 1000000
The number of Hits vs. sensorID
nHits
10^3
10^2
10
1
50
100
150
200
250
300
350
400
Sensor ID


Entries 782770
The number of Hits vs. sensorID
<nHits>
10^3
10^2
10
1
50
100
150
200
250
300
350
400
Sensor ID


Entries 100000
Hits vs. sensorNo: Sector 1
nHits
Sensor No.


Entries 77525
Hits vs. sensorNo: Sector 1
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 2
nHits
Sensor No.


Entries 79696
Hits vs. sensorNo: Sector 2
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 3
nHits
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^2
10
1


Entries 75525
Hits vs. sensorNo: Sector 3
<nHits>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 4
nHits
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^2
10
1


Entries 82205
Hits vs. sensorNo: Sector 4
<nHits>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 5
nHits
Sensor No.


Entries 72347
Hits vs. sensorNo: Sector 5
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 6
nHits
Sensor No.


Entries 76489
Hits vs. sensorNo: Sector 6
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 7
nHits
Sensor No.


Entries 85568
Hits vs. sensorNo: Sector 7
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 8
nHits
Sensor No.


Entries 73687
Hits vs. sensorNo: Sector 8
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 9
nHits
Sensor No.


Entries 82587
Hits vs. sensorNo: Sector 9
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 10
nHits
Sensor No.


Entries 77141
Hits vs. sensorNo: Sector 10
<nHits>
Sensor No.


Entries 7751677
The number of RawHits per hit vs. sensorID
RawHits per hit
Sensor ID


Entries 2174350
The number of RawHits per hit vs. sensorID
<RawHits per hit>
Sensor ID


Entries 177499
RawHits per hit vs. sensorNo: Sector 1
RawHits per hit
Sensor No.


Entries 177499
RawHits per hit vs. sensorNo: Sector 1
<RawHits per hit>
Sensor No.


Entries 162535
RawHits per hit vs. sensorNo: Sector 2
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^3
10^2
10
1


Entries 162535
RawHits per hit vs. sensorNo: Sector 2
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 161610
RawHits per hit vs. sensorNo: Sector 3
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^3
10^2
10
1


Entries 161610
RawHits per hit vs. sensorNo: Sector 3
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 253451
RawHits per hit vs. sensorNo: Sector 4
RawHits per hit
Sensor No.


Entries 253451
RawHits per hit vs. sensorNo: Sector 4
<RawHits per hit>
Sensor No.


Entries 5539364
RawHits per hit vs. sensorNo: Sector 5
RawHits per hit
Sensor No.


Entries 272385
RawHits per hit vs. sensorNo: Sector 5
<RawHits per hit>
Sensor No.


Entries 200327
RawHits per hit vs. sensorNo: Sector 6
RawHits per hit
Sensor No.


Entries 200327
RawHits per hit vs. sensorNo: Sector 6
<RawHits per hit>
Sensor No.


Entries 442438
RawHits per hit vs. sensorNo: Sector 7
RawHits per hit
Sensor No.


Entries 351148
RawHits per hit vs. sensorNo: Sector 7
<RawHits per hit>
Sensor No.


Entries 139396
RawHits per hit vs. sensorNo: Sector 8
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^3
10^2
10
1


Entries 139396
RawHits per hit vs. sensorNo: Sector 8
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 478570
RawHits per hit vs. sensorNo: Sector 9
RawHits per hit
Sensor No.


Entries 259512
RawHits per hit vs. sensorNo: Sector 9
<RawHits per hit>
Sensor No.


Entries 196487
RawHits per hit vs. sensorNo: Sector 10
RawHits per hit
Sensor No.


Entries 196487
RawHits per hit vs. sensorNo: Sector 10
<RawHits per hit>
Sensor No.


Entries 7751677
Global X vs. Y
Global Y
Global X
10
8
6
4
2
0
-2
-4
-6
-8
-10
-10 -8 -6 -4 -2 0 2 4 6 8 10
10^5
10^4
10^3
10^2
10
1


Entries 7751677
Global Z
Counts
10^6
10^5
10^4
-10 -8 -6 -4 -2 0 2 4 6 8 10
Global Z


Entries 5826971
Global ϕ vs. global Z, inner
Global Z
10
8
6
4
2
0
-2
-4
-6
-8
-10
-3
-2
-1
0
1
2
3
Global ϕ
10^5
10^4
10^3
10^2
10
1


Entries 1924706
Global ϕ vs. global Z, outer
Global Z
10
8
6
4
2
0
-2
-4
-6
-8
-10
-3
-2
-1
0
1
2
3
Global ϕ
10^4
10^3
10^2
10
1


Inner hits vs. outer hits: Sector 1
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 1
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 2
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 2
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 3
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 3
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 4
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 4
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 5
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 5
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 6
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 6
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 7
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 7
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 8
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 8
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 9
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 9
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Inner hits vs. outer hits: Sector 10
Entries 2500
Outer hits
Inner hits
×10^3


Inner rawhits vs. outer rawhits: Sector 10
Entries 2500
Outer rawhits
Inner rawhits
×10^3


Entries 2962
rawHit column vs. row: Sector 1 Ladder 1 Sensor 1
row
column
×10^3


Entries 2962
rawHit column vs. row: Sector 1 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 2962
rawHit column vs. row: Sector 1 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 2756
rawHit column vs. row: Sector 1 Ladder 1 Sensor 2
row
column
×10^3


Entries 2756
rawHit column vs. row: Sector 1 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 2756
rawHit column vs. row: Sector 1 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 2849
rawHit column vs. row: Sector 1 Ladder 1 Sensor 3
row
column
×10^3


Entries 2849
rawHit column vs. row: Sector 1 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 2849
rawHit column vs. row: Sector 1 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 3550
rawHit column vs. row: Sector 1 Ladder 1 Sensor 4
row
column
×10^3


Entries 3550
rawHit column vs. row: Sector 1 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 3550
rawHit column vs. row: Sector 1 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 4900
rawHit column vs. row: Sector 1 Ladder 1 Sensor 5
row
column
×10^3


Entries 4900
rawHit column vs. row: Sector 1 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 4900
rawHit column vs. row: Sector 1 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 2983
rawHit column vs. row: Sector 1 Ladder 1 Sensor 6
row
column
×10^3


Entries 2983
rawHit column vs. row: Sector 1 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 2983
rawHit column vs. row: Sector 1 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 3953
rawHit column vs. row: Sector 1 Ladder 1 Sensor 7
row
column
×10^3


Entries 3953
rawHit column vs. row: Sector 1 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 3953
rawHit column vs. row: Sector 1 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 3369
rawHit column vs. row: Sector 1 Ladder 1 Sensor 8
row
column
×10^3


Entries 3369
rawHit column vs. row: Sector 1 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 3369
rawHit column vs. row: Sector 1 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 2619
rawHit column vs. row: Sector 1 Ladder 1 Sensor 9
row
column
×10^3


Entries 2619
rawHit column vs. row: Sector 1 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 2619
rawHit column vs. row: Sector 1 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 5728
rawHit column vs. row: Sector 1 Ladder 1 Sensor 10
row
column


Entries 5728
rawHit column vs. row: Sector 1 Ladder 1 Sensor 10
Counts
column


Entries 5728
rawHit column vs. row: Sector 1 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 4390
rawHit column vs. row: Sector 1 Ladder 2 Sensor 1
row
column
×10^3


Entries 4390
rawHit column vs. row: Sector 1 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 4390
rawHit column vs. row: Sector 1 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3734
rawHit column vs. row: Sector 1 Ladder 2 Sensor 2
row
column


Entries 3734
rawHit column vs. row: Sector 1 Ladder 2 Sensor 2
Counts
column


Entries 3734
rawHit column vs. row: Sector 1 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 3853
rawHit column vs. row: Sector 1 Ladder 2 Sensor 3
row
column


Entries 3853
rawHit column vs. row: Sector 1 Ladder 2 Sensor 3
Counts
column


Entries 3853
rawHit column vs. row: Sector 1 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 3859
rawHit column vs. row: Sector 1 Ladder 2 Sensor 4
row
column


Entries 3859
rawHit column vs. row: Sector 1 Ladder 2 Sensor 4
Counts
column


Entries 3859
rawHit column vs. row: Sector 1 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3967
rawHit column vs. row: Sector 1 Ladder 2 Sensor 5
row
column
×10^3


Entries 3967
rawHit column vs. row: Sector 1 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 3967
rawHit column vs. row: Sector 1 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3590
rawHit column vs. row: Sector 1 Ladder 2 Sensor 6
row
column
×10^3


Entries 3590
rawHit column vs. row: Sector 1 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3590
rawHit column vs. row: Sector 1 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 2348
rawHit column vs. row: Sector 1 Ladder 2 Sensor 7
row
column
×10^3


Entries 2348
rawHit column vs. row: Sector 1 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 2348
rawHit column vs. row: Sector 1 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2892
rawHit column vs. row: Sector 1 Ladder 2 Sensor 8
row
column


Entries 2892
rawHit column vs. row: Sector 1 Ladder 2 Sensor 8
Counts
column


Entries 2892
rawHit column vs. row: Sector 1 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 3904
rawHit column vs. row: Sector 1 Ladder 2 Sensor 9
row
column


Entries 3904
rawHit column vs. row: Sector 1 Ladder 2 Sensor 9
Counts
column


Entries 3904
rawHit column vs. row: Sector 1 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 3434
rawHit column vs. row: Sector 1 Ladder 2 Sensor 10
row
column
×10^3


Entries 3434
rawHit column vs. row: Sector 1 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 3434
rawHit column vs. row: Sector 1 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 3765
rawHit column vs. row: Sector 1 Ladder 3 Sensor 1
row
column
×10^3


Entries 3765
rawHit column vs. row: Sector 1 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 3765
rawHit column vs. row: Sector 1 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3795
rawHit column vs. row: Sector 1 Ladder 3 Sensor 2
row
column
×10^3


Entries 3795
rawHit column vs. row: Sector 1 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 3795
rawHit column vs. row: Sector 1 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3437
rawHit column vs. row: Sector 1 Ladder 3 Sensor 3
row
column
×10^3


Entries 3437
rawHit column vs. row: Sector 1 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 3437
rawHit column vs. row: Sector 1 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3100
rawHit column vs. row: Sector 1 Ladder 3 Sensor 4
row
column
×10^3


Entries 3100
rawHit column vs. row: Sector 1 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 3100
rawHit column vs. row: Sector 1 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 4514
rawHit column vs. row: Sector 1 Ladder 3 Sensor 5
row
column


Entries 4514
rawHit column vs. row: Sector 1 Ladder 3 Sensor 5
Counts
column


Entries 4514
rawHit column vs. row: Sector 1 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3641
rawHit column vs. row: Sector 1 Ladder 3 Sensor 6
row
column
×10^3


Entries 3641
rawHit column vs. row: Sector 1 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3641
rawHit column vs. row: Sector 1 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 4072
rawHit column vs. row: Sector 1 Ladder 3 Sensor 7
row
column


Entries 4072
rawHit column vs. row: Sector 1 Ladder 3 Sensor 7
Counts
column


Entries 4072
rawHit column vs. row: Sector 1 Ladder 3 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3492
rawHit column vs. row: Sector 1 Ladder 3 Sensor 8
row
column


Entries 3492
rawHit column vs. row: Sector 1 Ladder 3 Sensor 8
Counts
column


Entries 3492
rawHit column vs. row: Sector 1 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 4310
rawHit column vs. row: Sector 1 Ladder 3 Sensor 9
row
column


Entries 4310
rawHit column vs. row: Sector 1 Ladder 3 Sensor 9
Counts
column


Entries 4310
rawHit column vs. row: Sector 1 Ladder 3 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 2972
rawHit column vs. row: Sector 1 Ladder 3 Sensor 10
row
column
×10^3


Entries 2972
rawHit column vs. row: Sector 1 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 2972
rawHit column vs. row: Sector 1 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3070
rawHit column vs. row: Sector 1 Ladder 4 Sensor 1
row
column


Entries 3070
rawHit column vs. row: Sector 1 Ladder 4 Sensor 1
Counts
column


Entries 3070
rawHit column vs. row: Sector 1 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 38676
rawHit column vs. row: Sector 1 Ladder 4 Sensor 2
row
column


Entries 38676
rawHit column vs. row: Sector 1 Ladder 4 Sensor 2
Counts
column


Entries 38676
rawHit column vs. row: Sector 1 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3902
rawHit column vs. row: Sector 1 Ladder 4 Sensor 3
row
column
×10^3


Entries 3902
rawHit column vs. row: Sector 1 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 3902
rawHit column vs. row: Sector 1 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 4248
rawHit column vs. row: Sector 1 Ladder 4 Sensor 4
row
column


Entries 4248
rawHit column vs. row: Sector 1 Ladder 4 Sensor 4
Counts
column


Entries 4248
rawHit column vs. row: Sector 1 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 4119
rawHit column vs. row: Sector 1 Ladder 4 Sensor 5
row
column
×10^3


Entries 4119
rawHit column vs. row: Sector 1 Ladder 4 Sensor 5
Counts
column
×10^3


Entries 4119
rawHit column vs. row: Sector 1 Ladder 4 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3327
rawHit column vs. row: Sector 1 Ladder 4 Sensor 6
row
column


Entries 3327
rawHit column vs. row: Sector 1 Ladder 4 Sensor 6
Counts
column


Entries 3327
rawHit column vs. row: Sector 1 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3526
rawHit column vs. row: Sector 1 Ladder 4 Sensor 7
row
column


Entries 3526
rawHit column vs. row: Sector 1 Ladder 4 Sensor 7
Counts
column


Entries 3526
rawHit column vs. row: Sector 1 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 5705
rawHit column vs. row: Sector 1 Ladder 4 Sensor 8
row
column


Entries 5705
rawHit column vs. row: Sector 1 Ladder 4 Sensor 8
Counts
column


Entries 5705
rawHit column vs. row: Sector 1 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 3868
rawHit column vs. row: Sector 1 Ladder 4 Sensor 9
row
column
×10^3


Entries 3868
rawHit column vs. row: Sector 1 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 3868
rawHit column vs. row: Sector 1 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 3215
rawHit column vs. row: Sector 1 Ladder 4 Sensor 10
row
column


Entries 3215
rawHit column vs. row: Sector 1 Ladder 4 Sensor 10
Counts
column


Entries 3215
rawHit column vs. row: Sector 1 Ladder 4 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 5370
rawHit column vs. row: Sector 2 Ladder 1 Sensor 1
row
column


Entries 5370
rawHit column vs. row: Sector 2 Ladder 1 Sensor 1
Counts
column


Entries 5370
rawHit column vs. row: Sector 2 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 5690
rawHit column vs. row: Sector 2 Ladder 1 Sensor 2
row
column


Entries 5690
rawHit column vs. row: Sector 2 Ladder 1 Sensor 2
Counts
column


Entries 5690
rawHit column vs. row: Sector 2 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 2837
rawHit column vs. row: Sector 2 Ladder 1 Sensor 3
row
column
×10^3


Entries 2837
rawHit column vs. row: Sector 2 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 2837
rawHit column vs. row: Sector 2 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 4821
rawHit column vs. row: Sector 2 Ladder 1 Sensor 4
row
column


Entries 4821
rawHit column vs. row: Sector 2 Ladder 1 Sensor 4
Counts
column


Entries 4821
rawHit column vs. row: Sector 2 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 5386
rawHit column vs. row: Sector 2 Ladder 1 Sensor 5
row
column


Entries 5386
rawHit column vs. row: Sector 2 Ladder 1 Sensor 5
Counts
column


Entries 5386
rawHit column vs. row: Sector 2 Ladder 1 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 1589
rawHit column vs. row: Sector 2 Ladder 1 Sensor 6
row
column
×10^3


Entries 1589
rawHit column vs. row: Sector 2 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 1589
rawHit column vs. row: Sector 2 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 5116
rawHit column vs. row: Sector 2 Ladder 1 Sensor 7
row
column


Entries 5116
rawHit column vs. row: Sector 2 Ladder 1 Sensor 7
Counts
column


Entries 5116
rawHit column vs. row: Sector 2 Ladder 1 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 8125
rawHit column vs. row: Sector 2 Ladder 1 Sensor 8
row
column


Entries 8125
rawHit column vs. row: Sector 2 Ladder 1 Sensor 8
Counts
column


Entries 8125
rawHit column vs. row: Sector 2 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 5389
rawHit column vs. row: Sector 2 Ladder 1 Sensor 9
row
column


Entries 5389
rawHit column vs. row: Sector 2 Ladder 1 Sensor 9
Counts
column


Entries 5389
rawHit column vs. row: Sector 2 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 12676
rawHit column vs. row: Sector 2 Ladder 1 Sensor 10
row
column


Entries 12676
rawHit column vs. row: Sector 2 Ladder 1 Sensor 10
Counts
column


Entries 12676
rawHit column vs. row: Sector 2 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 4123
rawHit column vs. row: Sector 2 Ladder 2 Sensor 1
row
column


Entries 4123
rawHit column vs. row: Sector 2 Ladder 2 Sensor 1
Counts
column


Entries 4123
rawHit column vs. row: Sector 2 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 2076
rawHit column vs. row: Sector 2 Ladder 2 Sensor 2
row
column


Entries 2076
rawHit column vs. row: Sector 2 Ladder 2 Sensor 2
Counts
column


Entries 2076
rawHit column vs. row: Sector 2 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 3617
rawHit column vs. row: Sector 2 Ladder 2 Sensor 3
row
column
×10^3


Entries 3617
rawHit column vs. row: Sector 2 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 3617
rawHit column vs. row: Sector 2 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 6837
rawHit column vs. row: Sector 2 Ladder 2 Sensor 4
row
column
×10^3


Entries 6837
rawHit column vs. row: Sector 2 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 6837
rawHit column vs. row: Sector 2 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3467
rawHit column vs. row: Sector 2 Ladder 2 Sensor 5
row
column
×10^3


Entries 3467
rawHit column vs. row: Sector 2 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 3467
rawHit column vs. row: Sector 2 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 5051
rawHit column vs. row: Sector 2 Ladder 2 Sensor 6
row
column


Entries 5051
rawHit column vs. row: Sector 2 Ladder 2 Sensor 6
Counts
column


Entries 5051
rawHit column vs. row: Sector 2 Ladder 2 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3013
rawHit column vs. row: Sector 2 Ladder 2 Sensor 7
row
column
×10^3


Entries 3013
rawHit column vs. row: Sector 2 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3013
rawHit column vs. row: Sector 2 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 3644
rawHit column vs. row: Sector 2 Ladder 2 Sensor 8
row
column


Entries 3644
rawHit column vs. row: Sector 2 Ladder 2 Sensor 8
Counts
column


Entries 3644
rawHit column vs. row: Sector 2 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 4297
rawHit column vs. row: Sector 2 Ladder 2 Sensor 9
row
column


Entries 4297
rawHit column vs. row: Sector 2 Ladder 2 Sensor 9
Counts
column


Entries 4297
rawHit column vs. row: Sector 2 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2493
rawHit column vs. row: Sector 2 Ladder 2 Sensor 10
row
column
×10^3


Entries 2493
rawHit column vs. row: Sector 2 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 2493
rawHit column vs. row: Sector 2 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 2533
rawHit column vs. row: Sector 2 Ladder 3 Sensor 1
row
column
×10^3


Entries 2533
rawHit column vs. row: Sector 2 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 2533
rawHit column vs. row: Sector 2 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3410
rawHit column vs. row: Sector 2 Ladder 3 Sensor 2
row
column
×10^3


Entries 3410
rawHit column vs. row: Sector 2 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 3410
rawHit column vs. row: Sector 2 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 4584
rawHit column vs. row: Sector 2 Ladder 3 Sensor 3
row
column
×10^3


Entries 4584
rawHit column vs. row: Sector 2 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 4584
rawHit column vs. row: Sector 2 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 4421
rawHit column vs. row: Sector 2 Ladder 3 Sensor 4
row
column


Entries 4421
rawHit column vs. row: Sector 2 Ladder 3 Sensor 4
Counts
column


Entries 4421
rawHit column vs. row: Sector 2 Ladder 3 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


rawHit column vs. row: Sector 2 Ladder 3 Sensor 5
Entries 3646
row
column
×10^3


rawHit column vs. row: Sector 2 Ladder 3 Sensor 5
Entries 3646
Counts
column
×10^3


rawHit column vs. row: Sector 2 Ladder 3 Sensor 5
Entries 3646
Counts
row
×10^3


rawHits vs. EventID: Sector 2 Ladder 3 Sensor 5
Entries 2500
<rawhits>
EventID (Time)


Entries 3178
rawHit column vs. row: Sector 2 Ladder 3 Sensor 6
row
column
×10^3


Entries 3178
rawHit column vs. row: Sector 2 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3178
rawHit column vs. row: Sector 2 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 2326
rawHit column vs. row: Sector 2 Ladder 3 Sensor 7
row
column
×10^3


Entries 2326
rawHit column vs. row: Sector 2 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 2326
rawHit column vs. row: Sector 2 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 2598
rawHit column vs. row: Sector 2 Ladder 3 Sensor 8
row
column
×10^3


Entries 2598
rawHit column vs. row: Sector 2 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 2598
rawHit column vs. row: Sector 2 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3815
rawHit column vs. row: Sector 2 Ladder 3 Sensor 9
row
column


Entries 3815
rawHit column vs. row: Sector 2 Ladder 3 Sensor 9
Counts
column


Entries 3815
rawHit column vs. row: Sector 2 Ladder 3 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3813
rawHit column vs. row: Sector 2 Ladder 3 Sensor 10
row
column


Entries 3813
rawHit column vs. row: Sector 2 Ladder 3 Sensor 10
Counts
column


Entries 3813
rawHit column vs. row: Sector 2 Ladder 3 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3819
rawHit column vs. row: Sector 2 Ladder 4 Sensor 1
row
column
×10^3


Entries 3819
rawHit column vs. row: Sector 2 Ladder 4 Sensor 1
Counts
column
×10^3


Entries 3819
rawHit column vs. row: Sector 2 Ladder 4 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 3006
rawHit column vs. row: Sector 2 Ladder 4 Sensor 2
row
column


Entries 3006
rawHit column vs. row: Sector 2 Ladder 4 Sensor 2
Counts
column


Entries 3006
rawHit column vs. row: Sector 2 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 4753
rawHit column vs. row: Sector 2 Ladder 4 Sensor 3
row
column
×10^3


Entries 4753
rawHit column vs. row: Sector 2 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 4753
rawHit column vs. row: Sector 2 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 4401
rawHit column vs. row: Sector 2 Ladder 4 Sensor 4
row
column
×10^3


Entries 4401
rawHit column vs. row: Sector 2 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 4401
rawHit column vs. row: Sector 2 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 3875
rawHit column vs. row: Sector 2 Ladder 4 Sensor 5
row
column
×10^3


Entries 3875
rawHit column vs. row: Sector 2 Ladder 4 Sensor 5
Counts
column
×10^3


Entries 3875
rawHit column vs. row: Sector 2 Ladder 4 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3498
rawHit column vs. row: Sector 2 Ladder 4 Sensor 6
row
column


Entries 3498
rawHit column vs. row: Sector 2 Ladder 4 Sensor 6
Counts
column


Entries 3498
rawHit column vs. row: Sector 2 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3980
rawHit column vs. row: Sector 2 Ladder 4 Sensor 7
row
column
×10^3


Entries 3980
rawHit column vs. row: Sector 2 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 3980
rawHit column vs. row: Sector 2 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3431
rawHit column vs. row: Sector 2 Ladder 4 Sensor 8
row
column
×10^3


Entries 3431
rawHit column vs. row: Sector 2 Ladder 4 Sensor 8
Counts
column
×10^3


Entries 3431
rawHit column vs. row: Sector 2 Ladder 4 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 3919
rawHit column vs. row: Sector 2 Ladder 4 Sensor 9
row
column
×10^3


Entries 3919
rawHit column vs. row: Sector 2 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 3919
rawHit column vs. row: Sector 2 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 3230
rawHit column vs. row: Sector 2 Ladder 4 Sensor 10
row
column
×10^3


Entries 3230
rawHit column vs. row: Sector 2 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 3230
rawHit column vs. row: Sector 2 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 4880
rawHit column vs. row: Sector 3 Ladder 1 Sensor 1
row
column
×10^3


Entries 4880
rawHit column vs. row: Sector 3 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 4880
rawHit column vs. row: Sector 3 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 3197
rawHit column vs. row: Sector 3 Ladder 1 Sensor 2
row
column
×10^3


Entries 3197
rawHit column vs. row: Sector 3 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 3197
rawHit column vs. row: Sector 3 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 2965
rawHit column vs. row: Sector 3 Ladder 1 Sensor 3
row
column
×10^3


Entries 2965
rawHit column vs. row: Sector 3 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 2965
rawHit column vs. row: Sector 3 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 2326
rawHit column vs. row: Sector 3 Ladder 1 Sensor 4
row
column
×10^3


Entries 2326
rawHit column vs. row: Sector 3 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 2326
rawHit column vs. row: Sector 3 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 3885
rawHit column vs. row: Sector 3 Ladder 1 Sensor 5
row
column
×10^3


Entries 3885
rawHit column vs. row: Sector 3 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 3885
rawHit column vs. row: Sector 3 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 2463
rawHit column vs. row: Sector 3 Ladder 1 Sensor 6
row
column
×10^3


Entries 2463
rawHit column vs. row: Sector 3 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 2463
rawHit column vs. row: Sector 3 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 2406
rawHit column vs. row: Sector 3 Ladder 1 Sensor 7
row
column
×10^3


Entries 2406
rawHit column vs. row: Sector 3 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 2406
rawHit column vs. row: Sector 3 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2804
rawHit column vs. row: Sector 3 Ladder 1 Sensor 8
row
column
×10^3


Entries 2804
rawHit column vs. row: Sector 3 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2804
rawHit column vs. row: Sector 3 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 3209
rawHit column vs. row: Sector 3 Ladder 1 Sensor 9
row
column
×10^3


Entries 3209
rawHit column vs. row: Sector 3 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 3209
rawHit column vs. row: Sector 3 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 3049
rawHit column vs. row: Sector 3 Ladder 1 Sensor 10
row
column
×10^3


Entries 3049
rawHit column vs. row: Sector 3 Ladder 1 Sensor 10
Counts
column
×10^3


Entries 3049
rawHit column vs. row: Sector 3 Ladder 1 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3178
rawHit column vs. row: Sector 3 Ladder 2 Sensor 1
row
column
×10^3


Entries 3178
rawHit column vs. row: Sector 3 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 3178
rawHit column vs. row: Sector 3 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3726
rawHit column vs. row: Sector 3 Ladder 2 Sensor 2
row
column
×10^3


Entries 3726
rawHit column vs. row: Sector 3 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3726
rawHit column vs. row: Sector 3 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 5045
rawHit column vs. row: Sector 3 Ladder 2 Sensor 3
row
column


Entries 5045
rawHit column vs. row: Sector 3 Ladder 2 Sensor 3
Counts
column


Entries 5045
rawHit column vs. row: Sector 3 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 3303
rawHit column vs. row: Sector 3 Ladder 2 Sensor 4
row
column
×10^3


Entries 3303
rawHit column vs. row: Sector 3 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 3303
rawHit column vs. row: Sector 3 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3279
rawHit column vs. row: Sector 3 Ladder 2 Sensor 5
row
column
×10^3


Entries 3279
rawHit column vs. row: Sector 3 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 3279
rawHit column vs. row: Sector 3 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3689
rawHit column vs. row: Sector 3 Ladder 2 Sensor 6
row
column
×10^3


Entries 3689
rawHit column vs. row: Sector 3 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3689
rawHit column vs. row: Sector 3 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3829
rawHit column vs. row: Sector 3 Ladder 2 Sensor 7
row
column
×10^3


Entries 3829
rawHit column vs. row: Sector 3 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3829
rawHit column vs. row: Sector 3 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 3919
rawHit column vs. row: Sector 3 Ladder 2 Sensor 8
row
column
×10^3


Entries 3919
rawHit column vs. row: Sector 3 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 3919
rawHit column vs. row: Sector 3 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 3058
rawHit column vs. row: Sector 3 Ladder 2 Sensor 9
row
column
×10^3


Entries 3058
rawHit column vs. row: Sector 3 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 3058
rawHit column vs. row: Sector 3 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 189243
rawHit column vs. row: Sector 3 Ladder 2 Sensor 10
row
column
×10^3


Entries 189243
rawHit column vs. row: Sector 3 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 189243
rawHit column vs. row: Sector 3 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 2402
rawHit column vs. row: Sector 3 Ladder 3 Sensor 1
row
column
×10^3


Entries 2402
rawHit column vs. row: Sector 3 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 2402
rawHit column vs. row: Sector 3 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 5136
rawHit column vs. row: Sector 3 Ladder 3 Sensor 2
row
column


Entries 5136
rawHit column vs. row: Sector 3 Ladder 3 Sensor 2
Counts
column


Entries 5136
rawHit column vs. row: Sector 3 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 5154
rawHit column vs. row: Sector 3 Ladder 3 Sensor 3
row
column
×10^3


Entries 5154
rawHit column vs. row: Sector 3 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 5154
rawHit column vs. row: Sector 3 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 5135
rawHit column vs. row: Sector 3 Ladder 3 Sensor 4
row
column
×10^3


Entries 5135
rawHit column vs. row: Sector 3 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 5135
rawHit column vs. row: Sector 3 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3305
rawHit column vs. row: Sector 3 Ladder 3 Sensor 5
row
column


Entries 3305
rawHit column vs. row: Sector 3 Ladder 3 Sensor 5
Counts
column


Entries 3305
rawHit column vs. row: Sector 3 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3405
rawHit column vs. row: Sector 3 Ladder 3 Sensor 6
row
column


Entries 3405
rawHit column vs. row: Sector 3 Ladder 3 Sensor 6
Counts
column


Entries 3405
rawHit column vs. row: Sector 3 Ladder 3 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 5967
rawHit column vs. row: Sector 3 Ladder 3 Sensor 7
row
column
×10^3


Entries 5967
rawHit column vs. row: Sector 3 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 5967
rawHit column vs. row: Sector 3 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 2653
rawHit column vs. row: Sector 3 Ladder 3 Sensor 8
row
column


Entries 2653
rawHit column vs. row: Sector 3 Ladder 3 Sensor 8
Counts
column


Entries 2653
rawHit column vs. row: Sector 3 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 4948
rawHit column vs. row: Sector 3 Ladder 3 Sensor 9
row
column
×10^3


Entries 4948
rawHit column vs. row: Sector 3 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 4948
rawHit column vs. row: Sector 3 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 2954
rawHit column vs. row: Sector 3 Ladder 3 Sensor 10
row
column
×10^3


Entries 2954
rawHit column vs. row: Sector 3 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 2954
rawHit column vs. row: Sector 3 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3412
rawHit column vs. row: Sector 3 Ladder 4 Sensor 1
row
column
×10^3
×10^3
10
1
10^-1


Entries 3412
rawHit column vs. row: Sector 3 Ladder 4 Sensor 1
Counts
column
×10^3


Entries 3412
rawHit column vs. row: Sector 3 Ladder 4 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 3358
rawHit column vs. row: Sector 3 Ladder 4 Sensor 2
row
column
×10^3


Entries 3358
rawHit column vs. row: Sector 3 Ladder 4 Sensor 2
Counts
column
×10^3


Entries 3358
rawHit column vs. row: Sector 3 Ladder 4 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3191
rawHit column vs. row: Sector 3 Ladder 4 Sensor 3
row
column
×10^3


Entries 3191
rawHit column vs. row: Sector 3 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 3191
rawHit column vs. row: Sector 3 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 3437
rawHit column vs. row: Sector 3 Ladder 4 Sensor 4
row
column
×10^3


Entries 3437
rawHit column vs. row: Sector 3 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 3437
rawHit column vs. row: Sector 3 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 3809
rawHit column vs. row: Sector 3 Ladder 4 Sensor 5
row
column


Entries 3809
rawHit column vs. row: Sector 3 Ladder 4 Sensor 5
Counts
column


Entries 3809
rawHit column vs. row: Sector 3 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3516
rawHit column vs. row: Sector 3 Ladder 4 Sensor 6
row
column
×10^3


Entries 3516
rawHit column vs. row: Sector 3 Ladder 4 Sensor 6
Counts
column
×10^3


Entries 3516
rawHit column vs. row: Sector 3 Ladder 4 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3738
rawHit column vs. row: Sector 3 Ladder 4 Sensor 7
row
column
×10^3


Entries 3738
rawHit column vs. row: Sector 3 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 3738
rawHit column vs. row: Sector 3 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3324
rawHit column vs. row: Sector 3 Ladder 4 Sensor 8
row
column
×10^3


Entries 3324
rawHit column vs. row: Sector 3 Ladder 4 Sensor 8
Counts
column
×10^3


Entries 3324
rawHit column vs. row: Sector 3 Ladder 4 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 4092
rawHit column vs. row: Sector 3 Ladder 4 Sensor 9
row
column
×10^3


Entries 4092
rawHit column vs. row: Sector 3 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 4092
rawHit column vs. row: Sector 3 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 2480
rawHit column vs. row: Sector 3 Ladder 4 Sensor 10
row
column
×10^3


Entries 2480
rawHit column vs. row: Sector 3 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 2480
rawHit column vs. row: Sector 3 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 2189
rawHit column vs. row: Sector 4 Ladder 1 Sensor 1
row
column
×10^3


Entries 2189
rawHit column vs. row: Sector 4 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 2189
rawHit column vs. row: Sector 4 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 3832
rawHit column vs. row: Sector 4 Ladder 1 Sensor 2
row
column


Entries 3832
rawHit column vs. row: Sector 4 Ladder 1 Sensor 2
Counts
column


Entries 3832
rawHit column vs. row: Sector 4 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 3389
rawHit column vs. row: Sector 4 Ladder 1 Sensor 3
row
column
×10^3


Entries 3389
rawHit column vs. row: Sector 4 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 3389
rawHit column vs. row: Sector 4 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 3221
rawHit column vs. row: Sector 4 Ladder 1 Sensor 4
row
column


Entries 3221
rawHit column vs. row: Sector 4 Ladder 1 Sensor 4
Counts
column


Entries 3221
rawHit column vs. row: Sector 4 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 2344
rawHit column vs. row: Sector 4 Ladder 1 Sensor 5
row
column


Entries 2344
rawHit column vs. row: Sector 4 Ladder 1 Sensor 5
Counts
column


Entries 2344
rawHit column vs. row: Sector 4 Ladder 1 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 2456
rawHit column vs. row: Sector 4 Ladder 1 Sensor 6
row
column
×10^3


Entries 2456
rawHit column vs. row: Sector 4 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 2456
rawHit column vs. row: Sector 4 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 2935
rawHit column vs. row: Sector 4 Ladder 1 Sensor 7
row
column


Entries 2935
rawHit column vs. row: Sector 4 Ladder 1 Sensor 7
Counts
column


Entries 2935
rawHit column vs. row: Sector 4 Ladder 1 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2632
rawHit column vs. row: Sector 4 Ladder 1 Sensor 8
row
column
×10^3


Entries 2632
rawHit column vs. row: Sector 4 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2632
rawHit column vs. row: Sector 4 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 1961
rawHit column vs. row: Sector 4 Ladder 1 Sensor 9
row
column
×10^3


Entries 1961
rawHit column vs. row: Sector 4 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 1961
rawHit column vs. row: Sector 4 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2487
rawHit column vs. row: Sector 4 Ladder 1 Sensor 10
row
column


Entries 2487
rawHit column vs. row: Sector 4 Ladder 1 Sensor 10
Counts
column


Entries 2487
rawHit column vs. row: Sector 4 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3488
rawHit column vs. row: Sector 4 Ladder 2 Sensor 1
row
column
×10^3


Entries 3488
rawHit column vs. row: Sector 4 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 3488
rawHit column vs. row: Sector 4 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3560
rawHit column vs. row: Sector 4 Ladder 2 Sensor 2
row
column
×10^3


Entries 3560
rawHit column vs. row: Sector 4 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3560
rawHit column vs. row: Sector 4 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 3669
rawHit column vs. row: Sector 4 Ladder 2 Sensor 3
row
column
×10^3


Entries 3669
rawHit column vs. row: Sector 4 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 3669
rawHit column vs. row: Sector 4 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 3065
rawHit column vs. row: Sector 4 Ladder 2 Sensor 4
row
column


Entries 3065
rawHit column vs. row: Sector 4 Ladder 2 Sensor 4
Counts
column


Entries 3065
rawHit column vs. row: Sector 4 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3449
rawHit column vs. row: Sector 4 Ladder 2 Sensor 5
row
column
×10^3


Entries 3449
rawHit column vs. row: Sector 4 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 3449
rawHit column vs. row: Sector 4 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 4096
rawHit column vs. row: Sector 4 Ladder 2 Sensor 6
row
column
×10^3


Entries 4096
rawHit column vs. row: Sector 4 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 4096
rawHit column vs. row: Sector 4 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3706
rawHit column vs. row: Sector 4 Ladder 2 Sensor 7
row
column
×10^3


Entries 3706
rawHit column vs. row: Sector 4 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3706
rawHit column vs. row: Sector 4 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2567
rawHit column vs. row: Sector 4 Ladder 2 Sensor 8
row
column
×10^3


Entries 2567
rawHit column vs. row: Sector 4 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 2567
rawHit column vs. row: Sector 4 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2912
rawHit column vs. row: Sector 4 Ladder 2 Sensor 9
row
column
×10^3


Entries 2912
rawHit column vs. row: Sector 4 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 2912
rawHit column vs. row: Sector 4 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 3636
rawHit column vs. row: Sector 4 Ladder 2 Sensor 10
row
column
×10^3


Entries 3636
rawHit column vs. row: Sector 4 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 3636
rawHit column vs. row: Sector 4 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 22398
rawHit column vs. row: Sector 4 Ladder 3 Sensor 1
row
column


Entries 22398
rawHit column vs. row: Sector 4 Ladder 3 Sensor 1
Counts
column


Entries 22398
rawHit column vs. row: Sector 4 Ladder 3 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3500
rawHit column vs. row: Sector 4 Ladder 3 Sensor 2
row
column
×10^3


Entries 3500
rawHit column vs. row: Sector 4 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 3500
rawHit column vs. row: Sector 4 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3968
rawHit column vs. row: Sector 4 Ladder 3 Sensor 3
row
column
×10^3


Entries 3968
rawHit column vs. row: Sector 4 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 3968
rawHit column vs. row: Sector 4 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 45678
rawHit column vs. row: Sector 4 Ladder 3 Sensor 4
row
column


Entries 45678
rawHit column vs. row: Sector 4 Ladder 3 Sensor 4
Counts
column


Entries 45678
rawHit column vs. row: Sector 4 Ladder 3 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 39138
rawHit column vs. row: Sector 4 Ladder 3 Sensor 5
row
column


Entries 39138
rawHit column vs. row: Sector 4 Ladder 3 Sensor 5
Counts
column


Entries 39138
rawHit column vs. row: Sector 4 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 61659
rawHit column vs. row: Sector 4 Ladder 3 Sensor 6
row
column


Entries 61659
rawHit column vs. row: Sector 4 Ladder 3 Sensor 6
Counts
column


Entries 61659
rawHit column vs. row: Sector 4 Ladder 3 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 8863
rawHit column vs. row: Sector 4 Ladder 3 Sensor 7
row
column


Entries 8863
rawHit column vs. row: Sector 4 Ladder 3 Sensor 7
Counts
column


Entries 8863
rawHit column vs. row: Sector 4 Ladder 3 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 42715
rawHit column vs. row: Sector 4 Ladder 3 Sensor 8
row
column


Entries 42715
rawHit column vs. row: Sector 4 Ladder 3 Sensor 8
Counts
column


Entries 42715
rawHit column vs. row: Sector 4 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 5353
rawHit column vs. row: Sector 4 Ladder 3 Sensor 9
row
column


Entries 5353
rawHit column vs. row: Sector 4 Ladder 3 Sensor 9
Counts
column


Entries 5353
rawHit column vs. row: Sector 4 Ladder 3 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 2762
rawHit column vs. row: Sector 4 Ladder 3 Sensor 10
row
column


Entries 2762
rawHit column vs. row: Sector 4 Ladder 3 Sensor 10
Counts
column


Entries 2762
rawHit column vs. row: Sector 4 Ladder 3 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3346
rawHit column vs. row: Sector 4 Ladder 4 Sensor 1
row
column


Entries 3346
rawHit column vs. row: Sector 4 Ladder 4 Sensor 1
Counts
column


Entries 3346
rawHit column vs. row: Sector 4 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 5131
rawHit column vs. row: Sector 4 Ladder 4 Sensor 2
row
column


Entries 5131
rawHit column vs. row: Sector 4 Ladder 4 Sensor 2
Counts
column


Entries 5131
rawHit column vs. row: Sector 4 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 6827
rawHit column vs. row: Sector 4 Ladder 4 Sensor 3
row
column


Entries 6827
rawHit column vs. row: Sector 4 Ladder 4 Sensor 3
Counts
column


Entries 6827
rawHit column vs. row: Sector 4 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 6287
rawHit column vs. row: Sector 4 Ladder 4 Sensor 4
row
column


Entries 6287
rawHit column vs. row: Sector 4 Ladder 4 Sensor 4
Counts
column


Entries 6287
rawHit column vs. row: Sector 4 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 36398
rawHit column vs. row: Sector 4 Ladder 4 Sensor 5
row
column


Entries 36398
rawHit column vs. row: Sector 4 Ladder 4 Sensor 5
Counts
column


Entries 36398
rawHit column vs. row: Sector 4 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 5314
rawHit column vs. row: Sector 4 Ladder 4 Sensor 6
row
column


Entries 5314
rawHit column vs. row: Sector 4 Ladder 4 Sensor 6
Counts
column


Entries 5314
rawHit column vs. row: Sector 4 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 5697
rawHit column vs. row: Sector 4 Ladder 4 Sensor 7
row
column


Entries 5697
rawHit column vs. row: Sector 4 Ladder 4 Sensor 7
Counts
column


Entries 5697
rawHit column vs. row: Sector 4 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 111321
rawHit column vs. row: Sector 4 Ladder 4 Sensor 8
row
column


Entries 111321
rawHit column vs. row: Sector 4 Ladder 4 Sensor 8
Counts
column


Entries 111321
rawHit column vs. row: Sector 4 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 6108
rawHit column vs. row: Sector 4 Ladder 4 Sensor 9
row
column


Entries 6108
rawHit column vs. row: Sector 4 Ladder 4 Sensor 9
Counts
column


Entries 6108
rawHit column vs. row: Sector 4 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 8624
rawHit column vs. row: Sector 4 Ladder 4 Sensor 10
row
column


Entries 8624
rawHit column vs. row: Sector 4 Ladder 4 Sensor 10
Counts
column


Entries 8624
rawHit column vs. row: Sector 4 Ladder 4 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 4450
rawHit column vs. row: Sector 5 Ladder 1 Sensor 1
row
column
×10^3


Entries 4450
rawHit column vs. row: Sector 5 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 4450
rawHit column vs. row: Sector 5 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 2852
rawHit column vs. row: Sector 5 Ladder 1 Sensor 2
row
column


Entries 2852
rawHit column vs. row: Sector 5 Ladder 1 Sensor 2
Counts
column


Entries 2852
rawHit column vs. row: Sector 5 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 3347
rawHit column vs. row: Sector 5 Ladder 1 Sensor 3
row
column
×10^3


Entries 3347
rawHit column vs. row: Sector 5 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 3347
rawHit column vs. row: Sector 5 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 6213285
rawHit column vs. row: Sector 5 Ladder 1 Sensor 4
row
column


Entries 6213285
rawHit column vs. row: Sector 5 Ladder 1 Sensor 4
Counts
column


Entries 6213285
rawHit column vs. row: Sector 5 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 1596
rawHit column vs. row: Sector 5 Ladder 1 Sensor 5
row
column
×10^3


Entries 1596
rawHit column vs. row: Sector 5 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 1596
rawHit column vs. row: Sector 5 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 1531
rawHit column vs. row: Sector 5 Ladder 1 Sensor 6
row
column
×10^3


Entries 1531
rawHit column vs. row: Sector 5 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 1531
rawHit column vs. row: Sector 5 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 1712
rawHit column vs. row: Sector 5 Ladder 1 Sensor 7
row
column
×10^3


Entries 1712
rawHit column vs. row: Sector 5 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 1712
rawHit column vs. row: Sector 5 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2603
rawHit column vs. row: Sector 5 Ladder 1 Sensor 8
row
column


Entries 2603
rawHit column vs. row: Sector 5 Ladder 1 Sensor 8
Counts
column


Entries 2603
rawHit column vs. row: Sector 5 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 3825
rawHit column vs. row: Sector 5 Ladder 1 Sensor 9
row
column


Entries 3825
rawHit column vs. row: Sector 5 Ladder 1 Sensor 9
Counts
column


Entries 3825
rawHit column vs. row: Sector 5 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 3002
rawHit column vs. row: Sector 5 Ladder 1 Sensor 10
row
column
×10^3


Entries 3002
rawHit column vs. row: Sector 5 Ladder 1 Sensor 10
Counts
column
×10^3


Entries 3002
rawHit column vs. row: Sector 5 Ladder 1 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3426
rawHit column vs. row: Sector 5 Ladder 2 Sensor 1
row
column


Entries 3426
rawHit column vs. row: Sector 5 Ladder 2 Sensor 1
Counts
column


Entries 3426
rawHit column vs. row: Sector 5 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3971
rawHit column vs. row: Sector 5 Ladder 2 Sensor 2
row
column
×10^3


Entries 3971
rawHit column vs. row: Sector 5 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3971
rawHit column vs. row: Sector 5 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 3047
rawHit column vs. row: Sector 5 Ladder 2 Sensor 3
row
column


Entries 3047
rawHit column vs. row: Sector 5 Ladder 2 Sensor 3
Counts
column


Entries 3047
rawHit column vs. row: Sector 5 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 5753
rawHit column vs. row: Sector 5 Ladder 2 Sensor 4
row
column
×10^3


Entries 5753
rawHit column vs. row: Sector 5 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 5753
rawHit column vs. row: Sector 5 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 4661
rawHit column vs. row: Sector 5 Ladder 2 Sensor 5
row
column


Entries 4661
rawHit column vs. row: Sector 5 Ladder 2 Sensor 5
Counts
column


Entries 4661
rawHit column vs. row: Sector 5 Ladder 2 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 4767
rawHit column vs. row: Sector 5 Ladder 2 Sensor 6
row
column


Entries 4767
rawHit column vs. row: Sector 5 Ladder 2 Sensor 6
Counts
column


Entries 4767
rawHit column vs. row: Sector 5 Ladder 2 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3760
rawHit column vs. row: Sector 5 Ladder 2 Sensor 7
row
column
×10^3


Entries 3760
rawHit column vs. row: Sector 5 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3760
rawHit column vs. row: Sector 5 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2071
rawHit column vs. row: Sector 5 Ladder 2 Sensor 8
row
column
×10^3


Entries 2071
rawHit column vs. row: Sector 5 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 2071
rawHit column vs. row: Sector 5 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 3706
rawHit column vs. row: Sector 5 Ladder 2 Sensor 9
row
column
×10^3


Entries 3706
rawHit column vs. row: Sector 5 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 3706
rawHit column vs. row: Sector 5 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2792
rawHit column vs. row: Sector 5 Ladder 2 Sensor 10
row
column
×10^3


Entries 2792
rawHit column vs. row: Sector 5 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 2792
rawHit column vs. row: Sector 5 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 2819
rawHit column vs. row: Sector 5 Ladder 3 Sensor 1
row
column
×10^3


Entries 2819
rawHit column vs. row: Sector 5 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 2819
rawHit column vs. row: Sector 5 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3478
rawHit column vs. row: Sector 5 Ladder 3 Sensor 2
row
column
×10^3


Entries 3478
rawHit column vs. row: Sector 5 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 3478
rawHit column vs. row: Sector 5 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3503
rawHit column vs. row: Sector 5 Ladder 3 Sensor 3
row
column
×10^3


Entries 3503
rawHit column vs. row: Sector 5 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 3503
rawHit column vs. row: Sector 5 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3553
rawHit column vs. row: Sector 5 Ladder 3 Sensor 4
row
column
×10^3


Entries 3553
rawHit column vs. row: Sector 5 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 3553
rawHit column vs. row: Sector 5 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3870
rawHit column vs. row: Sector 5 Ladder 3 Sensor 5
row
column
×10^3


Entries 3870
rawHit column vs. row: Sector 5 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 3870
rawHit column vs. row: Sector 5 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3069
rawHit column vs. row: Sector 5 Ladder 3 Sensor 6
row
column
×10^3


Entries 3069
rawHit column vs. row: Sector 5 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3069
rawHit column vs. row: Sector 5 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 2989
rawHit column vs. row: Sector 5 Ladder 3 Sensor 7
row
column


Entries 2989
rawHit column vs. row: Sector 5 Ladder 3 Sensor 7
Counts
column


Entries 2989
rawHit column vs. row: Sector 5 Ladder 3 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3189
rawHit column vs. row: Sector 5 Ladder 3 Sensor 8
row
column
×10^3


Entries 3189
rawHit column vs. row: Sector 5 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 3189
rawHit column vs. row: Sector 5 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3071
rawHit column vs. row: Sector 5 Ladder 3 Sensor 9
row
column
×10^3


Entries 3071
rawHit column vs. row: Sector 5 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 3071
rawHit column vs. row: Sector 5 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3824
rawHit column vs. row: Sector 5 Ladder 3 Sensor 10
row
column
×10^3


Entries 3824
rawHit column vs. row: Sector 5 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 3824
rawHit column vs. row: Sector 5 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 2827
rawHit column vs. row: Sector 5 Ladder 4 Sensor 1
row
column


Entries 2827
rawHit column vs. row: Sector 5 Ladder 4 Sensor 1
Counts
column


Entries 2827
rawHit column vs. row: Sector 5 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 2730
rawHit column vs. row: Sector 5 Ladder 4 Sensor 2
row
column


Entries 2730
rawHit column vs. row: Sector 5 Ladder 4 Sensor 2
Counts
column


Entries 2730
rawHit column vs. row: Sector 5 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3148
rawHit column vs. row: Sector 5 Ladder 4 Sensor 3
row
column
×10^3


Entries 3148
rawHit column vs. row: Sector 5 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 3148
rawHit column vs. row: Sector 5 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 4123
rawHit column vs. row: Sector 5 Ladder 4 Sensor 4
row
column


Entries 4123
rawHit column vs. row: Sector 5 Ladder 4 Sensor 4
Counts
column


Entries 4123
rawHit column vs. row: Sector 5 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 3887
rawHit column vs. row: Sector 5 Ladder 4 Sensor 5
row
column


Entries 3887
rawHit column vs. row: Sector 5 Ladder 4 Sensor 5
Counts
column


Entries 3887
rawHit column vs. row: Sector 5 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3092
rawHit column vs. row: Sector 5 Ladder 4 Sensor 6
row
column


Entries 3092
rawHit column vs. row: Sector 5 Ladder 4 Sensor 6
Counts
column


Entries 3092
rawHit column vs. row: Sector 5 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 2367
rawHit column vs. row: Sector 5 Ladder 4 Sensor 7
row
column
×10^3


Entries 2367
rawHit column vs. row: Sector 5 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 2367
rawHit column vs. row: Sector 5 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3370
rawHit column vs. row: Sector 5 Ladder 4 Sensor 8
row
column
×10^3


Entries 3370
rawHit column vs. row: Sector 5 Ladder 4 Sensor 8
Counts
column
×10^3


Entries 3370
rawHit column vs. row: Sector 5 Ladder 4 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 3465
rawHit column vs. row: Sector 5 Ladder 4 Sensor 9
row
column
×10^3


Entries 3465
rawHit column vs. row: Sector 5 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 3465
rawHit column vs. row: Sector 5 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 2817
rawHit column vs. row: Sector 5 Ladder 4 Sensor 10
row
column
×10^3


Entries 2817
rawHit column vs. row: Sector 5 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 2817
rawHit column vs. row: Sector 5 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 8091
rawHit column vs. row: Sector 6 Ladder 1 Sensor 1
row
column


Entries 8091
rawHit column vs. row: Sector 6 Ladder 1 Sensor 1
Counts
column


Entries 8091
rawHit column vs. row: Sector 6 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 36808
rawHit column vs. row: Sector 6 Ladder 1 Sensor 2
row
column


Entries 36808
rawHit column vs. row: Sector 6 Ladder 1 Sensor 2
Counts
column


Entries 36808
rawHit column vs. row: Sector 6 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 6274
rawHit column vs. row: Sector 6 Ladder 1 Sensor 3
row
column


Entries 6274
rawHit column vs. row: Sector 6 Ladder 1 Sensor 3
Counts
column


Entries 6274
rawHit column vs. row: Sector 6 Ladder 1 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 4420
rawHit column vs. row: Sector 6 Ladder 1 Sensor 4
row
column
×10^3


Entries 4420
rawHit column vs. row: Sector 6 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 4420
rawHit column vs. row: Sector 6 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 3984
rawHit column vs. row: Sector 6 Ladder 1 Sensor 5
row
column
×10^3


Entries 3984
rawHit column vs. row: Sector 6 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 3984
rawHit column vs. row: Sector 6 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 30784
rawHit column vs. row: Sector 6 Ladder 1 Sensor 6
row
column


Entries 30784
rawHit column vs. row: Sector 6 Ladder 1 Sensor 6
Counts
column


Entries 30784
rawHit column vs. row: Sector 6 Ladder 1 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 2589
rawHit column vs. row: Sector 6 Ladder 1 Sensor 7
row
column
×10^3


Entries 2589
rawHit column vs. row: Sector 6 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 2589
rawHit column vs. row: Sector 6 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2269
rawHit column vs. row: Sector 6 Ladder 1 Sensor 8
row
column
×10^3


Entries 2269
rawHit column vs. row: Sector 6 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2269
rawHit column vs. row: Sector 6 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 2998
rawHit column vs. row: Sector 6 Ladder 1 Sensor 9
row
column
×10^3


Entries 2998
rawHit column vs. row: Sector 6 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 2998
rawHit column vs. row: Sector 6 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2053
rawHit column vs. row: Sector 6 Ladder 1 Sensor 10
row
column


Entries 2053
rawHit column vs. row: Sector 6 Ladder 1 Sensor 10
Counts
column


Entries 2053
rawHit column vs. row: Sector 6 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 2820
rawHit column vs. row: Sector 6 Ladder 2 Sensor 1
row
column


Entries 2820
rawHit column vs. row: Sector 6 Ladder 2 Sensor 1
Counts
column


Entries 2820
rawHit column vs. row: Sector 6 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3221
rawHit column vs. row: Sector 6 Ladder 2 Sensor 2
row
column


Entries 3221
rawHit column vs. row: Sector 6 Ladder 2 Sensor 2
Counts
column


Entries 3221
rawHit column vs. row: Sector 6 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 3231
rawHit column vs. row: Sector 6 Ladder 2 Sensor 3
row
column


Entries 3231
rawHit column vs. row: Sector 6 Ladder 2 Sensor 3
Counts
column


Entries 3231
rawHit column vs. row: Sector 6 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 33791
rawHit column vs. row: Sector 6 Ladder 2 Sensor 4
row
column


Entries 33791
rawHit column vs. row: Sector 6 Ladder 2 Sensor 4
Counts
column


Entries 33791
rawHit column vs. row: Sector 6 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 2848
rawHit column vs. row: Sector 6 Ladder 2 Sensor 5
row
column


Entries 2848
rawHit column vs. row: Sector 6 Ladder 2 Sensor 5
Counts
column


Entries 2848
rawHit column vs. row: Sector 6 Ladder 2 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3908
rawHit column vs. row: Sector 6 Ladder 2 Sensor 6
row
column
×10^3


Entries 3908
rawHit column vs. row: Sector 6 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3908
rawHit column vs. row: Sector 6 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3043
rawHit column vs. row: Sector 6 Ladder 2 Sensor 7
row
column
×10^3


Entries 3043
rawHit column vs. row: Sector 6 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3043
rawHit column vs. row: Sector 6 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2887
rawHit column vs. row: Sector 6 Ladder 2 Sensor 8
row
column


Entries 2887
rawHit column vs. row: Sector 6 Ladder 2 Sensor 8
Counts
column


Entries 2887
rawHit column vs. row: Sector 6 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2576
rawHit column vs. row: Sector 6 Ladder 2 Sensor 9
row
column


Entries 2576
rawHit column vs. row: Sector 6 Ladder 2 Sensor 9
Counts
column


Entries 2576
rawHit column vs. row: Sector 6 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 3396
rawHit column vs. row: Sector 6 Ladder 2 Sensor 10
row
column
×10^3


Entries 3396
rawHit column vs. row: Sector 6 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 3396
rawHit column vs. row: Sector 6 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 4360
rawHit column vs. row: Sector 6 Ladder 3 Sensor 1
row
column


Entries 4360
rawHit column vs. row: Sector 6 Ladder 3 Sensor 1
Counts
column


Entries 4360
rawHit column vs. row: Sector 6 Ladder 3 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 4599
rawHit column vs. row: Sector 6 Ladder 3 Sensor 2
row
column
×10^3


Entries 4599
rawHit column vs. row: Sector 6 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 4599
rawHit column vs. row: Sector 6 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3222
rawHit column vs. row: Sector 6 Ladder 3 Sensor 3
row
column
×10^3


Entries 3222
rawHit column vs. row: Sector 6 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 3222
rawHit column vs. row: Sector 6 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3925
rawHit column vs. row: Sector 6 Ladder 3 Sensor 4
row
column
×10^3


Entries 3925
rawHit column vs. row: Sector 6 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 3925
rawHit column vs. row: Sector 6 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3406
rawHit column vs. row: Sector 6 Ladder 3 Sensor 5
row
column
×10^3


Entries 3406
rawHit column vs. row: Sector 6 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 3406
rawHit column vs. row: Sector 6 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3357
rawHit column vs. row: Sector 6 Ladder 3 Sensor 6
row
column
×10^3


Entries 3357
rawHit column vs. row: Sector 6 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3357
rawHit column vs. row: Sector 6 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 3873
rawHit column vs. row: Sector 6 Ladder 3 Sensor 7
row
column


Entries 3873
rawHit column vs. row: Sector 6 Ladder 3 Sensor 7
Counts
column


Entries 3873
rawHit column vs. row: Sector 6 Ladder 3 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3403
rawHit column vs. row: Sector 6 Ladder 3 Sensor 8
row
column


Entries 3403
rawHit column vs. row: Sector 6 Ladder 3 Sensor 8
Counts
column


Entries 3403
rawHit column vs. row: Sector 6 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 2948
rawHit column vs. row: Sector 6 Ladder 3 Sensor 9
row
column
×10^3


Entries 2948
rawHit column vs. row: Sector 6 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 2948
rawHit column vs. row: Sector 6 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3452
rawHit column vs. row: Sector 6 Ladder 3 Sensor 10
row
column


Entries 3452
rawHit column vs. row: Sector 6 Ladder 3 Sensor 10
Counts
column


Entries 3452
rawHit column vs. row: Sector 6 Ladder 3 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3269
rawHit column vs. row: Sector 6 Ladder 4 Sensor 1
row
column
×10^3


Entries 3269
rawHit column vs. row: Sector 6 Ladder 4 Sensor 1
Counts
column
×10^3


Entries 3269
rawHit column vs. row: Sector 6 Ladder 4 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 3918
rawHit column vs. row: Sector 6 Ladder 4 Sensor 2
row
column


Entries 3918
rawHit column vs. row: Sector 6 Ladder 4 Sensor 2
Counts
column


Entries 3918
rawHit column vs. row: Sector 6 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 4011
rawHit column vs. row: Sector 6 Ladder 4 Sensor 3
row
column


Entries 4011
rawHit column vs. row: Sector 6 Ladder 4 Sensor 3
Counts
column


Entries 4011
rawHit column vs. row: Sector 6 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 3245
rawHit column vs. row: Sector 6 Ladder 4 Sensor 4
row
column


Entries 3245
rawHit column vs. row: Sector 6 Ladder 4 Sensor 4
Counts
column


Entries 3245
rawHit column vs. row: Sector 6 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 3066
rawHit column vs. row: Sector 6 Ladder 4 Sensor 5
row
column


Entries 3066
rawHit column vs. row: Sector 6 Ladder 4 Sensor 5
Counts
column


Entries 3066
rawHit column vs. row: Sector 6 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 4191
rawHit column vs. row: Sector 6 Ladder 4 Sensor 6
row
column
×10^3


Entries 4191
rawHit column vs. row: Sector 6 Ladder 4 Sensor 6
Counts
column
×10^3


Entries 4191
rawHit column vs. row: Sector 6 Ladder 4 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3587
rawHit column vs. row: Sector 6 Ladder 4 Sensor 7
row
column
×10^3


Entries 3587
rawHit column vs. row: Sector 6 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 3587
rawHit column vs. row: Sector 6 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3137
rawHit column vs. row: Sector 6 Ladder 4 Sensor 8
row
column


Entries 3137
rawHit column vs. row: Sector 6 Ladder 4 Sensor 8
Counts
column


Entries 3137
rawHit column vs. row: Sector 6 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 2830
rawHit column vs. row: Sector 6 Ladder 4 Sensor 9
row
column


Entries 2830
rawHit column vs. row: Sector 6 Ladder 4 Sensor 9
Counts
column


Entries 2830
rawHit column vs. row: Sector 6 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 2861
rawHit column vs. row: Sector 6 Ladder 4 Sensor 10
row
column
×10^3


Entries 2861
rawHit column vs. row: Sector 6 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 2861
rawHit column vs. row: Sector 6 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 12562
rawHit column vs. row: Sector 7 Ladder 1 Sensor 1
row
column


Entries 12562
rawHit column vs. row: Sector 7 Ladder 1 Sensor 1
Counts
column


Entries 12562
rawHit column vs. row: Sector 7 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 6172
rawHit column vs. row: Sector 7 Ladder 1 Sensor 2
row
column


Entries 6172
rawHit column vs. row: Sector 7 Ladder 1 Sensor 2
Counts
column


Entries 6172
rawHit column vs. row: Sector 7 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 75230
rawHit column vs. row: Sector 7 Ladder 1 Sensor 3
row
column


Entries 75230
rawHit column vs. row: Sector 7 Ladder 1 Sensor 3
Counts
column


Entries 75230
rawHit column vs. row: Sector 7 Ladder 1 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 5680
rawHit column vs. row: Sector 7 Ladder 1 Sensor 4
row
column


Entries 5680
rawHit column vs. row: Sector 7 Ladder 1 Sensor 4
Counts
column


Entries 5680
rawHit column vs. row: Sector 7 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 8133
rawHit column vs. row: Sector 7 Ladder 1 Sensor 5
row
column


Entries 8133
rawHit column vs. row: Sector 7 Ladder 1 Sensor 5
Counts
column


Entries 8133
rawHit column vs. row: Sector 7 Ladder 1 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 5398
rawHit column vs. row: Sector 7 Ladder 1 Sensor 6
row
column


Entries 5398
rawHit column vs. row: Sector 7 Ladder 1 Sensor 6
Counts
column


Entries 5398
rawHit column vs. row: Sector 7 Ladder 1 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 2851
rawHit column vs. row: Sector 7 Ladder 1 Sensor 7
row
column
×10^3


Entries 2851
rawHit column vs. row: Sector 7 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 2851
rawHit column vs. row: Sector 7 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2340
rawHit column vs. row: Sector 7 Ladder 1 Sensor 8
row
column
×10^3


Entries 2340
rawHit column vs. row: Sector 7 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2340
rawHit column vs. row: Sector 7 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 20644
rawHit column vs. row: Sector 7 Ladder 1 Sensor 9
row
column


Entries 20644
rawHit column vs. row: Sector 7 Ladder 1 Sensor 9
Counts
column


Entries 20644
rawHit column vs. row: Sector 7 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 7777
rawHit column vs. row: Sector 7 Ladder 1 Sensor 10
row
column
×10^3


Entries 7777
rawHit column vs. row: Sector 7 Ladder 1 Sensor 10
Counts
column
×10^3


Entries 7777
rawHit column vs. row: Sector 7 Ladder 1 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 43870
rawHit column vs. row: Sector 7 Ladder 2 Sensor 1
row
column


Entries 43870
rawHit column vs. row: Sector 7 Ladder 2 Sensor 1
Counts
column


Entries 43870
rawHit column vs. row: Sector 7 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3484
rawHit column vs. row: Sector 7 Ladder 2 Sensor 2
row
column
×10^3


Entries 3484
rawHit column vs. row: Sector 7 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3484
rawHit column vs. row: Sector 7 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4820
rawHit column vs. row: Sector 7 Ladder 2 Sensor 3
row
column


Entries 4820
rawHit column vs. row: Sector 7 Ladder 2 Sensor 3
Counts
column


Entries 4820
rawHit column vs. row: Sector 7 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 3800
rawHit column vs. row: Sector 7 Ladder 2 Sensor 4
row
column
×10^3


Entries 3800
rawHit column vs. row: Sector 7 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 3800
rawHit column vs. row: Sector 7 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 4284
rawHit column vs. row: Sector 7 Ladder 2 Sensor 5
row
column


Entries 4284
rawHit column vs. row: Sector 7 Ladder 2 Sensor 5
Counts
column


Entries 4284
rawHit column vs. row: Sector 7 Ladder 2 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3381
rawHit column vs. row: Sector 7 Ladder 2 Sensor 6
row
column
×10^3


Entries 3381
rawHit column vs. row: Sector 7 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3381
rawHit column vs. row: Sector 7 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3499
rawHit column vs. row: Sector 7 Ladder 2 Sensor 7
row
column
×10^3


Entries 3499
rawHit column vs. row: Sector 7 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3499
rawHit column vs. row: Sector 7 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2462
rawHit column vs. row: Sector 7 Ladder 2 Sensor 8
row
column
×10^3


Entries 2462
rawHit column vs. row: Sector 7 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 2462
rawHit column vs. row: Sector 7 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 4856
rawHit column vs. row: Sector 7 Ladder 2 Sensor 9
row
column


Entries 4856
rawHit column vs. row: Sector 7 Ladder 2 Sensor 9
Counts
column


Entries 4856
rawHit column vs. row: Sector 7 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2564
rawHit column vs. row: Sector 7 Ladder 2 Sensor 10
row
column
×10^3


Entries 2564
rawHit column vs. row: Sector 7 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 2564
rawHit column vs. row: Sector 7 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 3769
rawHit column vs. row: Sector 7 Ladder 3 Sensor 1
row
column
×10^3


Entries 3769
rawHit column vs. row: Sector 7 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 3769
rawHit column vs. row: Sector 7 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 55631
rawHit column vs. row: Sector 7 Ladder 3 Sensor 2
row
column


Entries 55631
rawHit column vs. row: Sector 7 Ladder 3 Sensor 2
Counts
column


Entries 55631
rawHit column vs. row: Sector 7 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3793
rawHit column vs. row: Sector 7 Ladder 3 Sensor 3
row
column


Entries 3793
rawHit column vs. row: Sector 7 Ladder 3 Sensor 3
Counts
column


Entries 3793
rawHit column vs. row: Sector 7 Ladder 3 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 4247
rawHit column vs. row: Sector 7 Ladder 3 Sensor 4
row
column


Entries 4247
rawHit column vs. row: Sector 7 Ladder 3 Sensor 4
Counts
column


Entries 4247
rawHit column vs. row: Sector 7 Ladder 3 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 4900
rawHit column vs. row: Sector 7 Ladder 3 Sensor 5
row
column
×10^3


Entries 4900
rawHit column vs. row: Sector 7 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 4900
rawHit column vs. row: Sector 7 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 4414
rawHit column vs. row: Sector 7 Ladder 3 Sensor 6
row
column
×10^3


Entries 4414
rawHit column vs. row: Sector 7 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 4414
rawHit column vs. row: Sector 7 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 3976
rawHit column vs. row: Sector 7 Ladder 3 Sensor 7
row
column
×10^3


Entries 3976
rawHit column vs. row: Sector 7 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 3976
rawHit column vs. row: Sector 7 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 4336
rawHit column vs. row: Sector 7 Ladder 3 Sensor 8
row
column


Entries 4336
rawHit column vs. row: Sector 7 Ladder 3 Sensor 8
Counts
column


Entries 4336
rawHit column vs. row: Sector 7 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3068
rawHit column vs. row: Sector 7 Ladder 3 Sensor 9
row
column
×10^3


Entries 3068
rawHit column vs. row: Sector 7 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 3068
rawHit column vs. row: Sector 7 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3058
rawHit column vs. row: Sector 7 Ladder 3 Sensor 10
row
column
×10^3


Entries 3058
rawHit column vs. row: Sector 7 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 3058
rawHit column vs. row: Sector 7 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 9682
rawHit column vs. row: Sector 7 Ladder 4 Sensor 1
row
column


Entries 9682
rawHit column vs. row: Sector 7 Ladder 4 Sensor 1
Counts
column


Entries 9682
rawHit column vs. row: Sector 7 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 133754
rawHit column vs. row: Sector 7 Ladder 4 Sensor 2
row
column


Entries 133754
rawHit column vs. row: Sector 7 Ladder 4 Sensor 2
Counts
column


Entries 133754
rawHit column vs. row: Sector 7 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 69337
rawHit column vs. row: Sector 7 Ladder 4 Sensor 3
row
column


Entries 69337
rawHit column vs. row: Sector 7 Ladder 4 Sensor 3
Counts
column


Entries 69337
rawHit column vs. row: Sector 7 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 51199
rawHit column vs. row: Sector 7 Ladder 4 Sensor 4
row
column


Entries 51199
rawHit column vs. row: Sector 7 Ladder 4 Sensor 4
Counts
column


Entries 51199
rawHit column vs. row: Sector 7 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 45028
rawHit column vs. row: Sector 7 Ladder 4 Sensor 5
row
column


Entries 45028
rawHit column vs. row: Sector 7 Ladder 4 Sensor 5
Counts
column


Entries 45028
rawHit column vs. row: Sector 7 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 6697
rawHit column vs. row: Sector 7 Ladder 4 Sensor 6
row
column


Entries 6697
rawHit column vs. row: Sector 7 Ladder 4 Sensor 6
Counts
column


Entries 6697
rawHit column vs. row: Sector 7 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 108800
rawHit column vs. row: Sector 7 Ladder 4 Sensor 7
row
column


Entries 108800
rawHit column vs. row: Sector 7 Ladder 4 Sensor 7
Counts
column


Entries 108800
rawHit column vs. row: Sector 7 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3410
rawHit column vs. row: Sector 7 Ladder 4 Sensor 8
row
column
×10^3


Entries 3410
rawHit column vs. row: Sector 7 Ladder 4 Sensor 8
Counts
column
×10^3


Entries 3410
rawHit column vs. row: Sector 7 Ladder 4 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 950
rawHit column vs. row: Sector 7 Ladder 4 Sensor 9
row
column
×10^3


Entries 950
rawHit column vs. row: Sector 7 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 950
rawHit column vs. row: Sector 7 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 6261
rawHit column vs. row: Sector 7 Ladder 4 Sensor 10
row
column


Entries 6261
rawHit column vs. row: Sector 7 Ladder 4 Sensor 10
Counts
column


Entries 6261
rawHit column vs. row: Sector 7 Ladder 4 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 11130
rawHit column vs. row: Sector 8 Ladder 1 Sensor 1
row
column


Entries 11130
rawHit column vs. row: Sector 8 Ladder 1 Sensor 1
Counts
column


Entries 11130
rawHit column vs. row: Sector 8 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 2820
rawHit column vs. row: Sector 8 Ladder 1 Sensor 2
row
column
×10^3


Entries 2820
rawHit column vs. row: Sector 8 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 2820
rawHit column vs. row: Sector 8 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 2372
rawHit column vs. row: Sector 8 Ladder 1 Sensor 3
row
column


Entries 2372
rawHit column vs. row: Sector 8 Ladder 1 Sensor 3
Counts
column


Entries 2372
rawHit column vs. row: Sector 8 Ladder 1 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 2794
rawHit column vs. row: Sector 8 Ladder 1 Sensor 4
row
column
×10^3


Entries 2794
rawHit column vs. row: Sector 8 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 2794
rawHit column vs. row: Sector 8 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 2745
rawHit column vs. row: Sector 8 Ladder 1 Sensor 5
row
column
×10^3


Entries 2745
rawHit column vs. row: Sector 8 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 2745
rawHit column vs. row: Sector 8 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 2187
rawHit column vs. row: Sector 8 Ladder 1 Sensor 6
row
column
×10^3


Entries 2187
rawHit column vs. row: Sector 8 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 2187
rawHit column vs. row: Sector 8 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 3458
rawHit column vs. row: Sector 8 Ladder 1 Sensor 7
row
column
×10^3


Entries 3458
rawHit column vs. row: Sector 8 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 3458
rawHit column vs. row: Sector 8 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2820
rawHit column vs. row: Sector 8 Ladder 1 Sensor 8
row
column


Entries 2820
rawHit column vs. row: Sector 8 Ladder 1 Sensor 8
Counts
column


Entries 2820
rawHit column vs. row: Sector 8 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 2461
rawHit column vs. row: Sector 8 Ladder 1 Sensor 9
row
column


Entries 2461
rawHit column vs. row: Sector 8 Ladder 1 Sensor 9
Counts
column


Entries 2461
rawHit column vs. row: Sector 8 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2607
rawHit column vs. row: Sector 8 Ladder 1 Sensor 10
row
column
×10^3


Entries 2607
rawHit column vs. row: Sector 8 Ladder 1 Sensor 10
Counts
column
×10^3


Entries 2607
rawHit column vs. row: Sector 8 Ladder 1 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3393
rawHit column vs. row: Sector 8 Ladder 2 Sensor 1
row
column
×10^3


Entries 3393
rawHit column vs. row: Sector 8 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 3393
rawHit column vs. row: Sector 8 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3196
rawHit column vs. row: Sector 8 Ladder 2 Sensor 2
row
column
×10^3


Entries 3196
rawHit column vs. row: Sector 8 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3196
rawHit column vs. row: Sector 8 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4457
rawHit column vs. row: Sector 8 Ladder 2 Sensor 3
row
column
×10^3


Entries 4457
rawHit column vs. row: Sector 8 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 4457
rawHit column vs. row: Sector 8 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 4326
rawHit column vs. row: Sector 8 Ladder 2 Sensor 4
row
column
×10^3


Entries 4326
rawHit column vs. row: Sector 8 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 4326
rawHit column vs. row: Sector 8 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3779
rawHit column vs. row: Sector 8 Ladder 2 Sensor 5
row
column
×10^3


Entries 3779
rawHit column vs. row: Sector 8 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 3779
rawHit column vs. row: Sector 8 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 5028
rawHit column vs. row: Sector 8 Ladder 2 Sensor 6
row
column
×10^3


Entries 5028
rawHit column vs. row: Sector 8 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 5028
rawHit column vs. row: Sector 8 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3101
rawHit column vs. row: Sector 8 Ladder 2 Sensor 7
row
column


Entries 3101
rawHit column vs. row: Sector 8 Ladder 2 Sensor 7
Counts
column


Entries 3101
rawHit column vs. row: Sector 8 Ladder 2 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2899
rawHit column vs. row: Sector 8 Ladder 2 Sensor 8
row
column


Entries 2899
rawHit column vs. row: Sector 8 Ladder 2 Sensor 8
Counts
column


Entries 2899
rawHit column vs. row: Sector 8 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2868
rawHit column vs. row: Sector 8 Ladder 2 Sensor 9
row
column


Entries 2868
rawHit column vs. row: Sector 8 Ladder 2 Sensor 9
Counts
column


Entries 2868
rawHit column vs. row: Sector 8 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 3215
rawHit column vs. row: Sector 8 Ladder 2 Sensor 10
row
column
×10^3


Entries 3215
rawHit column vs. row: Sector 8 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 3215
rawHit column vs. row: Sector 8 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 2532
rawHit column vs. row: Sector 8 Ladder 3 Sensor 1
row
column
×10^3


Entries 2532
rawHit column vs. row: Sector 8 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 2532
rawHit column vs. row: Sector 8 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3648
rawHit column vs. row: Sector 8 Ladder 3 Sensor 2
row
column


Entries 3648
rawHit column vs. row: Sector 8 Ladder 3 Sensor 2
Counts
column


Entries 3648
rawHit column vs. row: Sector 8 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3634
rawHit column vs. row: Sector 8 Ladder 3 Sensor 3
row
column


Entries 3634
rawHit column vs. row: Sector 8 Ladder 3 Sensor 3
Counts
column


Entries 3634
rawHit column vs. row: Sector 8 Ladder 3 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3259
rawHit column vs. row: Sector 8 Ladder 3 Sensor 4
row
column
×10^3


Entries 3259
rawHit column vs. row: Sector 8 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 3259
rawHit column vs. row: Sector 8 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3202
rawHit column vs. row: Sector 8 Ladder 3 Sensor 5
row
column
×10^3


Entries 3202
rawHit column vs. row: Sector 8 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 3202
rawHit column vs. row: Sector 8 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 4123
rawHit column vs. row: Sector 8 Ladder 3 Sensor 6
row
column
×10^3


Entries 4123
rawHit column vs. row: Sector 8 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 4123
rawHit column vs. row: Sector 8 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 4160
rawHit column vs. row: Sector 8 Ladder 3 Sensor 7
row
column
×10^3


Entries 4160
rawHit column vs. row: Sector 8 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 4160
rawHit column vs. row: Sector 8 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3595
rawHit column vs. row: Sector 8 Ladder 3 Sensor 8
row
column
×10^3


Entries 3595
rawHit column vs. row: Sector 8 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 3595
rawHit column vs. row: Sector 8 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3772
rawHit column vs. row: Sector 8 Ladder 3 Sensor 9
row
column
×10^3


Entries 3772
rawHit column vs. row: Sector 8 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 3772
rawHit column vs. row: Sector 8 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 2246
rawHit column vs. row: Sector 8 Ladder 3 Sensor 10
row
column
×10^3


Entries 2246
rawHit column vs. row: Sector 8 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 2246
rawHit column vs. row: Sector 8 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3139
rawHit column vs. row: Sector 8 Ladder 4 Sensor 1
row
column
×10^3


Entries 3139
rawHit column vs. row: Sector 8 Ladder 4 Sensor 1
Counts
column
×10^3


Entries 3139
rawHit column vs. row: Sector 8 Ladder 4 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 4156
rawHit column vs. row: Sector 8 Ladder 4 Sensor 2
row
column
×10^3


Entries 4156
rawHit column vs. row: Sector 8 Ladder 4 Sensor 2
Counts
column
×10^3


Entries 4156
rawHit column vs. row: Sector 8 Ladder 4 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3662
rawHit column vs. row: Sector 8 Ladder 4 Sensor 3
row
column
×10^3


Entries 3662
rawHit column vs. row: Sector 8 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 3662
rawHit column vs. row: Sector 8 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 4400
rawHit column vs. row: Sector 8 Ladder 4 Sensor 4
row
column


Entries 4400
rawHit column vs. row: Sector 8 Ladder 4 Sensor 4
Counts
column


Entries 4400
rawHit column vs. row: Sector 8 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 4068
rawHit column vs. row: Sector 8 Ladder 4 Sensor 5
row
column
×10^3


Entries 4068
rawHit column vs. row: Sector 8 Ladder 4 Sensor 5
Counts
column
×10^3


Entries 4068
rawHit column vs. row: Sector 8 Ladder 4 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3213
rawHit column vs. row: Sector 8 Ladder 4 Sensor 6
row
column
×10^3
10
1
10^-1


Entries 3213
rawHit column vs. row: Sector 8 Ladder 4 Sensor 6
Counts
column
×10^3


Entries 3213
rawHit column vs. row: Sector 8 Ladder 4 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3923
rawHit column vs. row: Sector 8 Ladder 4 Sensor 7
row
column


Entries 3923
rawHit column vs. row: Sector 8 Ladder 4 Sensor 7
Counts
column


Entries 3923
rawHit column vs. row: Sector 8 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3293
rawHit column vs. row: Sector 8 Ladder 4 Sensor 8
row
column


Entries 3293
rawHit column vs. row: Sector 8 Ladder 4 Sensor 8
Counts
column


Entries 3293
rawHit column vs. row: Sector 8 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 3281
rawHit column vs. row: Sector 8 Ladder 4 Sensor 9
row
column
×10^3


Entries 3281
rawHit column vs. row: Sector 8 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 3281
rawHit column vs. row: Sector 8 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 3267
rawHit column vs. row: Sector 8 Ladder 4 Sensor 10
row
column
×10^3


Entries 3267
rawHit column vs. row: Sector 8 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 3267
rawHit column vs. row: Sector 8 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 2148
rawHit column vs. row: Sector 9 Ladder 1 Sensor 1
row
column
×10^3


Entries 2148
rawHit column vs. row: Sector 9 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 2148
rawHit column vs. row: Sector 9 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 7114
rawHit column vs. row: Sector 9 Ladder 1 Sensor 2
row
column


Entries 7114
rawHit column vs. row: Sector 9 Ladder 1 Sensor 2
Counts
column


Entries 7114
rawHit column vs. row: Sector 9 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 3460
rawHit column vs. row: Sector 9 Ladder 1 Sensor 3
row
column
×10^3


Entries 3460
rawHit column vs. row: Sector 9 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 3460
rawHit column vs. row: Sector 9 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 4157
rawHit column vs. row: Sector 9 Ladder 1 Sensor 4
row
column


Entries 4157
rawHit column vs. row: Sector 9 Ladder 1 Sensor 4
Counts
column


Entries 4157
rawHit column vs. row: Sector 9 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 4701
rawHit column vs. row: Sector 9 Ladder 1 Sensor 5
row
column
×10^3


Entries 4701
rawHit column vs. row: Sector 9 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 4701
rawHit column vs. row: Sector 9 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 3021
rawHit column vs. row: Sector 9 Ladder 1 Sensor 6
row
column
×10^3
×10^3
10
1
10^-1


Entries 3021
rawHit column vs. row: Sector 9 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 3021
rawHit column vs. row: Sector 9 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 3088
rawHit column vs. row: Sector 9 Ladder 1 Sensor 7
row
column
×10^3


Entries 3088
rawHit column vs. row: Sector 9 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 3088
rawHit column vs. row: Sector 9 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 3655
rawHit column vs. row: Sector 9 Ladder 1 Sensor 8
row
column
×10^3


Entries 3655
rawHit column vs. row: Sector 9 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 3655
rawHit column vs. row: Sector 9 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 8102
rawHit column vs. row: Sector 9 Ladder 1 Sensor 9
row
column


Entries 8102
rawHit column vs. row: Sector 9 Ladder 1 Sensor 9
Counts
column


Entries 8102
rawHit column vs. row: Sector 9 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 5466
rawHit column vs. row: Sector 9 Ladder 1 Sensor 10
row
column


Entries 5466
rawHit column vs. row: Sector 9 Ladder 1 Sensor 10
Counts
column


Entries 5466
rawHit column vs. row: Sector 9 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3908
rawHit column vs. row: Sector 9 Ladder 2 Sensor 1
row
column
×10^3


Entries 3908
rawHit column vs. row: Sector 9 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 3908
rawHit column vs. row: Sector 9 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3360
rawHit column vs. row: Sector 9 Ladder 2 Sensor 2
row
column
×10^3


Entries 3360
rawHit column vs. row: Sector 9 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3360
rawHit column vs. row: Sector 9 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4209
rawHit column vs. row: Sector 9 Ladder 2 Sensor 3
row
column


Entries 4209
rawHit column vs. row: Sector 9 Ladder 2 Sensor 3
Counts
column


Entries 4209
rawHit column vs. row: Sector 9 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 3595
rawHit column vs. row: Sector 9 Ladder 2 Sensor 4
row
column
×10^3


Entries 3595
rawHit column vs. row: Sector 9 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 3595
rawHit column vs. row: Sector 9 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 48891
rawHit column vs. row: Sector 9 Ladder 2 Sensor 5
row
column


Entries 48891
rawHit column vs. row: Sector 9 Ladder 2 Sensor 5
Counts
column


Entries 48891
rawHit column vs. row: Sector 9 Ladder 2 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 5543
rawHit column vs. row: Sector 9 Ladder 2 Sensor 6
row
column
×10^3


Entries 5543
rawHit column vs. row: Sector 9 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 5543
rawHit column vs. row: Sector 9 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3288
rawHit column vs. row: Sector 9 Ladder 2 Sensor 7
row
column


Entries 3288
rawHit column vs. row: Sector 9 Ladder 2 Sensor 7
Counts
column


Entries 3288
rawHit column vs. row: Sector 9 Ladder 2 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2312
rawHit column vs. row: Sector 9 Ladder 2 Sensor 8
row
column


Entries 2312
rawHit column vs. row: Sector 9 Ladder 2 Sensor 8
Counts
column


Entries 2312
rawHit column vs. row: Sector 9 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2191
rawHit column vs. row: Sector 9 Ladder 2 Sensor 9
row
column


Entries 2191
rawHit column vs. row: Sector 9 Ladder 2 Sensor 9
Counts
column


Entries 2191
rawHit column vs. row: Sector 9 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2662
rawHit column vs. row: Sector 9 Ladder 2 Sensor 10
row
column


Entries 2662
rawHit column vs. row: Sector 9 Ladder 2 Sensor 10
Counts
column


Entries 2662
rawHit column vs. row: Sector 9 Ladder 2 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 3145
rawHit column vs. row: Sector 9 Ladder 3 Sensor 1
row
column


Entries 3145
rawHit column vs. row: Sector 9 Ladder 3 Sensor 1
Counts
column


Entries 3145
rawHit column vs. row: Sector 9 Ladder 3 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 4272
rawHit column vs. row: Sector 9 Ladder 3 Sensor 2
row
column
×10^3


Entries 4272
rawHit column vs. row: Sector 9 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 4272
rawHit column vs. row: Sector 9 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 5009
rawHit column vs. row: Sector 9 Ladder 3 Sensor 3
row
column
×10^3


Entries 5009
rawHit column vs. row: Sector 9 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 5009
rawHit column vs. row: Sector 9 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 5210
rawHit column vs. row: Sector 9 Ladder 3 Sensor 4
row
column
×10^3


Entries 5210
rawHit column vs. row: Sector 9 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 5210
rawHit column vs. row: Sector 9 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 4996
rawHit column vs. row: Sector 9 Ladder 3 Sensor 5
row
column


Entries 4996
rawHit column vs. row: Sector 9 Ladder 3 Sensor 5
Counts
column


Entries 4996
rawHit column vs. row: Sector 9 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3007
rawHit column vs. row: Sector 9 Ladder 3 Sensor 6
row
column
×10^3


Entries 3007
rawHit column vs. row: Sector 9 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3007
rawHit column vs. row: Sector 9 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 3726
rawHit column vs. row: Sector 9 Ladder 3 Sensor 7
row
column
×10^3


Entries 3726
rawHit column vs. row: Sector 9 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 3726
rawHit column vs. row: Sector 9 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3144
rawHit column vs. row: Sector 9 Ladder 3 Sensor 8
row
column


Entries 3144
rawHit column vs. row: Sector 9 Ladder 3 Sensor 8
Counts
column


Entries 3144
rawHit column vs. row: Sector 9 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3515
rawHit column vs. row: Sector 9 Ladder 3 Sensor 9
row
column
×10^3


Entries 3515
rawHit column vs. row: Sector 9 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 3515
rawHit column vs. row: Sector 9 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3495
rawHit column vs. row: Sector 9 Ladder 3 Sensor 10
row
column


Entries 3495
rawHit column vs. row: Sector 9 Ladder 3 Sensor 10
Counts
column


Entries 3495
rawHit column vs. row: Sector 9 Ladder 3 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 5955
rawHit column vs. row: Sector 9 Ladder 4 Sensor 1
row
column


Entries 5955
rawHit column vs. row: Sector 9 Ladder 4 Sensor 1
Counts
column


Entries 5955
rawHit column vs. row: Sector 9 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 6182
rawHit column vs. row: Sector 9 Ladder 4 Sensor 2
row
column


Entries 6182
rawHit column vs. row: Sector 9 Ladder 4 Sensor 2
Counts
column


Entries 6182
rawHit column vs. row: Sector 9 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3529
rawHit column vs. row: Sector 9 Ladder 4 Sensor 3
row
column


Entries 3529
rawHit column vs. row: Sector 9 Ladder 4 Sensor 3
Counts
column


Entries 3529
rawHit column vs. row: Sector 9 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 4459
rawHit column vs. row: Sector 9 Ladder 4 Sensor 4
row
column
×10^3


Entries 4459
rawHit column vs. row: Sector 9 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 4459
rawHit column vs. row: Sector 9 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 5248
rawHit column vs. row: Sector 9 Ladder 4 Sensor 5
row
column


Entries 5248
rawHit column vs. row: Sector 9 Ladder 4 Sensor 5
Counts
column


Entries 5248
rawHit column vs. row: Sector 9 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 157331
rawHit column vs. row: Sector 9 Ladder 4 Sensor 6
row
column


Entries 157331
rawHit column vs. row: Sector 9 Ladder 4 Sensor 6
Counts
column


Entries 157331
rawHit column vs. row: Sector 9 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 4960
rawHit column vs. row: Sector 9 Ladder 4 Sensor 7
row
column


Entries 4960
rawHit column vs. row: Sector 9 Ladder 4 Sensor 7
Counts
column


Entries 4960
rawHit column vs. row: Sector 9 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 4633
rawHit column vs. row: Sector 9 Ladder 4 Sensor 8
row
column


Entries 4633
rawHit column vs. row: Sector 9 Ladder 4 Sensor 8
Counts
column


Entries 4633
rawHit column vs. row: Sector 9 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 155689
rawHit column vs. row: Sector 9 Ladder 4 Sensor 9
row
column


Entries 155689
rawHit column vs. row: Sector 9 Ladder 4 Sensor 9
Counts
column


Entries 155689
rawHit column vs. row: Sector 9 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 4899
rawHit column vs. row: Sector 9 Ladder 4 Sensor 10
row
column


Entries 4899
rawHit column vs. row: Sector 9 Ladder 4 Sensor 10
Counts
column


Entries 4899
rawHit column vs. row: Sector 9 Ladder 4 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 2875
rawHit column vs. row: Sector 10 Ladder 1 Sensor 1
row
column


Entries 2875
rawHit column vs. row: Sector 10 Ladder 1 Sensor 1
Counts
column


Entries 2875
rawHit column vs. row: Sector 10 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 3649
rawHit column vs. row: Sector 10 Ladder 1 Sensor 2
row
column
×10^3


Entries 3649
rawHit column vs. row: Sector 10 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 3649
rawHit column vs. row: Sector 10 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 4394
rawHit column vs. row: Sector 10 Ladder 1 Sensor 3
row
column
×10^3


Entries 4394
rawHit column vs. row: Sector 10 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 4394
rawHit column vs. row: Sector 10 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 4142
rawHit column vs. row: Sector 10 Ladder 1 Sensor 4
row
column


Entries 4142
rawHit column vs. row: Sector 10 Ladder 1 Sensor 4
Counts
column


Entries 4142
rawHit column vs. row: Sector 10 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 4130
rawHit column vs. row: Sector 10 Ladder 1 Sensor 5
row
column
×10^3


Entries 4130
rawHit column vs. row: Sector 10 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 4130
rawHit column vs. row: Sector 10 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 3249
rawHit column vs. row: Sector 10 Ladder 1 Sensor 6
row
column


Entries 3249
rawHit column vs. row: Sector 10 Ladder 1 Sensor 6
Counts
column


Entries 3249
rawHit column vs. row: Sector 10 Ladder 1 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 3148
rawHit column vs. row: Sector 10 Ladder 1 Sensor 7
row
column
×10^3


Entries 3148
rawHit column vs. row: Sector 10 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 3148
rawHit column vs. row: Sector 10 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2244
rawHit column vs. row: Sector 10 Ladder 1 Sensor 8
row
column


Entries 2244
rawHit column vs. row: Sector 10 Ladder 1 Sensor 8
Counts
column


Entries 2244
rawHit column vs. row: Sector 10 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 1858
rawHit column vs. row: Sector 10 Ladder 1 Sensor 9
row
column
×10^3


Entries 1858
rawHit column vs. row: Sector 10 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 1858
rawHit column vs. row: Sector 10 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2447
rawHit column vs. row: Sector 10 Ladder 1 Sensor 10
row
column
×10^3


Entries 2447
rawHit column vs. row: Sector 10 Ladder 1 Sensor 10
Counts
column
×10^3


Entries 2447
rawHit column vs. row: Sector 10 Ladder 1 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3934
rawHit column vs. row: Sector 10 Ladder 2 Sensor 1
row
column


Entries 3934
rawHit column vs. row: Sector 10 Ladder 2 Sensor 1
Counts
column


Entries 3934
rawHit column vs. row: Sector 10 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3194
rawHit column vs. row: Sector 10 Ladder 2 Sensor 2
row
column


Entries 3194
rawHit column vs. row: Sector 10 Ladder 2 Sensor 2
Counts
column


Entries 3194
rawHit column vs. row: Sector 10 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4967
rawHit column vs. row: Sector 10 Ladder 2 Sensor 3
row
column
×10^3


Entries 4967
rawHit column vs. row: Sector 10 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 4967
rawHit column vs. row: Sector 10 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 4103
rawHit column vs. row: Sector 10 Ladder 2 Sensor 4
row
column
×10^3


Entries 4103
rawHit column vs. row: Sector 10 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 4103
rawHit column vs. row: Sector 10 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 2783
rawHit column vs. row: Sector 10 Ladder 2 Sensor 5
row
column
×10^3
10
1
10^-1


Entries 2783
rawHit column vs. row: Sector 10 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 2783
rawHit column vs. row: Sector 10 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3139
rawHit column vs. row: Sector 10 Ladder 2 Sensor 6
row
column
×10^3


Entries 3139
rawHit column vs. row: Sector 10 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3139
rawHit column vs. row: Sector 10 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 2868
rawHit column vs. row: Sector 10 Ladder 2 Sensor 7
row
column
×10^3


Entries 2868
rawHit column vs. row: Sector 10 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 2868
rawHit column vs. row: Sector 10 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 3412
rawHit column vs. row: Sector 10 Ladder 2 Sensor 8
row
column
×10^3


Entries 3412
rawHit column vs. row: Sector 10 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 3412
rawHit column vs. row: Sector 10 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2800
rawHit column vs. row: Sector 10 Ladder 2 Sensor 9
row
column
×10^3


Entries 2800
rawHit column vs. row: Sector 10 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 2800
rawHit column vs. row: Sector 10 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


rawHit column vs. row: Sector 10 Ladder 2 Sensor 10
Entries 2660
row
column
×10^3


rawHit column vs. row: Sector 10 Ladder 2 Sensor 10
Entries 2660
Counts
column
×10^3


rawHit column vs. row: Sector 10 Ladder 2 Sensor 10
Entries 2660
Counts
row
×10^3


rawHits vs. EventID: Sector 10 Ladder 2 Sensor 10
Entries 2500
<rawhits>
EventID (Time)


Entries 3651
rawHit column vs. row: Sector 10 Ladder 3 Sensor 1
row
column
×10^3


Entries 3651
rawHit column vs. row: Sector 10 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 3651
rawHit column vs. row: Sector 10 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3000
rawHit column vs. row: Sector 10 Ladder 3 Sensor 2
row
column
×10^3


Entries 3000
rawHit column vs. row: Sector 10 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 3000
rawHit column vs. row: Sector 10 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3070
rawHit column vs. row: Sector 10 Ladder 3 Sensor 3
row
column
×10^3


Entries 3070
rawHit column vs. row: Sector 10 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 3070
rawHit column vs. row: Sector 10 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3126
rawHit column vs. row: Sector 10 Ladder 3 Sensor 4
row
column


Entries 3126
rawHit column vs. row: Sector 10 Ladder 3 Sensor 4
Counts
column


Entries 3126
rawHit column vs. row: Sector 10 Ladder 3 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3508
rawHit column vs. row: Sector 10 Ladder 3 Sensor 5
row
column


Entries 3508
rawHit column vs. row: Sector 10 Ladder 3 Sensor 5
Counts
column


Entries 3508
rawHit column vs. row: Sector 10 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 4212
rawHit column vs. row: Sector 10 Ladder 3 Sensor 6
row
column
×10^3


Entries 4212
rawHit column vs. row: Sector 10 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 4212
rawHit column vs. row: Sector 10 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 3218
rawHit column vs. row: Sector 10 Ladder 3 Sensor 7
row
column
×10^3


Entries 3218
rawHit column vs. row: Sector 10 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 3218
rawHit column vs. row: Sector 10 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3200
rawHit column vs. row: Sector 10 Ladder 3 Sensor 8
row
column


Entries 3200
rawHit column vs. row: Sector 10 Ladder 3 Sensor 8
Counts
column


Entries 3200
rawHit column vs. row: Sector 10 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 2933
rawHit column vs. row: Sector 10 Ladder 3 Sensor 9
row
column


Entries 2933
rawHit column vs. row: Sector 10 Ladder 3 Sensor 9
Counts
column


Entries 2933
rawHit column vs. row: Sector 10 Ladder 3 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3247
rawHit column vs. row: Sector 10 Ladder 3 Sensor 10
row
column


Entries 3247
rawHit column vs. row: Sector 10 Ladder 3 Sensor 10
Counts
column


Entries 3247
rawHit column vs. row: Sector 10 Ladder 3 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 57693
rawHit column vs. row: Sector 10 Ladder 4 Sensor 1
row
column


Entries 57693
rawHit column vs. row: Sector 10 Ladder 4 Sensor 1
Counts
column


Entries 57693
rawHit column vs. row: Sector 10 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 4291
rawHit column vs. row: Sector 10 Ladder 4 Sensor 2
row
column
×10^3


Entries 4291
rawHit column vs. row: Sector 10 Ladder 4 Sensor 2
Counts
column
×10^3


Entries 4291
rawHit column vs. row: Sector 10 Ladder 4 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 4067
rawHit column vs. row: Sector 10 Ladder 4 Sensor 3
row
column
×10^3


Entries 4067
rawHit column vs. row: Sector 10 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 4067
rawHit column vs. row: Sector 10 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 3950
rawHit column vs. row: Sector 10 Ladder 4 Sensor 4
row
column
×10^3


Entries 3950
rawHit column vs. row: Sector 10 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 3950
rawHit column vs. row: Sector 10 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 4747
rawHit column vs. row: Sector 10 Ladder 4 Sensor 5
row
column


Entries 4747
rawHit column vs. row: Sector 10 Ladder 4 Sensor 5
Counts
column


Entries 4747
rawHit column vs. row: Sector 10 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 4534
rawHit column vs. row: Sector 10 Ladder 4 Sensor 6
row
column
×10^3


Entries 4534
rawHit column vs. row: Sector 10 Ladder 4 Sensor 6
Counts
column
×10^3


Entries 4534
rawHit column vs. row: Sector 10 Ladder 4 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 6652
rawHit column vs. row: Sector 10 Ladder 4 Sensor 7
row
column


Entries 6652
rawHit column vs. row: Sector 10 Ladder 4 Sensor 7
Counts
column


Entries 6652
rawHit column vs. row: Sector 10 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 5865
rawHit column vs. row: Sector 10 Ladder 4 Sensor 8
row
column


Entries 5865
rawHit column vs. row: Sector 10 Ladder 4 Sensor 8
Counts
column


Entries 5865
rawHit column vs. row: Sector 10 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 64290
rawHit column vs. row: Sector 10 Ladder 4 Sensor 9
row
column


Entries 64290
rawHit column vs. row: Sector 10 Ladder 4 Sensor 9
Counts
column


Entries 64290
rawHit column vs. row: Sector 10 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 46069
rawHit column vs. row: Sector 10 Ladder 4 Sensor 10
row
column


Entries 46069
rawHit column vs. row: Sector 10 Ladder 4 Sensor 10
Counts
column


Entries 46069
rawHit column vs. row: Sector 10 Ladder 4 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 10
<rawhits>
EventID (Time)