15055034.pxlQa

Tue Feb 25 14:16:43 2014


Entries 1000000
The number of RawHits vs. sensorID
nRawHits
Sensor ID


Entries 769404
The number of RawHits vs. sensorID
<nRawHits>
Sensor ID


Entries 400000
RawHits vs. sensorNo: Sector 1
nRawHits
Sub-array


Entries 101316
RawHits vs. sensorNo: Sector 1
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 2
nRawHits
Sub-array


Entries 130465
RawHits vs. sensorNo: Sector 2
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 3
nRawHits
Sub-array


Entries 120896
RawHits vs. sensorNo: Sector 3
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 4
nRawHits
Sub-array


Entries 145791
RawHits vs. sensorNo: Sector 4
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 5
nRawHits
Sub-array


Entries 135115
RawHits vs. sensorNo: Sector 5
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 6
nRawHits
Sub-array


Entries 126702
RawHits vs. sensorNo: Sector 6
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 7
nRawHits
Sub-array


Entries 172906
RawHits vs. sensorNo: Sector 7
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 8
nRawHits
Sub-array


Entries 113908
RawHits vs. sensorNo: Sector 8
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 9
nRawHits
Sub-array


Entries 129578
RawHits vs. sensorNo: Sector 9
<nRawHits>
Sub-array


Entries 400000
RawHits vs. sensorNo: Sector 10
nRawHits
Sub-array


Entries 126032
RawHits vs. sensorNo: Sector 10
<nRawHits>
Sub-array


Entries 1000000
The number of Hits vs. sensorID
nHits
Sensor ID


Entries 769404
The number of Hits vs. sensorID
<nHits>
Sensor ID


Entries 100000
Hits vs. sensorNo: Sector 1
nHits
Sensor No.


Entries 65020
Hits vs. sensorNo: Sector 1
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 2
nHits
Sensor No.


Entries 80268
Hits vs. sensorNo: Sector 2
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 3
nHits
Sensor No.


Entries 75555
Hits vs. sensorNo: Sector 3
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 4
nHits
Sensor No.


Entries 82179
Hits vs. sensorNo: Sector 4
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 5
nHits
Sensor No.


Entries 74537
Hits vs. sensorNo: Sector 5
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 6
nHits
Sensor No.


Entries 76660
Hits vs. sensorNo: Sector 6
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 7
nHits
Sensor No.


Entries 85796
Hits vs. sensorNo: Sector 7
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 8
nHits
Sensor No.


Entries 73384
Hits vs. sensorNo: Sector 8
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 9
nHits
Sensor No.


Entries 79015
Hits vs. sensorNo: Sector 9
<nHits>
Sensor No.


Entries 100000
Hits vs. sensorNo: Sector 10
nHits
Sensor No.


Entries 76990
Hits vs. sensorNo: Sector 10
<nHits>
Sensor No.


Entries 2794881
The number of RawHits per hit vs. sensorID
RawHits per hit
Sensor ID


Entries 2069751
The number of RawHits per hit vs. sensorID
<RawHits per hit>
Sensor ID


Entries 151618
RawHits per hit vs. sensorNo: Sector 1
RawHits per hit
Sensor No.


Entries 151618
RawHits per hit vs. sensorNo: Sector 1
<RawHits per hit>
Sensor No.


Entries 163959
RawHits per hit vs. sensorNo: Sector 2
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^3
10^2
10
1


Entries 163959
RawHits per hit vs. sensorNo: Sector 2
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 161350
RawHits per hit vs. sensorNo: Sector 3
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^3
10^2
10
1


Entries 161350
RawHits per hit vs. sensorNo: Sector 3
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 261440
RawHits per hit vs. sensorNo: Sector 4
RawHits per hit
Sensor No.


Entries 261440
RawHits per hit vs. sensorNo: Sector 4
<RawHits per hit>
Sensor No.


Entries 771534
RawHits per hit vs. sensorNo: Sector 5
RawHits per hit
Sensor No.


Entries 251533
RawHits per hit vs. sensorNo: Sector 5
<RawHits per hit>
Sensor No.


Entries 201437
RawHits per hit vs. sensorNo: Sector 6
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^4
10^3
10^2
10
1


Entries 201437
RawHits per hit vs. sensorNo: Sector 6
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 443158
RawHits per hit vs. sensorNo: Sector 7
RawHits per hit
Sensor No.


Entries 351832
RawHits per hit vs. sensorNo: Sector 7
<RawHits per hit>
Sensor No.


Entries 138903
RawHits per hit vs. sensorNo: Sector 8
RawHits per hit
10
1
5
10
15
20
25
30
35
40
Sensor No.
10^3
10^2
10
1


Entries 138903
RawHits per hit vs. sensorNo: Sector 8
<RawHits per hit>
10^3
10^2
10
1
5
10
15
20
25
30
35
40
Sensor No.


Entries 305647
RawHits per hit vs. sensorNo: Sector 9
RawHits per hit
Sensor No.


Entries 191844
RawHits per hit vs. sensorNo: Sector 9
<RawHits per hit>
Sensor No.


Entries 195835
RawHits per hit vs. sensorNo: Sector 10
RawHits per hit
Sensor No.


Entries 195835
RawHits per hit vs. sensorNo: Sector 10
<RawHits per hit>
Sensor No.


Entries 2794881
Global X vs. Y
Global Y
Global X
10
8
6
4
2
0
-2
-4
-6
-8
-10
-10 -8 -6 -4 -2 0 2 4 6 8 10
10^5
10^4
10^3
10^2
10
1


Entries 2794881
Global Z
Counts
10^5
10^4
-10 -8 -6 -4 -2 0 2 4 6 8 10
Global Z


Entries 917267
Global ϕ vs. global Z, inner
Global Z
10
8
6
4
2
0
-2
-4
-6
-8
-10
-3
-2
-1
0
1
2
3
Global ϕ
10^4
10^3
10^2
10
1


Entries 1877614
Global ϕ vs. global Z, outer
Global Z
10
8
6
4
2
0
-2
-4
-6
-8
-10
-3
-2
-1
0
1
2
3
Global ϕ
10^4
10^3
10^2
10
1


Inner hits vs. outer hits: Sector 1
Entries 2500
Outer hits
Inner hits
×10^3
0 2 4 6 8 10 12 14 16 18
0 1 2 3 4 5 6
10^3
10^2
10
1


Inner rawhits vs. outer rawhits: Sector 1
Entries 2500
Outer rawhits
Inner rawhits
×10^3
0 2 4 6 8 10 12 14 16 18
0 1 2 3 4 5 6
10^3
10^2
10
1


Inner hits vs. outer hits: Sector 2
Entries 2500
Outer hits
Inner hits
×10^3
0 2 4 6 8 10 12 14 16 18
0 1 2 3 4 5 6
10^2
10
1


Inner rawhits vs. outer rawhits: Sector 2
Entries 2500
Outer rawhits
Inner rawhits
×10^3
0 2 4 6 8 10 12 14 16 18
0 1 2 3 4 5 6
10^3
10^2
10
1


Inner hits vs. outer hits: Sector 3
Entries 2500
Outer hits
Inner hits
×10^3
×10^3


Inner rawhits vs. outer rawhits: Sector 3
Entries 2500
Outer rawhits
Inner rawhits
×10^3
×10^3


Inner hits vs. outer hits: Sector 4
Entries 2500
Outer hits
Inner hits
×10^3
×10^3


Inner rawhits vs. outer rawhits: Sector 4
Entries 2500
Outer rawhits
Inner rawhits
×10^3
×10^3


Inner hits vs. outer hits: Sector 5
Entries 2500
Outer hits
Inner hits
×10^3
0 2 4 6 8 10 12 14 16 18
0 1 2 3 4 5 6
1 10 10^2
×10^3


Inner rawhits vs. outer rawhits: Sector 5
Entries 2500
Outer rawhits
Inner rawhits
×10^3
0 2 4 6 8 10 12 14 16 18
0 1 2 3 4 5 6
1 10 10^2
×10^3


Inner hits vs. outer hits: Sector 6
Entries 2500
Outer hits
Inner hits
×10^3
0 2 4 6 8 10 12 14 16 18
0 1 2 3 4 5 6
1 10 10^2
×10^3


Inner rawhits vs. outer rawhits: Sector 6
Entries 2500
Outer rawhits
Inner rawhits
×10^3
0 2 4 6 8 10 12 14 16 18
0 1 2 3 4 5 6
1 10 10^2
×10^3


Inner hits vs. outer hits: Sector 7
Entries 2500
Outer hits
Inner hits


Inner rawhits vs. outer rawhits: Sector 7
Entries 2500
Outer rawhits
Inner rawhits


Inner hits vs. outer hits: Sector 8
Entries 2500
Outer hits
Inner hits


Inner rawhits vs. outer rawhits: Sector 8
Entries 2500
Outer rawhits
Inner rawhits


Inner hits vs. outer hits: Sector 9
Entries 2500
Outer hits
Inner hits
×10^3
0 2 4 6 8 10 12 14 16 18
0 1 2 3 4 5 6
1 10 10^2 10^3


Inner rawhits vs. outer rawhits: Sector 9
Entries 2500
Outer rawhits
Inner rawhits
×10^3
0 2 4 6 8 10 12 14 16 18
0 1 2 3 4 5 6
1 10 10^2 10^3


Inner hits vs. outer hits: Sector 10
Entries 2500
Outer hits
Inner hits
×10^3
0 2 4 6 8 10 12 14 16 18
0 1 2 3 4 5 6
1 10 10^2 10^3


Inner rawhits vs. outer rawhits: Sector 10
Entries 2500
Outer rawhits
Inner rawhits
×10^3
0 2 4 6 8 10 12 14 16 18
0 1 2 3 4 5 6
1 10 10^2 10^3


Entries 677
rawHit column vs. row: Sector 1 Ladder 1 Sensor 1
row
column


Entries 677
rawHit column vs. row: Sector 1 Ladder 1 Sensor 1
Counts
column


Entries 677
rawHit column vs. row: Sector 1 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 0
rawHit column vs. row: Sector 1 Ladder 1 Sensor 2
row
column


Entries 0
rawHit column vs. row: Sector 1 Ladder 1 Sensor 2
Counts
column


Entries 0
rawHit column vs. row: Sector 1 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 408
rawHit column vs. row: Sector 1 Ladder 1 Sensor 3
row
column
×10^3


Entries 408
rawHit column vs. row: Sector 1 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 408
rawHit column vs. row: Sector 1 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 305
rawHit column vs. row: Sector 1 Ladder 1 Sensor 4
row
column
×10^3


Entries 305
rawHit column vs. row: Sector 1 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 305
rawHit column vs. row: Sector 1 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 818
rawHit column vs. row: Sector 1 Ladder 1 Sensor 5
row
column


Entries 818
rawHit column vs. row: Sector 1 Ladder 1 Sensor 5
Counts
column


Entries 818
rawHit column vs. row: Sector 1 Ladder 1 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 727
rawHit column vs. row: Sector 1 Ladder 1 Sensor 6
row
column


Entries 727
rawHit column vs. row: Sector 1 Ladder 1 Sensor 6
Counts
column


Entries 727
rawHit column vs. row: Sector 1 Ladder 1 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 687
rawHit column vs. row: Sector 1 Ladder 1 Sensor 7
row
column


Entries 687
rawHit column vs. row: Sector 1 Ladder 1 Sensor 7
Counts
column


Entries 687
rawHit column vs. row: Sector 1 Ladder 1 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 248
rawHit column vs. row: Sector 1 Ladder 1 Sensor 8
row
column
×10^3


Entries 248
rawHit column vs. row: Sector 1 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 248
rawHit column vs. row: Sector 1 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 328
rawHit column vs. row: Sector 1 Ladder 1 Sensor 9
row
column


Entries 328
rawHit column vs. row: Sector 1 Ladder 1 Sensor 9
Counts
column


Entries 328
rawHit column vs. row: Sector 1 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 3063
rawHit column vs. row: Sector 1 Ladder 1 Sensor 10
row
column


Entries 3063
rawHit column vs. row: Sector 1 Ladder 1 Sensor 10
Counts
column


Entries 3063
rawHit column vs. row: Sector 1 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 4237
rawHit column vs. row: Sector 1 Ladder 2 Sensor 1
row
column
×10^3


Entries 4237
rawHit column vs. row: Sector 1 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 4237
rawHit column vs. row: Sector 1 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3856
rawHit column vs. row: Sector 1 Ladder 2 Sensor 2
row
column


Entries 3856
rawHit column vs. row: Sector 1 Ladder 2 Sensor 2
Counts
column


Entries 3856
rawHit column vs. row: Sector 1 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 3725
rawHit column vs. row: Sector 1 Ladder 2 Sensor 3
row
column


Entries 3725
rawHit column vs. row: Sector 1 Ladder 2 Sensor 3
Counts
column


Entries 3725
rawHit column vs. row: Sector 1 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 4053
rawHit column vs. row: Sector 1 Ladder 2 Sensor 4
row
column


Entries 4053
rawHit column vs. row: Sector 1 Ladder 2 Sensor 4
Counts
column


Entries 4053
rawHit column vs. row: Sector 1 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 4121
rawHit column vs. row: Sector 1 Ladder 2 Sensor 5
row
column


Entries 4121
rawHit column vs. row: Sector 1 Ladder 2 Sensor 5
Counts
column


Entries 4121
rawHit column vs. row: Sector 1 Ladder 2 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3675
rawHit column vs. row: Sector 1 Ladder 2 Sensor 6
row
column
×10^3


Entries 3675
rawHit column vs. row: Sector 1 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3675
rawHit column vs. row: Sector 1 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 2426
rawHit column vs. row: Sector 1 Ladder 2 Sensor 7
row
column
×10^3


Entries 2426
rawHit column vs. row: Sector 1 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 2426
rawHit column vs. row: Sector 1 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2841
rawHit column vs. row: Sector 1 Ladder 2 Sensor 8
row
column
×10^3


Entries 2841
rawHit column vs. row: Sector 1 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 2841
rawHit column vs. row: Sector 1 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 3930
rawHit column vs. row: Sector 1 Ladder 2 Sensor 9
row
column
×10^3
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1
1 10 10^2


Entries 3930
rawHit column vs. row: Sector 1 Ladder 2 Sensor 9
Counts
column
×10^3
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1
1 10 10^2


Entries 3930
rawHit column vs. row: Sector 1 Ladder 2 Sensor 9
Counts
row
×10^3
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1
1 10 10^2


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 9
<rawhits>
EventID (Time)
0 10 20 30 40 50
1


Entries 3411
rawHit column vs. row: Sector 1 Ladder 2 Sensor 10
row
column


Entries 3411
rawHit column vs. row: Sector 1 Ladder 2 Sensor 10
Counts
column


Entries 3411
rawHit column vs. row: Sector 1 Ladder 2 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 3755
rawHit column vs. row: Sector 1 Ladder 3 Sensor 1
row
column
×10^3


Entries 3755
rawHit column vs. row: Sector 1 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 3755
rawHit column vs. row: Sector 1 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3795
rawHit column vs. row: Sector 1 Ladder 3 Sensor 2
row
column
×10^3


Entries 3795
rawHit column vs. row: Sector 1 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 3795
rawHit column vs. row: Sector 1 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3336
rawHit column vs. row: Sector 1 Ladder 3 Sensor 3
row
column
×10^3


Entries 3336
rawHit column vs. row: Sector 1 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 3336
rawHit column vs. row: Sector 1 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3216
rawHit column vs. row: Sector 1 Ladder 3 Sensor 4
row
column
×10^3


Entries 3216
rawHit column vs. row: Sector 1 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 3216
rawHit column vs. row: Sector 1 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 4510
rawHit column vs. row: Sector 1 Ladder 3 Sensor 5
row
column
×10^3


Entries 4510
rawHit column vs. row: Sector 1 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 4510
rawHit column vs. row: Sector 1 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3785
rawHit column vs. row: Sector 1 Ladder 3 Sensor 6
row
column
×10^3


Entries 3785
rawHit column vs. row: Sector 1 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3785
rawHit column vs. row: Sector 1 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 4167
rawHit column vs. row: Sector 1 Ladder 3 Sensor 7
row
column
×10^3


Entries 4167
rawHit column vs. row: Sector 1 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 4167
rawHit column vs. row: Sector 1 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3184
rawHit column vs. row: Sector 1 Ladder 3 Sensor 8
row
column


Entries 3184
rawHit column vs. row: Sector 1 Ladder 3 Sensor 8
Counts
column


Entries 3184
rawHit column vs. row: Sector 1 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 4044
rawHit column vs. row: Sector 1 Ladder 3 Sensor 9
row
column
×10^3


Entries 4044
rawHit column vs. row: Sector 1 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 4044
rawHit column vs. row: Sector 1 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 2718
rawHit column vs. row: Sector 1 Ladder 3 Sensor 10
row
column
×10^3


Entries 2718
rawHit column vs. row: Sector 1 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 2718
rawHit column vs. row: Sector 1 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3256
rawHit column vs. row: Sector 1 Ladder 4 Sensor 1
row
column


Entries 3256
rawHit column vs. row: Sector 1 Ladder 4 Sensor 1
Counts
column


Entries 3256
rawHit column vs. row: Sector 1 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 42228
rawHit column vs. row: Sector 1 Ladder 4 Sensor 2
row
column


Entries 42228
rawHit column vs. row: Sector 1 Ladder 4 Sensor 2
Counts
column


Entries 42228
rawHit column vs. row: Sector 1 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 4175
rawHit column vs. row: Sector 1 Ladder 4 Sensor 3
row
column


Entries 4175
rawHit column vs. row: Sector 1 Ladder 4 Sensor 3
Counts
column


Entries 4175
rawHit column vs. row: Sector 1 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 4204
rawHit column vs. row: Sector 1 Ladder 4 Sensor 4
row
column
×10^3


Entries 4204
rawHit column vs. row: Sector 1 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 4204
rawHit column vs. row: Sector 1 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 3916
rawHit column vs. row: Sector 1 Ladder 4 Sensor 5
row
column


Entries 3916
rawHit column vs. row: Sector 1 Ladder 4 Sensor 5
Counts
column


Entries 3916
rawHit column vs. row: Sector 1 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3303
rawHit column vs. row: Sector 1 Ladder 4 Sensor 6
row
column
×10^3


Entries 3303
rawHit column vs. row: Sector 1 Ladder 4 Sensor 6
Counts
column
×10^3


Entries 3303
rawHit column vs. row: Sector 1 Ladder 4 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3730
rawHit column vs. row: Sector 1 Ladder 4 Sensor 7
row
column


Entries 3730
rawHit column vs. row: Sector 1 Ladder 4 Sensor 7
Counts
column


Entries 3730
rawHit column vs. row: Sector 1 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 5397
rawHit column vs. row: Sector 1 Ladder 4 Sensor 8
row
column


Entries 5397
rawHit column vs. row: Sector 1 Ladder 4 Sensor 8
Counts
column


Entries 5397
rawHit column vs. row: Sector 1 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 3852
rawHit column vs. row: Sector 1 Ladder 4 Sensor 9
row
column
×10^3


Entries 3852
rawHit column vs. row: Sector 1 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 3852
rawHit column vs. row: Sector 1 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 3183
rawHit column vs. row: Sector 1 Ladder 4 Sensor 10
row
column
×10^3


Entries 3183
rawHit column vs. row: Sector 1 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 3183
rawHit column vs. row: Sector 1 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 1 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 5318
rawHit column vs. row: Sector 2 Ladder 1 Sensor 1
row
column


Entries 5318
rawHit column vs. row: Sector 2 Ladder 1 Sensor 1
Counts
column


Entries 5318
rawHit column vs. row: Sector 2 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 5639
rawHit column vs. row: Sector 2 Ladder 1 Sensor 2
row
column


Entries 5639
rawHit column vs. row: Sector 2 Ladder 1 Sensor 2
Counts
column


Entries 5639
rawHit column vs. row: Sector 2 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 2636
rawHit column vs. row: Sector 2 Ladder 1 Sensor 3
row
column
×10^3


Entries 2636
rawHit column vs. row: Sector 2 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 2636
rawHit column vs. row: Sector 2 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 4830
rawHit column vs. row: Sector 2 Ladder 1 Sensor 4
row
column


Entries 4830
rawHit column vs. row: Sector 2 Ladder 1 Sensor 4
Counts
column


Entries 4830
rawHit column vs. row: Sector 2 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 5523
rawHit column vs. row: Sector 2 Ladder 1 Sensor 5
row
column


Entries 5523
rawHit column vs. row: Sector 2 Ladder 1 Sensor 5
Counts
column


Entries 5523
rawHit column vs. row: Sector 2 Ladder 1 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 1715
rawHit column vs. row: Sector 2 Ladder 1 Sensor 6
row
column
×10^3


Entries 1715
rawHit column vs. row: Sector 2 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 1715
rawHit column vs. row: Sector 2 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 5044
rawHit column vs. row: Sector 2 Ladder 1 Sensor 7
row
column


Entries 5044
rawHit column vs. row: Sector 2 Ladder 1 Sensor 7
Counts
column


Entries 5044
rawHit column vs. row: Sector 2 Ladder 1 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 7795
rawHit column vs. row: Sector 2 Ladder 1 Sensor 8
row
column


Entries 7795
rawHit column vs. row: Sector 2 Ladder 1 Sensor 8
Counts
column


Entries 7795
rawHit column vs. row: Sector 2 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 4911
rawHit column vs. row: Sector 2 Ladder 1 Sensor 9
row
column


Entries 4911
rawHit column vs. row: Sector 2 Ladder 1 Sensor 9
Counts
column


Entries 4911
rawHit column vs. row: Sector 2 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 12535
rawHit column vs. row: Sector 2 Ladder 1 Sensor 10
row
column


Entries 12535
rawHit column vs. row: Sector 2 Ladder 1 Sensor 10
Counts
column


Entries 12535
rawHit column vs. row: Sector 2 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 4250
rawHit column vs. row: Sector 2 Ladder 2 Sensor 1
row
column


Entries 4250
rawHit column vs. row: Sector 2 Ladder 2 Sensor 1
Counts
column


Entries 4250
rawHit column vs. row: Sector 2 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 2013
rawHit column vs. row: Sector 2 Ladder 2 Sensor 2
row
column
×10^3


Entries 2013
rawHit column vs. row: Sector 2 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 2013
rawHit column vs. row: Sector 2 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 5025
rawHit column vs. row: Sector 2 Ladder 2 Sensor 3
row
column
×10^3


Entries 5025
rawHit column vs. row: Sector 2 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 5025
rawHit column vs. row: Sector 2 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 7420
rawHit column vs. row: Sector 2 Ladder 2 Sensor 4
row
column


Entries 7420
rawHit column vs. row: Sector 2 Ladder 2 Sensor 4
Counts
column


Entries 7420
rawHit column vs. row: Sector 2 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3815
rawHit column vs. row: Sector 2 Ladder 2 Sensor 5
row
column
×10^3


Entries 3815
rawHit column vs. row: Sector 2 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 3815
rawHit column vs. row: Sector 2 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 5182
rawHit column vs. row: Sector 2 Ladder 2 Sensor 6
row
column


Entries 5182
rawHit column vs. row: Sector 2 Ladder 2 Sensor 6
Counts
column


Entries 5182
rawHit column vs. row: Sector 2 Ladder 2 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3124
rawHit column vs. row: Sector 2 Ladder 2 Sensor 7
row
column
×10^3


Entries 3124
rawHit column vs. row: Sector 2 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3124
rawHit column vs. row: Sector 2 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 3703
rawHit column vs. row: Sector 2 Ladder 2 Sensor 8
row
column
×10^3


Entries 3703
rawHit column vs. row: Sector 2 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 3703
rawHit column vs. row: Sector 2 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 4072
rawHit column vs. row: Sector 2 Ladder 2 Sensor 9
row
column
×10^3


Entries 4072
rawHit column vs. row: Sector 2 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 4072
rawHit column vs. row: Sector 2 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2500
rawHit column vs. row: Sector 2 Ladder 2 Sensor 10
row
column
×10^3


Entries 2500
rawHit column vs. row: Sector 2 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 2500
rawHit column vs. row: Sector 2 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 2558
rawHit column vs. row: Sector 2 Ladder 3 Sensor 1
row
column
×10^3


Entries 2558
rawHit column vs. row: Sector 2 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 2558
rawHit column vs. row: Sector 2 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3350
rawHit column vs. row: Sector 2 Ladder 3 Sensor 2
row
column


Entries 3350
rawHit column vs. row: Sector 2 Ladder 3 Sensor 2
Counts
column


Entries 3350
rawHit column vs. row: Sector 2 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 4530
rawHit column vs. row: Sector 2 Ladder 3 Sensor 3
row
column


Entries 4530
rawHit column vs. row: Sector 2 Ladder 3 Sensor 3
Counts
column


Entries 4530
rawHit column vs. row: Sector 2 Ladder 3 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 4613
rawHit column vs. row: Sector 2 Ladder 3 Sensor 4
row
column
×10^3


Entries 4613
rawHit column vs. row: Sector 2 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 4613
rawHit column vs. row: Sector 2 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3655
rawHit column vs. row: Sector 2 Ladder 3 Sensor 5
row
column


Entries 3655
rawHit column vs. row: Sector 2 Ladder 3 Sensor 5
Counts
column


Entries 3655
rawHit column vs. row: Sector 2 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3193
rawHit column vs. row: Sector 2 Ladder 3 Sensor 6
row
column


Entries 3193
rawHit column vs. row: Sector 2 Ladder 3 Sensor 6
Counts
column


Entries 3193
rawHit column vs. row: Sector 2 Ladder 3 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 2210
rawHit column vs. row: Sector 2 Ladder 3 Sensor 7
row
column
×10^3


Entries 2210
rawHit column vs. row: Sector 2 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 2210
rawHit column vs. row: Sector 2 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 2646
rawHit column vs. row: Sector 2 Ladder 3 Sensor 8
row
column
×10^3


Entries 2646
rawHit column vs. row: Sector 2 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 2646
rawHit column vs. row: Sector 2 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3725
rawHit column vs. row: Sector 2 Ladder 3 Sensor 9
row
column


Entries 3725
rawHit column vs. row: Sector 2 Ladder 3 Sensor 9
Counts
column


Entries 3725
rawHit column vs. row: Sector 2 Ladder 3 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3628
rawHit column vs. row: Sector 2 Ladder 3 Sensor 10
row
column
×10^3


Entries 3628
rawHit column vs. row: Sector 2 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 3628
rawHit column vs. row: Sector 2 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 4134
rawHit column vs. row: Sector 2 Ladder 4 Sensor 1
row
column
×10^3


Entries 4134
rawHit column vs. row: Sector 2 Ladder 4 Sensor 1
Counts
column
×10^3


Entries 4134
rawHit column vs. row: Sector 2 Ladder 4 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 3291
rawHit column vs. row: Sector 2 Ladder 4 Sensor 2
row
column


Entries 3291
rawHit column vs. row: Sector 2 Ladder 4 Sensor 2
Counts
column


Entries 3291
rawHit column vs. row: Sector 2 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 4744
rawHit column vs. row: Sector 2 Ladder 4 Sensor 3
row
column


Entries 4744
rawHit column vs. row: Sector 2 Ladder 4 Sensor 3
Counts
column


Entries 4744
rawHit column vs. row: Sector 2 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 4413
rawHit column vs. row: Sector 2 Ladder 4 Sensor 4
row
column


Entries 4413
rawHit column vs. row: Sector 2 Ladder 4 Sensor 4
Counts
column


Entries 4413
rawHit column vs. row: Sector 2 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 3941
rawHit column vs. row: Sector 2 Ladder 4 Sensor 5
row
column
×10^3


Entries 3941
rawHit column vs. row: Sector 2 Ladder 4 Sensor 5
Counts
column
×10^3


Entries 3941
rawHit column vs. row: Sector 2 Ladder 4 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3578
rawHit column vs. row: Sector 2 Ladder 4 Sensor 6
row
column
×10^3


Entries 3578
rawHit column vs. row: Sector 2 Ladder 4 Sensor 6
Counts
column
×10^3


Entries 3578
rawHit column vs. row: Sector 2 Ladder 4 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3936
rawHit column vs. row: Sector 2 Ladder 4 Sensor 7
row
column
×10^3


Entries 3936
rawHit column vs. row: Sector 2 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 3936
rawHit column vs. row: Sector 2 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3665
rawHit column vs. row: Sector 2 Ladder 4 Sensor 8
row
column


Entries 3665
rawHit column vs. row: Sector 2 Ladder 4 Sensor 8
Counts
column


Entries 3665
rawHit column vs. row: Sector 2 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 3930
rawHit column vs. row: Sector 2 Ladder 4 Sensor 9
row
column


Entries 3930
rawHit column vs. row: Sector 2 Ladder 4 Sensor 9
Counts
column


Entries 3930
rawHit column vs. row: Sector 2 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 3122
rawHit column vs. row: Sector 2 Ladder 4 Sensor 10
row
column
×10^3


Entries 3122
rawHit column vs. row: Sector 2 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 3122
rawHit column vs. row: Sector 2 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 2 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 4736
rawHit column vs. row: Sector 3 Ladder 1 Sensor 1
row
column
×10^3


Entries 4736
rawHit column vs. row: Sector 3 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 4736
rawHit column vs. row: Sector 3 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 3316
rawHit column vs. row: Sector 3 Ladder 1 Sensor 2
row
column
×10^3


Entries 3316
rawHit column vs. row: Sector 3 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 3316
rawHit column vs. row: Sector 3 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 3089
rawHit column vs. row: Sector 3 Ladder 1 Sensor 3
row
column


Entries 3089
rawHit column vs. row: Sector 3 Ladder 1 Sensor 3
Counts
column


Entries 3089
rawHit column vs. row: Sector 3 Ladder 1 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 2395
rawHit column vs. row: Sector 3 Ladder 1 Sensor 4
row
column
×10^3


Entries 2395
rawHit column vs. row: Sector 3 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 2395
rawHit column vs. row: Sector 3 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 3868
rawHit column vs. row: Sector 3 Ladder 1 Sensor 5
row
column
×10^3


Entries 3868
rawHit column vs. row: Sector 3 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 3868
rawHit column vs. row: Sector 3 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 2422
rawHit column vs. row: Sector 3 Ladder 1 Sensor 6
row
column
×10^3


Entries 2422
rawHit column vs. row: Sector 3 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 2422
rawHit column vs. row: Sector 3 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 2485
rawHit column vs. row: Sector 3 Ladder 1 Sensor 7
row
column


Entries 2485
rawHit column vs. row: Sector 3 Ladder 1 Sensor 7
Counts
column


Entries 2485
rawHit column vs. row: Sector 3 Ladder 1 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2550
rawHit column vs. row: Sector 3 Ladder 1 Sensor 8
row
column


Entries 2550
rawHit column vs. row: Sector 3 Ladder 1 Sensor 8
Counts
column


Entries 2550
rawHit column vs. row: Sector 3 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 3002
rawHit column vs. row: Sector 3 Ladder 1 Sensor 9
row
column
×10^3


Entries 3002
rawHit column vs. row: Sector 3 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 3002
rawHit column vs. row: Sector 3 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2859
rawHit column vs. row: Sector 3 Ladder 1 Sensor 10
row
column
×10^3


Entries 2859
rawHit column vs. row: Sector 3 Ladder 1 Sensor 10
Counts
column
×10^3


Entries 2859
rawHit column vs. row: Sector 3 Ladder 1 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3084
rawHit column vs. row: Sector 3 Ladder 2 Sensor 1
row
column
×10^3


Entries 3084
rawHit column vs. row: Sector 3 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 3084
rawHit column vs. row: Sector 3 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3750
rawHit column vs. row: Sector 3 Ladder 2 Sensor 2
row
column


Entries 3750
rawHit column vs. row: Sector 3 Ladder 2 Sensor 2
Counts
column


Entries 3750
rawHit column vs. row: Sector 3 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 5103
rawHit column vs. row: Sector 3 Ladder 2 Sensor 3
row
column
×10^3


Entries 5103
rawHit column vs. row: Sector 3 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 5103
rawHit column vs. row: Sector 3 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 3625
rawHit column vs. row: Sector 3 Ladder 2 Sensor 4
row
column


Entries 3625
rawHit column vs. row: Sector 3 Ladder 2 Sensor 4
Counts
column


Entries 3625
rawHit column vs. row: Sector 3 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3190
rawHit column vs. row: Sector 3 Ladder 2 Sensor 5
row
column


Entries 3190
rawHit column vs. row: Sector 3 Ladder 2 Sensor 5
Counts
column


Entries 3190
rawHit column vs. row: Sector 3 Ladder 2 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3506
rawHit column vs. row: Sector 3 Ladder 2 Sensor 6
row
column
×10^3


Entries 3506
rawHit column vs. row: Sector 3 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3506
rawHit column vs. row: Sector 3 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3945
rawHit column vs. row: Sector 3 Ladder 2 Sensor 7
row
column
×10^3


Entries 3945
rawHit column vs. row: Sector 3 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3945
rawHit column vs. row: Sector 3 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 3951
rawHit column vs. row: Sector 3 Ladder 2 Sensor 8
row
column


Entries 3951
rawHit column vs. row: Sector 3 Ladder 2 Sensor 8
Counts
column


Entries 3951
rawHit column vs. row: Sector 3 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 3100
rawHit column vs. row: Sector 3 Ladder 2 Sensor 9
row
column
×10^3


Entries 3100
rawHit column vs. row: Sector 3 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 3100
rawHit column vs. row: Sector 3 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 189319
rawHit column vs. row: Sector 3 Ladder 2 Sensor 10
row
column
×10^3


Entries 189319
rawHit column vs. row: Sector 3 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 189319
rawHit column vs. row: Sector 3 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 2497
rawHit column vs. row: Sector 3 Ladder 3 Sensor 1
row
column
×10^3


Entries 2497
rawHit column vs. row: Sector 3 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 2497
rawHit column vs. row: Sector 3 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 5255
rawHit column vs. row: Sector 3 Ladder 3 Sensor 2
row
column


Entries 5255
rawHit column vs. row: Sector 3 Ladder 3 Sensor 2
Counts
column


Entries 5255
rawHit column vs. row: Sector 3 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 4909
rawHit column vs. row: Sector 3 Ladder 3 Sensor 3
row
column


Entries 4909
rawHit column vs. row: Sector 3 Ladder 3 Sensor 3
Counts
column


Entries 4909
rawHit column vs. row: Sector 3 Ladder 3 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 4763
rawHit column vs. row: Sector 3 Ladder 3 Sensor 4
row
column
×10^3


Entries 4763
rawHit column vs. row: Sector 3 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 4763
rawHit column vs. row: Sector 3 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3338
rawHit column vs. row: Sector 3 Ladder 3 Sensor 5
row
column
×10^3


Entries 3338
rawHit column vs. row: Sector 3 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 3338
rawHit column vs. row: Sector 3 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3345
rawHit column vs. row: Sector 3 Ladder 3 Sensor 6
row
column


Entries 3345
rawHit column vs. row: Sector 3 Ladder 3 Sensor 6
Counts
column


Entries 3345
rawHit column vs. row: Sector 3 Ladder 3 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 6348
rawHit column vs. row: Sector 3 Ladder 3 Sensor 7
row
column


Entries 6348
rawHit column vs. row: Sector 3 Ladder 3 Sensor 7
Counts
column


Entries 6348
rawHit column vs. row: Sector 3 Ladder 3 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 2575
rawHit column vs. row: Sector 3 Ladder 3 Sensor 8
row
column
×10^3


Entries 2575
rawHit column vs. row: Sector 3 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 2575
rawHit column vs. row: Sector 3 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 5042
rawHit column vs. row: Sector 3 Ladder 3 Sensor 9
row
column


Entries 5042
rawHit column vs. row: Sector 3 Ladder 3 Sensor 9
Counts
column


Entries 5042
rawHit column vs. row: Sector 3 Ladder 3 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 2874
rawHit column vs. row: Sector 3 Ladder 3 Sensor 10
row
column
×10^3
×10^3
10^2
10
1
10^-1


Entries 2874
rawHit column vs. row: Sector 3 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 2874
rawHit column vs. row: Sector 3 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3121
rawHit column vs. row: Sector 3 Ladder 4 Sensor 1
row
column
×10^3


Entries 3121
rawHit column vs. row: Sector 3 Ladder 4 Sensor 1
Counts
column
×10^3


Entries 3121
rawHit column vs. row: Sector 3 Ladder 4 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 3338
rawHit column vs. row: Sector 3 Ladder 4 Sensor 2
row
column


Entries 3338
rawHit column vs. row: Sector 3 Ladder 4 Sensor 2
Counts
column


Entries 3338
rawHit column vs. row: Sector 3 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3000
rawHit column vs. row: Sector 3 Ladder 4 Sensor 3
row
column
×10^3
10
1
10^-1


Entries 3000
rawHit column vs. row: Sector 3 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 3000
rawHit column vs. row: Sector 3 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 3499
rawHit column vs. row: Sector 3 Ladder 4 Sensor 4
row
column
×10^3


Entries 3499
rawHit column vs. row: Sector 3 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 3499
rawHit column vs. row: Sector 3 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 4102
rawHit column vs. row: Sector 3 Ladder 4 Sensor 5
row
column
×10^3


Entries 4102
rawHit column vs. row: Sector 3 Ladder 4 Sensor 5
Counts
column
×10^3


Entries 4102
rawHit column vs. row: Sector 3 Ladder 4 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3708
rawHit column vs. row: Sector 3 Ladder 4 Sensor 6
row
column
×10^3


Entries 3708
rawHit column vs. row: Sector 3 Ladder 4 Sensor 6
Counts
column
×10^3


Entries 3708
rawHit column vs. row: Sector 3 Ladder 4 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3776
rawHit column vs. row: Sector 3 Ladder 4 Sensor 7
row
column


Entries 3776
rawHit column vs. row: Sector 3 Ladder 4 Sensor 7
Counts
column


Entries 3776
rawHit column vs. row: Sector 3 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 2997
rawHit column vs. row: Sector 3 Ladder 4 Sensor 8
row
column


Entries 2997
rawHit column vs. row: Sector 3 Ladder 4 Sensor 8
Counts
column


Entries 2997
rawHit column vs. row: Sector 3 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 4092
rawHit column vs. row: Sector 3 Ladder 4 Sensor 9
row
column


Entries 4092
rawHit column vs. row: Sector 3 Ladder 4 Sensor 9
Counts
column


Entries 4092
rawHit column vs. row: Sector 3 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 2596
rawHit column vs. row: Sector 3 Ladder 4 Sensor 10
row
column
×10^3


Entries 2596
rawHit column vs. row: Sector 3 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 2596
rawHit column vs. row: Sector 3 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 3 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 2072
rawHit column vs. row: Sector 4 Ladder 1 Sensor 1
row
column
×10^3


Entries 2072
rawHit column vs. row: Sector 4 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 2072
rawHit column vs. row: Sector 4 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 3637
rawHit column vs. row: Sector 4 Ladder 1 Sensor 2
row
column
×10^3


Entries 3637
rawHit column vs. row: Sector 4 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 3637
rawHit column vs. row: Sector 4 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 3194
rawHit column vs. row: Sector 4 Ladder 1 Sensor 3
row
column
×10^3


Entries 3194
rawHit column vs. row: Sector 4 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 3194
rawHit column vs. row: Sector 4 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 3278
rawHit column vs. row: Sector 4 Ladder 1 Sensor 4
row
column
×10^3


Entries 3278
rawHit column vs. row: Sector 4 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 3278
rawHit column vs. row: Sector 4 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 2268
rawHit column vs. row: Sector 4 Ladder 1 Sensor 5
row
column
×10^3


Entries 2268
rawHit column vs. row: Sector 4 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 2268
rawHit column vs. row: Sector 4 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 2465
rawHit column vs. row: Sector 4 Ladder 1 Sensor 6
row
column
×10^3


Entries 2465
rawHit column vs. row: Sector 4 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 2465
rawHit column vs. row: Sector 4 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 2826
rawHit column vs. row: Sector 4 Ladder 1 Sensor 7
row
column
×10^3


Entries 2826
rawHit column vs. row: Sector 4 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 2826
rawHit column vs. row: Sector 4 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2867
rawHit column vs. row: Sector 4 Ladder 1 Sensor 8
row
column
×10^3


Entries 2867
rawHit column vs. row: Sector 4 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2867
rawHit column vs. row: Sector 4 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 1970
rawHit column vs. row: Sector 4 Ladder 1 Sensor 9
row
column
×10^3


Entries 1970
rawHit column vs. row: Sector 4 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 1970
rawHit column vs. row: Sector 4 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2629
rawHit column vs. row: Sector 4 Ladder 1 Sensor 10
row
column
×10^3


Entries 2629
rawHit column vs. row: Sector 4 Ladder 1 Sensor 10
Counts
column
×10^3


Entries 2629
rawHit column vs. row: Sector 4 Ladder 1 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3459
rawHit column vs. row: Sector 4 Ladder 2 Sensor 1
row
column
×10^3


Entries 3459
rawHit column vs. row: Sector 4 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 3459
rawHit column vs. row: Sector 4 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3618
rawHit column vs. row: Sector 4 Ladder 2 Sensor 2
row
column
×10^3


Entries 3618
rawHit column vs. row: Sector 4 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3618
rawHit column vs. row: Sector 4 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 3792
rawHit column vs. row: Sector 4 Ladder 2 Sensor 3
row
column
×10^3


Entries 3792
rawHit column vs. row: Sector 4 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 3792
rawHit column vs. row: Sector 4 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 3273
rawHit column vs. row: Sector 4 Ladder 2 Sensor 4
row
column


Entries 3273
rawHit column vs. row: Sector 4 Ladder 2 Sensor 4
Counts
column


Entries 3273
rawHit column vs. row: Sector 4 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3396
rawHit column vs. row: Sector 4 Ladder 2 Sensor 5
row
column
×10^3


Entries 3396
rawHit column vs. row: Sector 4 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 3396
rawHit column vs. row: Sector 4 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3990
rawHit column vs. row: Sector 4 Ladder 2 Sensor 6
row
column


Entries 3990
rawHit column vs. row: Sector 4 Ladder 2 Sensor 6
Counts
column


Entries 3990
rawHit column vs. row: Sector 4 Ladder 2 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3552
rawHit column vs. row: Sector 4 Ladder 2 Sensor 7
row
column
×10^3


Entries 3552
rawHit column vs. row: Sector 4 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3552
rawHit column vs. row: Sector 4 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2562
rawHit column vs. row: Sector 4 Ladder 2 Sensor 8
row
column
×10^3


Entries 2562
rawHit column vs. row: Sector 4 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 2562
rawHit column vs. row: Sector 4 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2891
rawHit column vs. row: Sector 4 Ladder 2 Sensor 9
row
column


Entries 2891
rawHit column vs. row: Sector 4 Ladder 2 Sensor 9
Counts
column


Entries 2891
rawHit column vs. row: Sector 4 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 3606
rawHit column vs. row: Sector 4 Ladder 2 Sensor 10
row
column
×10^3


Entries 3606
rawHit column vs. row: Sector 4 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 3606
rawHit column vs. row: Sector 4 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 22306
rawHit column vs. row: Sector 4 Ladder 3 Sensor 1
row
column


Entries 22306
rawHit column vs. row: Sector 4 Ladder 3 Sensor 1
Counts
column


Entries 22306
rawHit column vs. row: Sector 4 Ladder 3 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3612
rawHit column vs. row: Sector 4 Ladder 3 Sensor 2
row
column
×10^3


Entries 3612
rawHit column vs. row: Sector 4 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 3612
rawHit column vs. row: Sector 4 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 4284
rawHit column vs. row: Sector 4 Ladder 3 Sensor 3
row
column


Entries 4284
rawHit column vs. row: Sector 4 Ladder 3 Sensor 3
Counts
column


Entries 4284
rawHit column vs. row: Sector 4 Ladder 3 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 45705
rawHit column vs. row: Sector 4 Ladder 3 Sensor 4
row
column


Entries 45705
rawHit column vs. row: Sector 4 Ladder 3 Sensor 4
Counts
column


Entries 45705
rawHit column vs. row: Sector 4 Ladder 3 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 43151
rawHit column vs. row: Sector 4 Ladder 3 Sensor 5
row
column


Entries 43151
rawHit column vs. row: Sector 4 Ladder 3 Sensor 5
Counts
column


Entries 43151
rawHit column vs. row: Sector 4 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 61944
rawHit column vs. row: Sector 4 Ladder 3 Sensor 6
row
column


Entries 61944
rawHit column vs. row: Sector 4 Ladder 3 Sensor 6
Counts
column


Entries 61944
rawHit column vs. row: Sector 4 Ladder 3 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 8832
rawHit column vs. row: Sector 4 Ladder 3 Sensor 7
row
column


Entries 8832
rawHit column vs. row: Sector 4 Ladder 3 Sensor 7
Counts
column


Entries 8832
rawHit column vs. row: Sector 4 Ladder 3 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 42605
rawHit column vs. row: Sector 4 Ladder 3 Sensor 8
row
column


Entries 42605
rawHit column vs. row: Sector 4 Ladder 3 Sensor 8
Counts
column


Entries 42605
rawHit column vs. row: Sector 4 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 5421
rawHit column vs. row: Sector 4 Ladder 3 Sensor 9
row
column


Entries 5421
rawHit column vs. row: Sector 4 Ladder 3 Sensor 9
Counts
column


Entries 5421
rawHit column vs. row: Sector 4 Ladder 3 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 2661
rawHit column vs. row: Sector 4 Ladder 3 Sensor 10
row
column
×10^3


Entries 2661
rawHit column vs. row: Sector 4 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 2661
rawHit column vs. row: Sector 4 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3324
rawHit column vs. row: Sector 4 Ladder 4 Sensor 1
row
column


Entries 3324
rawHit column vs. row: Sector 4 Ladder 4 Sensor 1
Counts
column


Entries 3324
rawHit column vs. row: Sector 4 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 5171
rawHit column vs. row: Sector 4 Ladder 4 Sensor 2
row
column


Entries 5171
rawHit column vs. row: Sector 4 Ladder 4 Sensor 2
Counts
column


Entries 5171
rawHit column vs. row: Sector 4 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 7133
rawHit column vs. row: Sector 4 Ladder 4 Sensor 3
row
column


Entries 7133
rawHit column vs. row: Sector 4 Ladder 4 Sensor 3
Counts
column


Entries 7133
rawHit column vs. row: Sector 4 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 6324
rawHit column vs. row: Sector 4 Ladder 4 Sensor 4
row
column


Entries 6324
rawHit column vs. row: Sector 4 Ladder 4 Sensor 4
Counts
column


Entries 6324
rawHit column vs. row: Sector 4 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 31726
rawHit column vs. row: Sector 4 Ladder 4 Sensor 5
row
column


Entries 31726
rawHit column vs. row: Sector 4 Ladder 4 Sensor 5
Counts
column


Entries 31726
rawHit column vs. row: Sector 4 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 5286
rawHit column vs. row: Sector 4 Ladder 4 Sensor 6
row
column


Entries 5286
rawHit column vs. row: Sector 4 Ladder 4 Sensor 6
Counts
column


Entries 5286
rawHit column vs. row: Sector 4 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 5843
rawHit column vs. row: Sector 4 Ladder 4 Sensor 7
row
column


Entries 5843
rawHit column vs. row: Sector 4 Ladder 4 Sensor 7
Counts
column


Entries 5843
rawHit column vs. row: Sector 4 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 111233
rawHit column vs. row: Sector 4 Ladder 4 Sensor 8
row
column


Entries 111233
rawHit column vs. row: Sector 4 Ladder 4 Sensor 8
Counts
column


Entries 111233
rawHit column vs. row: Sector 4 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 5954
rawHit column vs. row: Sector 4 Ladder 4 Sensor 9
row
column


Entries 5954
rawHit column vs. row: Sector 4 Ladder 4 Sensor 9
Counts
column


Entries 5954
rawHit column vs. row: Sector 4 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 8499
rawHit column vs. row: Sector 4 Ladder 4 Sensor 10
row
column


Entries 8499
rawHit column vs. row: Sector 4 Ladder 4 Sensor 10
Counts
column


Entries 8499
rawHit column vs. row: Sector 4 Ladder 4 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 4 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 4935
rawHit column vs. row: Sector 5 Ladder 1 Sensor 1
row
column
×10^3


Entries 4935
rawHit column vs. row: Sector 5 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 4935
rawHit column vs. row: Sector 5 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 2911
rawHit column vs. row: Sector 5 Ladder 1 Sensor 2
row
column
×10^3


Entries 2911
rawHit column vs. row: Sector 5 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 2911
rawHit column vs. row: Sector 5 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 2835
rawHit column vs. row: Sector 5 Ladder 1 Sensor 3
row
column
×10^3


Entries 2835
rawHit column vs. row: Sector 5 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 2835
rawHit column vs. row: Sector 5 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 555833
rawHit column vs. row: Sector 5 Ladder 1 Sensor 4
row
column


Entries 555833
rawHit column vs. row: Sector 5 Ladder 1 Sensor 4
Counts
column


Entries 555833
rawHit column vs. row: Sector 5 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 2845
rawHit column vs. row: Sector 5 Ladder 1 Sensor 5
row
column
×10^3


Entries 2845
rawHit column vs. row: Sector 5 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 2845
rawHit column vs. row: Sector 5 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 1922
rawHit column vs. row: Sector 5 Ladder 1 Sensor 6
row
column
×10^3


Entries 1922
rawHit column vs. row: Sector 5 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 1922
rawHit column vs. row: Sector 5 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 1920
rawHit column vs. row: Sector 5 Ladder 1 Sensor 7
row
column
×10^3


Entries 1920
rawHit column vs. row: Sector 5 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 1920
rawHit column vs. row: Sector 5 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2498
rawHit column vs. row: Sector 5 Ladder 1 Sensor 8
row
column


Entries 2498
rawHit column vs. row: Sector 5 Ladder 1 Sensor 8
Counts
column


Entries 2498
rawHit column vs. row: Sector 5 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 3633
rawHit column vs. row: Sector 5 Ladder 1 Sensor 9
row
column
×10^3


Entries 3633
rawHit column vs. row: Sector 5 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 3633
rawHit column vs. row: Sector 5 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2733
rawHit column vs. row: Sector 5 Ladder 1 Sensor 10
row
column


Entries 2733
rawHit column vs. row: Sector 5 Ladder 1 Sensor 10
Counts
column


Entries 2733
rawHit column vs. row: Sector 5 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3582
rawHit column vs. row: Sector 5 Ladder 2 Sensor 1
row
column
×10^3


Entries 3582
rawHit column vs. row: Sector 5 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 3582
rawHit column vs. row: Sector 5 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3697
rawHit column vs. row: Sector 5 Ladder 2 Sensor 2
row
column
×10^3


Entries 3697
rawHit column vs. row: Sector 5 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3697
rawHit column vs. row: Sector 5 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 2369
rawHit column vs. row: Sector 5 Ladder 2 Sensor 3
row
column


Entries 2369
rawHit column vs. row: Sector 5 Ladder 2 Sensor 3
Counts
column


Entries 2369
rawHit column vs. row: Sector 5 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 56137
rawHit column vs. row: Sector 5 Ladder 2 Sensor 4
row
column


Entries 56137
rawHit column vs. row: Sector 5 Ladder 2 Sensor 4
Counts
column


Entries 56137
rawHit column vs. row: Sector 5 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 7944
rawHit column vs. row: Sector 5 Ladder 2 Sensor 5
row
column
×10^3


Entries 7944
rawHit column vs. row: Sector 5 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 7944
rawHit column vs. row: Sector 5 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 5800
rawHit column vs. row: Sector 5 Ladder 2 Sensor 6
row
column


Entries 5800
rawHit column vs. row: Sector 5 Ladder 2 Sensor 6
Counts
column


Entries 5800
rawHit column vs. row: Sector 5 Ladder 2 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 4043
rawHit column vs. row: Sector 5 Ladder 2 Sensor 7
row
column
×10^3


Entries 4043
rawHit column vs. row: Sector 5 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 4043
rawHit column vs. row: Sector 5 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 1823
rawHit column vs. row: Sector 5 Ladder 2 Sensor 8
row
column


Entries 1823
rawHit column vs. row: Sector 5 Ladder 2 Sensor 8
Counts
column


Entries 1823
rawHit column vs. row: Sector 5 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2671
rawHit column vs. row: Sector 5 Ladder 2 Sensor 9
row
column
×10^3


Entries 2671
rawHit column vs. row: Sector 5 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 2671
rawHit column vs. row: Sector 5 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2532
rawHit column vs. row: Sector 5 Ladder 2 Sensor 10
row
column
×10^3


Entries 2532
rawHit column vs. row: Sector 5 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 2532
rawHit column vs. row: Sector 5 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 3284
rawHit column vs. row: Sector 5 Ladder 3 Sensor 1
row
column
×10^3


Entries 3284
rawHit column vs. row: Sector 5 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 3284
rawHit column vs. row: Sector 5 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 13445
rawHit column vs. row: Sector 5 Ladder 3 Sensor 2
row
column


Entries 13445
rawHit column vs. row: Sector 5 Ladder 3 Sensor 2
Counts
column


Entries 13445
rawHit column vs. row: Sector 5 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 4520
rawHit column vs. row: Sector 5 Ladder 3 Sensor 3
row
column
×10^3


Entries 4520
rawHit column vs. row: Sector 5 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 4520
rawHit column vs. row: Sector 5 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3977
rawHit column vs. row: Sector 5 Ladder 3 Sensor 4
row
column


Entries 3977
rawHit column vs. row: Sector 5 Ladder 3 Sensor 4
Counts
column


Entries 3977
rawHit column vs. row: Sector 5 Ladder 3 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3869
rawHit column vs. row: Sector 5 Ladder 3 Sensor 5
row
column


Entries 3869
rawHit column vs. row: Sector 5 Ladder 3 Sensor 5
Counts
column


Entries 3869
rawHit column vs. row: Sector 5 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3195
rawHit column vs. row: Sector 5 Ladder 3 Sensor 6
row
column
×10^3


Entries 3195
rawHit column vs. row: Sector 5 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3195
rawHit column vs. row: Sector 5 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 2927
rawHit column vs. row: Sector 5 Ladder 3 Sensor 7
row
column
×10^3


Entries 2927
rawHit column vs. row: Sector 5 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 2927
rawHit column vs. row: Sector 5 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3189
rawHit column vs. row: Sector 5 Ladder 3 Sensor 8
row
column
×10^3


Entries 3189
rawHit column vs. row: Sector 5 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 3189
rawHit column vs. row: Sector 5 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 2436
rawHit column vs. row: Sector 5 Ladder 3 Sensor 9
row
column
×10^3


Entries 2436
rawHit column vs. row: Sector 5 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 2436
rawHit column vs. row: Sector 5 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 2976
rawHit column vs. row: Sector 5 Ladder 3 Sensor 10
row
column
×10^3


Entries 2976
rawHit column vs. row: Sector 5 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 2976
rawHit column vs. row: Sector 5 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3256
rawHit column vs. row: Sector 5 Ladder 4 Sensor 1
row
column


Entries 3256
rawHit column vs. row: Sector 5 Ladder 4 Sensor 1
Counts
column


Entries 3256
rawHit column vs. row: Sector 5 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 2287
rawHit column vs. row: Sector 5 Ladder 4 Sensor 2
row
column
×10^3


Entries 2287
rawHit column vs. row: Sector 5 Ladder 4 Sensor 2
Counts
column
×10^3


Entries 2287
rawHit column vs. row: Sector 5 Ladder 4 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 20606
rawHit column vs. row: Sector 5 Ladder 4 Sensor 3
row
column


Entries 20606
rawHit column vs. row: Sector 5 Ladder 4 Sensor 3
Counts
column


Entries 20606
rawHit column vs. row: Sector 5 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 3431
rawHit column vs. row: Sector 5 Ladder 4 Sensor 4
row
column
×10^3


Entries 3431
rawHit column vs. row: Sector 5 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 3431
rawHit column vs. row: Sector 5 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 24266
rawHit column vs. row: Sector 5 Ladder 4 Sensor 5
row
column
×10^3


Entries 24266
rawHit column vs. row: Sector 5 Ladder 4 Sensor 5
Counts
column
×10^3


Entries 24266
rawHit column vs. row: Sector 5 Ladder 4 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 4812
rawHit column vs. row: Sector 5 Ladder 4 Sensor 6
row
column


Entries 4812
rawHit column vs. row: Sector 5 Ladder 4 Sensor 6
Counts
column


Entries 4812
rawHit column vs. row: Sector 5 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 2994
rawHit column vs. row: Sector 5 Ladder 4 Sensor 7
row
column


Entries 2994
rawHit column vs. row: Sector 5 Ladder 4 Sensor 7
Counts
column


Entries 2994
rawHit column vs. row: Sector 5 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 2647
rawHit column vs. row: Sector 5 Ladder 4 Sensor 8
row
column
×10^3


Entries 2647
rawHit column vs. row: Sector 5 Ladder 4 Sensor 8
Counts
column
×10^3


Entries 2647
rawHit column vs. row: Sector 5 Ladder 4 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 2500
rawHit column vs. row: Sector 5 Ladder 4 Sensor 9
row
column
×10^3


Entries 2500
rawHit column vs. row: Sector 5 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 2500
rawHit column vs. row: Sector 5 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 2239
rawHit column vs. row: Sector 5 Ladder 4 Sensor 10
row
column
×10^3


Entries 2239
rawHit column vs. row: Sector 5 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 2239
rawHit column vs. row: Sector 5 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 5 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 7833
rawHit column vs. row: Sector 6 Ladder 1 Sensor 1
row
column


Entries 7833
rawHit column vs. row: Sector 6 Ladder 1 Sensor 1
Counts
column


Entries 7833
rawHit column vs. row: Sector 6 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 37975
rawHit column vs. row: Sector 6 Ladder 1 Sensor 2
row
column


Entries 37975
rawHit column vs. row: Sector 6 Ladder 1 Sensor 2
Counts
column


Entries 37975
rawHit column vs. row: Sector 6 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 6046
rawHit column vs. row: Sector 6 Ladder 1 Sensor 3
row
column


Entries 6046
rawHit column vs. row: Sector 6 Ladder 1 Sensor 3
Counts
column


Entries 6046
rawHit column vs. row: Sector 6 Ladder 1 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 4521
rawHit column vs. row: Sector 6 Ladder 1 Sensor 4
row
column
×10^3


Entries 4521
rawHit column vs. row: Sector 6 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 4521
rawHit column vs. row: Sector 6 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 3971
rawHit column vs. row: Sector 6 Ladder 1 Sensor 5
row
column
×10^3


Entries 3971
rawHit column vs. row: Sector 6 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 3971
rawHit column vs. row: Sector 6 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 30799
rawHit column vs. row: Sector 6 Ladder 1 Sensor 6
row
column


Entries 30799
rawHit column vs. row: Sector 6 Ladder 1 Sensor 6
Counts
column


Entries 30799
rawHit column vs. row: Sector 6 Ladder 1 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 2508
rawHit column vs. row: Sector 6 Ladder 1 Sensor 7
row
column
×10^3


Entries 2508
rawHit column vs. row: Sector 6 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 2508
rawHit column vs. row: Sector 6 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2256
rawHit column vs. row: Sector 6 Ladder 1 Sensor 8
row
column
×10^3


Entries 2256
rawHit column vs. row: Sector 6 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2256
rawHit column vs. row: Sector 6 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 3043
rawHit column vs. row: Sector 6 Ladder 1 Sensor 9
row
column
×10^3


Entries 3043
rawHit column vs. row: Sector 6 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 3043
rawHit column vs. row: Sector 6 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2224
rawHit column vs. row: Sector 6 Ladder 1 Sensor 10
row
column


Entries 2224
rawHit column vs. row: Sector 6 Ladder 1 Sensor 10
Counts
column


Entries 2224
rawHit column vs. row: Sector 6 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 2755
rawHit column vs. row: Sector 6 Ladder 2 Sensor 1
row
column
×10^3


Entries 2755
rawHit column vs. row: Sector 6 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 2755
rawHit column vs. row: Sector 6 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3445
rawHit column vs. row: Sector 6 Ladder 2 Sensor 2
row
column
×10^3


Entries 3445
rawHit column vs. row: Sector 6 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3445
rawHit column vs. row: Sector 6 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 3211
rawHit column vs. row: Sector 6 Ladder 2 Sensor 3
row
column


Entries 3211
rawHit column vs. row: Sector 6 Ladder 2 Sensor 3
Counts
column


Entries 3211
rawHit column vs. row: Sector 6 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 33774
rawHit column vs. row: Sector 6 Ladder 2 Sensor 4
row
column


Entries 33774
rawHit column vs. row: Sector 6 Ladder 2 Sensor 4
Counts
column


Entries 33774
rawHit column vs. row: Sector 6 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 2843
rawHit column vs. row: Sector 6 Ladder 2 Sensor 5
row
column
×10^3


Entries 2843
rawHit column vs. row: Sector 6 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 2843
rawHit column vs. row: Sector 6 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 4052
rawHit column vs. row: Sector 6 Ladder 2 Sensor 6
row
column


Entries 4052
rawHit column vs. row: Sector 6 Ladder 2 Sensor 6
Counts
column


Entries 4052
rawHit column vs. row: Sector 6 Ladder 2 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3126
rawHit column vs. row: Sector 6 Ladder 2 Sensor 7
row
column
×10^3


Entries 3126
rawHit column vs. row: Sector 6 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3126
rawHit column vs. row: Sector 6 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2766
rawHit column vs. row: Sector 6 Ladder 2 Sensor 8
row
column
×10^3


Entries 2766
rawHit column vs. row: Sector 6 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 2766
rawHit column vs. row: Sector 6 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2415
rawHit column vs. row: Sector 6 Ladder 2 Sensor 9
row
column


Entries 2415
rawHit column vs. row: Sector 6 Ladder 2 Sensor 9
Counts
column


Entries 2415
rawHit column vs. row: Sector 6 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 3251
rawHit column vs. row: Sector 6 Ladder 2 Sensor 10
row
column
×10^3


Entries 3251
rawHit column vs. row: Sector 6 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 3251
rawHit column vs. row: Sector 6 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 4455
rawHit column vs. row: Sector 6 Ladder 3 Sensor 1
row
column
×10^3


Entries 4455
rawHit column vs. row: Sector 6 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 4455
rawHit column vs. row: Sector 6 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 4735
rawHit column vs. row: Sector 6 Ladder 3 Sensor 2
row
column
×10^3


Entries 4735
rawHit column vs. row: Sector 6 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 4735
rawHit column vs. row: Sector 6 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3199
rawHit column vs. row: Sector 6 Ladder 3 Sensor 3
row
column
×10^3


Entries 3199
rawHit column vs. row: Sector 6 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 3199
rawHit column vs. row: Sector 6 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3917
rawHit column vs. row: Sector 6 Ladder 3 Sensor 4
row
column
×10^3


Entries 3917
rawHit column vs. row: Sector 6 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 3917
rawHit column vs. row: Sector 6 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3442
rawHit column vs. row: Sector 6 Ladder 3 Sensor 5
row
column
×10^3


Entries 3442
rawHit column vs. row: Sector 6 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 3442
rawHit column vs. row: Sector 6 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3336
rawHit column vs. row: Sector 6 Ladder 3 Sensor 6
row
column


Entries 3336
rawHit column vs. row: Sector 6 Ladder 3 Sensor 6
Counts
column


Entries 3336
rawHit column vs. row: Sector 6 Ladder 3 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 4083
rawHit column vs. row: Sector 6 Ladder 3 Sensor 7
row
column
×10^3


Entries 4083
rawHit column vs. row: Sector 6 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 4083
rawHit column vs. row: Sector 6 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3308
rawHit column vs. row: Sector 6 Ladder 3 Sensor 8
row
column


Entries 3308
rawHit column vs. row: Sector 6 Ladder 3 Sensor 8
Counts
column


Entries 3308
rawHit column vs. row: Sector 6 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3036
rawHit column vs. row: Sector 6 Ladder 3 Sensor 9
row
column
×10^3


Entries 3036
rawHit column vs. row: Sector 6 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 3036
rawHit column vs. row: Sector 6 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3396
rawHit column vs. row: Sector 6 Ladder 3 Sensor 10
row
column
×10^3


Entries 3396
rawHit column vs. row: Sector 6 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 3396
rawHit column vs. row: Sector 6 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3076
rawHit column vs. row: Sector 6 Ladder 4 Sensor 1
row
column
×10^3


Entries 3076
rawHit column vs. row: Sector 6 Ladder 4 Sensor 1
Counts
column
×10^3


Entries 3076
rawHit column vs. row: Sector 6 Ladder 4 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 4263
rawHit column vs. row: Sector 6 Ladder 4 Sensor 2
row
column
×10^3


Entries 4263
rawHit column vs. row: Sector 6 Ladder 4 Sensor 2
Counts
column
×10^3


Entries 4263
rawHit column vs. row: Sector 6 Ladder 4 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 4324
rawHit column vs. row: Sector 6 Ladder 4 Sensor 3
row
column


Entries 4324
rawHit column vs. row: Sector 6 Ladder 4 Sensor 3
Counts
column


Entries 4324
rawHit column vs. row: Sector 6 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 3445
rawHit column vs. row: Sector 6 Ladder 4 Sensor 4
row
column
×10^3


Entries 3445
rawHit column vs. row: Sector 6 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 3445
rawHit column vs. row: Sector 6 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 2981
rawHit column vs. row: Sector 6 Ladder 4 Sensor 5
row
column
×10^3


Entries 2981
rawHit column vs. row: Sector 6 Ladder 4 Sensor 5
Counts
column
×10^3


Entries 2981
rawHit column vs. row: Sector 6 Ladder 4 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3999
rawHit column vs. row: Sector 6 Ladder 4 Sensor 6
row
column


Entries 3999
rawHit column vs. row: Sector 6 Ladder 4 Sensor 6
Counts
column


Entries 3999
rawHit column vs. row: Sector 6 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3685
rawHit column vs. row: Sector 6 Ladder 4 Sensor 7
row
column
×10^3


Entries 3685
rawHit column vs. row: Sector 6 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 3685
rawHit column vs. row: Sector 6 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3036
rawHit column vs. row: Sector 6 Ladder 4 Sensor 8
row
column
×10^3


Entries 3036
rawHit column vs. row: Sector 6 Ladder 4 Sensor 8
Counts
column
×10^3


Entries 3036
rawHit column vs. row: Sector 6 Ladder 4 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 2774
rawHit column vs. row: Sector 6 Ladder 4 Sensor 9
row
column


Entries 2774
rawHit column vs. row: Sector 6 Ladder 4 Sensor 9
Counts
column


Entries 2774
rawHit column vs. row: Sector 6 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 2796
rawHit column vs. row: Sector 6 Ladder 4 Sensor 10
row
column
×10^3


Entries 2796
rawHit column vs. row: Sector 6 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 2796
rawHit column vs. row: Sector 6 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 6 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 12734
rawHit column vs. row: Sector 7 Ladder 1 Sensor 1
row
column


Entries 12734
rawHit column vs. row: Sector 7 Ladder 1 Sensor 1
Counts
column


Entries 12734
rawHit column vs. row: Sector 7 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 6476
rawHit column vs. row: Sector 7 Ladder 1 Sensor 2
row
column


Entries 6476
rawHit column vs. row: Sector 7 Ladder 1 Sensor 2
Counts
column


Entries 6476
rawHit column vs. row: Sector 7 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 75385
rawHit column vs. row: Sector 7 Ladder 1 Sensor 3
row
column


Entries 75385
rawHit column vs. row: Sector 7 Ladder 1 Sensor 3
Counts
column


Entries 75385
rawHit column vs. row: Sector 7 Ladder 1 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 5584
rawHit column vs. row: Sector 7 Ladder 1 Sensor 4
row
column


Entries 5584
rawHit column vs. row: Sector 7 Ladder 1 Sensor 4
Counts
column


Entries 5584
rawHit column vs. row: Sector 7 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 8077
rawHit column vs. row: Sector 7 Ladder 1 Sensor 5
row
column


Entries 8077
rawHit column vs. row: Sector 7 Ladder 1 Sensor 5
Counts
column


Entries 8077
rawHit column vs. row: Sector 7 Ladder 1 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 5153
rawHit column vs. row: Sector 7 Ladder 1 Sensor 6
row
column


Entries 5153
rawHit column vs. row: Sector 7 Ladder 1 Sensor 6
Counts
column


Entries 5153
rawHit column vs. row: Sector 7 Ladder 1 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 2780
rawHit column vs. row: Sector 7 Ladder 1 Sensor 7
row
column
×10^3


Entries 2780
rawHit column vs. row: Sector 7 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 2780
rawHit column vs. row: Sector 7 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2275
rawHit column vs. row: Sector 7 Ladder 1 Sensor 8
row
column
×10^3


Entries 2275
rawHit column vs. row: Sector 7 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2275
rawHit column vs. row: Sector 7 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 20074
rawHit column vs. row: Sector 7 Ladder 1 Sensor 9
row
column


Entries 20074
rawHit column vs. row: Sector 7 Ladder 1 Sensor 9
Counts
column


Entries 20074
rawHit column vs. row: Sector 7 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 7641
rawHit column vs. row: Sector 7 Ladder 1 Sensor 10
row
column


Entries 7641
rawHit column vs. row: Sector 7 Ladder 1 Sensor 10
Counts
column


Entries 7641
rawHit column vs. row: Sector 7 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 43756
rawHit column vs. row: Sector 7 Ladder 2 Sensor 1
row
column


Entries 43756
rawHit column vs. row: Sector 7 Ladder 2 Sensor 1
Counts
column


Entries 43756
rawHit column vs. row: Sector 7 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3378
rawHit column vs. row: Sector 7 Ladder 2 Sensor 2
row
column


Entries 3378
rawHit column vs. row: Sector 7 Ladder 2 Sensor 2
Counts
column


Entries 3378
rawHit column vs. row: Sector 7 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4809
rawHit column vs. row: Sector 7 Ladder 2 Sensor 3
row
column
×10^3


Entries 4809
rawHit column vs. row: Sector 7 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 4809
rawHit column vs. row: Sector 7 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 3969
rawHit column vs. row: Sector 7 Ladder 2 Sensor 4
row
column


Entries 3969
rawHit column vs. row: Sector 7 Ladder 2 Sensor 4
Counts
column


Entries 3969
rawHit column vs. row: Sector 7 Ladder 2 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 4166
rawHit column vs. row: Sector 7 Ladder 2 Sensor 5
row
column
×10^3


Entries 4166
rawHit column vs. row: Sector 7 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 4166
rawHit column vs. row: Sector 7 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3338
rawHit column vs. row: Sector 7 Ladder 2 Sensor 6
row
column
×10^3


Entries 3338
rawHit column vs. row: Sector 7 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3338
rawHit column vs. row: Sector 7 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3560
rawHit column vs. row: Sector 7 Ladder 2 Sensor 7
row
column
×10^3


Entries 3560
rawHit column vs. row: Sector 7 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3560
rawHit column vs. row: Sector 7 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2363
rawHit column vs. row: Sector 7 Ladder 2 Sensor 8
row
column
×10^3


Entries 2363
rawHit column vs. row: Sector 7 Ladder 2 Sensor 8
Counts
column
×10^3


Entries 2363
rawHit column vs. row: Sector 7 Ladder 2 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 4996
rawHit column vs. row: Sector 7 Ladder 2 Sensor 9
row
column
×10^3


Entries 4996
rawHit column vs. row: Sector 7 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 4996
rawHit column vs. row: Sector 7 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2545
rawHit column vs. row: Sector 7 Ladder 2 Sensor 10
row
column


Entries 2545
rawHit column vs. row: Sector 7 Ladder 2 Sensor 10
Counts
column


Entries 2545
rawHit column vs. row: Sector 7 Ladder 2 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 3735
rawHit column vs. row: Sector 7 Ladder 3 Sensor 1
row
column
×10^3


Entries 3735
rawHit column vs. row: Sector 7 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 3735
rawHit column vs. row: Sector 7 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 52837
rawHit column vs. row: Sector 7 Ladder 3 Sensor 2
row
column


Entries 52837
rawHit column vs. row: Sector 7 Ladder 3 Sensor 2
Counts
column


Entries 52837
rawHit column vs. row: Sector 7 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 4229
rawHit column vs. row: Sector 7 Ladder 3 Sensor 3
row
column
×10^3


Entries 4229
rawHit column vs. row: Sector 7 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 4229
rawHit column vs. row: Sector 7 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 4442
rawHit column vs. row: Sector 7 Ladder 3 Sensor 4
row
column
×10^3


Entries 4442
rawHit column vs. row: Sector 7 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 4442
rawHit column vs. row: Sector 7 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 4724
rawHit column vs. row: Sector 7 Ladder 3 Sensor 5
row
column


Entries 4724
rawHit column vs. row: Sector 7 Ladder 3 Sensor 5
Counts
column


Entries 4724
rawHit column vs. row: Sector 7 Ladder 3 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 4397
rawHit column vs. row: Sector 7 Ladder 3 Sensor 6
row
column
×10^3


Entries 4397
rawHit column vs. row: Sector 7 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 4397
rawHit column vs. row: Sector 7 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 3997
rawHit column vs. row: Sector 7 Ladder 3 Sensor 7
row
column
×10^3


Entries 3997
rawHit column vs. row: Sector 7 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 3997
rawHit column vs. row: Sector 7 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 4122
rawHit column vs. row: Sector 7 Ladder 3 Sensor 8
row
column


Entries 4122
rawHit column vs. row: Sector 7 Ladder 3 Sensor 8
Counts
column


Entries 4122
rawHit column vs. row: Sector 7 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3193
rawHit column vs. row: Sector 7 Ladder 3 Sensor 9
row
column
×10^3


Entries 3193
rawHit column vs. row: Sector 7 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 3193
rawHit column vs. row: Sector 7 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3040
rawHit column vs. row: Sector 7 Ladder 3 Sensor 10
row
column
×10^3
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1
10^2
10
1


Entries 3040
rawHit column vs. row: Sector 7 Ladder 3 Sensor 10
Counts
column
×10^3
10^2
10
1
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1


Entries 3040
rawHit column vs. row: Sector 7 Ladder 3 Sensor 10
Counts
row
×10^3
10^2
10
1
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 3 Sensor 10
<rawhits>
EventID (Time)
1
0 10 20 30 40 50


Entries 9630
rawHit column vs. row: Sector 7 Ladder 4 Sensor 1
row
column


Entries 9630
rawHit column vs. row: Sector 7 Ladder 4 Sensor 1
Counts
column


Entries 9630
rawHit column vs. row: Sector 7 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 134734
rawHit column vs. row: Sector 7 Ladder 4 Sensor 2
row
column


Entries 134734
rawHit column vs. row: Sector 7 Ladder 4 Sensor 2
Counts
column


Entries 134734
rawHit column vs. row: Sector 7 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 68307
rawHit column vs. row: Sector 7 Ladder 4 Sensor 3
row
column


Entries 68307
rawHit column vs. row: Sector 7 Ladder 4 Sensor 3
Counts
column


Entries 68307
rawHit column vs. row: Sector 7 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 51168
rawHit column vs. row: Sector 7 Ladder 4 Sensor 4
row
column


Entries 51168
rawHit column vs. row: Sector 7 Ladder 4 Sensor 4
Counts
column


Entries 51168
rawHit column vs. row: Sector 7 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 45495
rawHit column vs. row: Sector 7 Ladder 4 Sensor 5
row
column


Entries 45495
rawHit column vs. row: Sector 7 Ladder 4 Sensor 5
Counts
column


Entries 45495
rawHit column vs. row: Sector 7 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 7511
rawHit column vs. row: Sector 7 Ladder 4 Sensor 6
row
column


Entries 7511
rawHit column vs. row: Sector 7 Ladder 4 Sensor 6
Counts
column


Entries 7511
rawHit column vs. row: Sector 7 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 103745
rawHit column vs. row: Sector 7 Ladder 4 Sensor 7
row
column


Entries 103745
rawHit column vs. row: Sector 7 Ladder 4 Sensor 7
Counts
column


Entries 103745
rawHit column vs. row: Sector 7 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3481
rawHit column vs. row: Sector 7 Ladder 4 Sensor 8
row
column


Entries 3481
rawHit column vs. row: Sector 7 Ladder 4 Sensor 8
Counts
column


Entries 3481
rawHit column vs. row: Sector 7 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 933
rawHit column vs. row: Sector 7 Ladder 4 Sensor 9
row
column
×10^3


Entries 933
rawHit column vs. row: Sector 7 Ladder 4 Sensor 9
Counts
column
×10^3


Entries 933
rawHit column vs. row: Sector 7 Ladder 4 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 6092
rawHit column vs. row: Sector 7 Ladder 4 Sensor 10
row
column


Entries 6092
rawHit column vs. row: Sector 7 Ladder 4 Sensor 10
Counts
column


Entries 6092
rawHit column vs. row: Sector 7 Ladder 4 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 7 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 10961
rawHit column vs. row: Sector 8 Ladder 1 Sensor 1
row
column


Entries 10961
rawHit column vs. row: Sector 8 Ladder 1 Sensor 1
Counts
column


Entries 10961
rawHit column vs. row: Sector 8 Ladder 1 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 2630
rawHit column vs. row: Sector 8 Ladder 1 Sensor 2
row
column
×10^3


Entries 2630
rawHit column vs. row: Sector 8 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 2630
rawHit column vs. row: Sector 8 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 2345
rawHit column vs. row: Sector 8 Ladder 1 Sensor 3
row
column


Entries 2345
rawHit column vs. row: Sector 8 Ladder 1 Sensor 3
Counts
column


Entries 2345
rawHit column vs. row: Sector 8 Ladder 1 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 2809
rawHit column vs. row: Sector 8 Ladder 1 Sensor 4
row
column
×10^3


Entries 2809
rawHit column vs. row: Sector 8 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 2809
rawHit column vs. row: Sector 8 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 2742
rawHit column vs. row: Sector 8 Ladder 1 Sensor 5
row
column
×10^3


Entries 2742
rawHit column vs. row: Sector 8 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 2742
rawHit column vs. row: Sector 8 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 2246
rawHit column vs. row: Sector 8 Ladder 1 Sensor 6
row
column
×10^3


Entries 2246
rawHit column vs. row: Sector 8 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 2246
rawHit column vs. row: Sector 8 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 3512
rawHit column vs. row: Sector 8 Ladder 1 Sensor 7
row
column


Entries 3512
rawHit column vs. row: Sector 8 Ladder 1 Sensor 7
Counts
column


Entries 3512
rawHit column vs. row: Sector 8 Ladder 1 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2572
rawHit column vs. row: Sector 8 Ladder 1 Sensor 8
row
column


Entries 2572
rawHit column vs. row: Sector 8 Ladder 1 Sensor 8
Counts
column


Entries 2572
rawHit column vs. row: Sector 8 Ladder 1 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 2333
rawHit column vs. row: Sector 8 Ladder 1 Sensor 9
row
column
×10^3


Entries 2333
rawHit column vs. row: Sector 8 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 2333
rawHit column vs. row: Sector 8 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2470
rawHit column vs. row: Sector 8 Ladder 1 Sensor 10
row
column
×10^3


Entries 2470
rawHit column vs. row: Sector 8 Ladder 1 Sensor 10
Counts
column
×10^3


Entries 2470
rawHit column vs. row: Sector 8 Ladder 1 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3191
rawHit column vs. row: Sector 8 Ladder 2 Sensor 1
row
column


Entries 3191
rawHit column vs. row: Sector 8 Ladder 2 Sensor 1
Counts
column


Entries 3191
rawHit column vs. row: Sector 8 Ladder 2 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3155
rawHit column vs. row: Sector 8 Ladder 2 Sensor 2
row
column


Entries 3155
rawHit column vs. row: Sector 8 Ladder 2 Sensor 2
Counts
column


Entries 3155
rawHit column vs. row: Sector 8 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4489
rawHit column vs. row: Sector 8 Ladder 2 Sensor 3
row
column
×10^3


Entries 4489
rawHit column vs. row: Sector 8 Ladder 2 Sensor 3
Counts
column
×10^3


Entries 4489
rawHit column vs. row: Sector 8 Ladder 2 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 4547
rawHit column vs. row: Sector 8 Ladder 2 Sensor 4
row
column
×10^3


Entries 4547
rawHit column vs. row: Sector 8 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 4547
rawHit column vs. row: Sector 8 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3853
rawHit column vs. row: Sector 8 Ladder 2 Sensor 5
row
column


Entries 3853
rawHit column vs. row: Sector 8 Ladder 2 Sensor 5
Counts
column


Entries 3853
rawHit column vs. row: Sector 8 Ladder 2 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 4909
rawHit column vs. row: Sector 8 Ladder 2 Sensor 6
row
column
×10^3


Entries 4909
rawHit column vs. row: Sector 8 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 4909
rawHit column vs. row: Sector 8 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 2958
rawHit column vs. row: Sector 8 Ladder 2 Sensor 7
row
column


Entries 2958
rawHit column vs. row: Sector 8 Ladder 2 Sensor 7
Counts
column


Entries 2958
rawHit column vs. row: Sector 8 Ladder 2 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2749
rawHit column vs. row: Sector 8 Ladder 2 Sensor 8
row
column


Entries 2749
rawHit column vs. row: Sector 8 Ladder 2 Sensor 8
Counts
column


Entries 2749
rawHit column vs. row: Sector 8 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2743
rawHit column vs. row: Sector 8 Ladder 2 Sensor 9
row
column


Entries 2743
rawHit column vs. row: Sector 8 Ladder 2 Sensor 9
Counts
column


Entries 2743
rawHit column vs. row: Sector 8 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 3035
rawHit column vs. row: Sector 8 Ladder 2 Sensor 10
row
column
×10^3


Entries 3035
rawHit column vs. row: Sector 8 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 3035
rawHit column vs. row: Sector 8 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 2353
rawHit column vs. row: Sector 8 Ladder 3 Sensor 1
row
column
×10^3


Entries 2353
rawHit column vs. row: Sector 8 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 2353
rawHit column vs. row: Sector 8 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3815
rawHit column vs. row: Sector 8 Ladder 3 Sensor 2
row
column
×10^3


Entries 3815
rawHit column vs. row: Sector 8 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 3815
rawHit column vs. row: Sector 8 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3600
rawHit column vs. row: Sector 8 Ladder 3 Sensor 3
row
column


Entries 3600
rawHit column vs. row: Sector 8 Ladder 3 Sensor 3
Counts
column


Entries 3600
rawHit column vs. row: Sector 8 Ladder 3 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 3565
rawHit column vs. row: Sector 8 Ladder 3 Sensor 4
row
column
×10^3


Entries 3565
rawHit column vs. row: Sector 8 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 3565
rawHit column vs. row: Sector 8 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3155
rawHit column vs. row: Sector 8 Ladder 3 Sensor 5
row
column
×10^3


Entries 3155
rawHit column vs. row: Sector 8 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 3155
rawHit column vs. row: Sector 8 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3904
rawHit column vs. row: Sector 8 Ladder 3 Sensor 6
row
column
×10^3


Entries 3904
rawHit column vs. row: Sector 8 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3904
rawHit column vs. row: Sector 8 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 4241
rawHit column vs. row: Sector 8 Ladder 3 Sensor 7
row
column


Entries 4241
rawHit column vs. row: Sector 8 Ladder 3 Sensor 7
Counts
column


Entries 4241
rawHit column vs. row: Sector 8 Ladder 3 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3523
rawHit column vs. row: Sector 8 Ladder 3 Sensor 8
row
column
×10^3


Entries 3523
rawHit column vs. row: Sector 8 Ladder 3 Sensor 8
Counts
column
×10^3


Entries 3523
rawHit column vs. row: Sector 8 Ladder 3 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3607
rawHit column vs. row: Sector 8 Ladder 3 Sensor 9
row
column
×10^3


Entries 3607
rawHit column vs. row: Sector 8 Ladder 3 Sensor 9
Counts
column
×10^3


Entries 3607
rawHit column vs. row: Sector 8 Ladder 3 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 2142
rawHit column vs. row: Sector 8 Ladder 3 Sensor 10
row
column
×10^3


Entries 2142
rawHit column vs. row: Sector 8 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 2142
rawHit column vs. row: Sector 8 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 3201
rawHit column vs. row: Sector 8 Ladder 4 Sensor 1
row
column


Entries 3201
rawHit column vs. row: Sector 8 Ladder 4 Sensor 1
Counts
column


Entries 3201
rawHit column vs. row: Sector 8 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 4341
rawHit column vs. row: Sector 8 Ladder 4 Sensor 2
row
column


Entries 4341
rawHit column vs. row: Sector 8 Ladder 4 Sensor 2
Counts
column


Entries 4341
rawHit column vs. row: Sector 8 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3882
rawHit column vs. row: Sector 8 Ladder 4 Sensor 3
row
column
×10^3


Entries 3882
rawHit column vs. row: Sector 8 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 3882
rawHit column vs. row: Sector 8 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 4539
rawHit column vs. row: Sector 8 Ladder 4 Sensor 4
row
column


Entries 4539
rawHit column vs. row: Sector 8 Ladder 4 Sensor 4
Counts
column


Entries 4539
rawHit column vs. row: Sector 8 Ladder 4 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 4450
rawHit column vs. row: Sector 8 Ladder 4 Sensor 5
row
column
×10^3


Entries 4450
rawHit column vs. row: Sector 8 Ladder 4 Sensor 5
Counts
column
×10^3


Entries 4450
rawHit column vs. row: Sector 8 Ladder 4 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 3223
rawHit column vs. row: Sector 8 Ladder 4 Sensor 6
row
column
×10^3


Entries 3223
rawHit column vs. row: Sector 8 Ladder 4 Sensor 6
Counts
column
×10^3


Entries 3223
rawHit column vs. row: Sector 8 Ladder 4 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 4044
rawHit column vs. row: Sector 8 Ladder 4 Sensor 7
row
column
×10^3


Entries 4044
rawHit column vs. row: Sector 8 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 4044
rawHit column vs. row: Sector 8 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 3321
rawHit column vs. row: Sector 8 Ladder 4 Sensor 8
row
column
×10^3


Entries 3321
rawHit column vs. row: Sector 8 Ladder 4 Sensor 8
Counts
column
×10^3


Entries 3321
rawHit column vs. row: Sector 8 Ladder 4 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 3216
rawHit column vs. row: Sector 8 Ladder 4 Sensor 9
row
column


Entries 3216
rawHit column vs. row: Sector 8 Ladder 4 Sensor 9
Counts
column


Entries 3216
rawHit column vs. row: Sector 8 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 3097
rawHit column vs. row: Sector 8 Ladder 4 Sensor 10
row
column
×10^3


Entries 3097
rawHit column vs. row: Sector 8 Ladder 4 Sensor 10
Counts
column
×10^3


Entries 3097
rawHit column vs. row: Sector 8 Ladder 4 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 8 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 1488
rawHit column vs. row: Sector 9 Ladder 1 Sensor 1
row
column
×10^3
10
1
10^-1


Entries 1488
rawHit column vs. row: Sector 9 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 1488
rawHit column vs. row: Sector 9 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 5146
rawHit column vs. row: Sector 9 Ladder 1 Sensor 2
row
column


Entries 5146
rawHit column vs. row: Sector 9 Ladder 1 Sensor 2
Counts
column


Entries 5146
rawHit column vs. row: Sector 9 Ladder 1 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 2059
rawHit column vs. row: Sector 9 Ladder 1 Sensor 3
row
column
×10^3
×10^3
10
1
10^-1


Entries 2059
rawHit column vs. row: Sector 9 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 2059
rawHit column vs. row: Sector 9 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 2691
rawHit column vs. row: Sector 9 Ladder 1 Sensor 4
row
column


Entries 2691
rawHit column vs. row: Sector 9 Ladder 1 Sensor 4
Counts
column


Entries 2691
rawHit column vs. row: Sector 9 Ladder 1 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 2527
rawHit column vs. row: Sector 9 Ladder 1 Sensor 5
row
column


Entries 2527
rawHit column vs. row: Sector 9 Ladder 1 Sensor 5
Counts
column


Entries 2527
rawHit column vs. row: Sector 9 Ladder 1 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 1698
rawHit column vs. row: Sector 9 Ladder 1 Sensor 6
row
column


Entries 1698
rawHit column vs. row: Sector 9 Ladder 1 Sensor 6
Counts
column


Entries 1698
rawHit column vs. row: Sector 9 Ladder 1 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 1638
rawHit column vs. row: Sector 9 Ladder 1 Sensor 7
row
column
×10^3


Entries 1638
rawHit column vs. row: Sector 9 Ladder 1 Sensor 7
Counts
column
×10^3


Entries 1638
rawHit column vs. row: Sector 9 Ladder 1 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2561
rawHit column vs. row: Sector 9 Ladder 1 Sensor 8
row
column
×10^3
10
1
10^-1


Entries 2561
rawHit column vs. row: Sector 9 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2561
rawHit column vs. row: Sector 9 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 6354
rawHit column vs. row: Sector 9 Ladder 1 Sensor 9
row
column


Entries 6354
rawHit column vs. row: Sector 9 Ladder 1 Sensor 9
Counts
column


Entries 6354
rawHit column vs. row: Sector 9 Ladder 1 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 7400000
rawHit column vs. row: Sector 9 Ladder 1 Sensor 10
row
column


Entries 7400000
rawHit column vs. row: Sector 9 Ladder 1 Sensor 10
Counts
column


Entries 7400000
rawHit column vs. row: Sector 9 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 3693
rawHit column vs. row: Sector 9 Ladder 2 Sensor 1
row
column
×10^3


Entries 3693
rawHit column vs. row: Sector 9 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 3693
rawHit column vs. row: Sector 9 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3607
rawHit column vs. row: Sector 9 Ladder 2 Sensor 2
row
column


Entries 3607
rawHit column vs. row: Sector 9 Ladder 2 Sensor 2
Counts
column


Entries 3607
rawHit column vs. row: Sector 9 Ladder 2 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 4934
rawHit column vs. row: Sector 9 Ladder 2 Sensor 3
row
column


Entries 4934
rawHit column vs. row: Sector 9 Ladder 2 Sensor 3
Counts
column


Entries 4934
rawHit column vs. row: Sector 9 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 4447
rawHit column vs. row: Sector 9 Ladder 2 Sensor 4
row
column
×10^3
×10^3
10
1
10^-1


Entries 4447
rawHit column vs. row: Sector 9 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 4447
rawHit column vs. row: Sector 9 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 3442
rawHit column vs. row: Sector 9 Ladder 2 Sensor 5
row
column
×10^3


Entries 3442
rawHit column vs. row: Sector 9 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 3442
rawHit column vs. row: Sector 9 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 2782
rawHit column vs. row: Sector 9 Ladder 2 Sensor 6
row
column


Entries 2782
rawHit column vs. row: Sector 9 Ladder 2 Sensor 6
Counts
column


Entries 2782
rawHit column vs. row: Sector 9 Ladder 2 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 3138
rawHit column vs. row: Sector 9 Ladder 2 Sensor 7
row
column
×10^3


Entries 3138
rawHit column vs. row: Sector 9 Ladder 2 Sensor 7
Counts
column
×10^3


Entries 3138
rawHit column vs. row: Sector 9 Ladder 2 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 2961
rawHit column vs. row: Sector 9 Ladder 2 Sensor 8
row
column


Entries 2961
rawHit column vs. row: Sector 9 Ladder 2 Sensor 8
Counts
column


Entries 2961
rawHit column vs. row: Sector 9 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2956
rawHit column vs. row: Sector 9 Ladder 2 Sensor 9
row
column


Entries 2956
rawHit column vs. row: Sector 9 Ladder 2 Sensor 9
Counts
column


Entries 2956
rawHit column vs. row: Sector 9 Ladder 2 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2917
rawHit column vs. row: Sector 9 Ladder 2 Sensor 10
row
column
×10^3


Entries 2917
rawHit column vs. row: Sector 9 Ladder 2 Sensor 10
Counts
column
×10^3


Entries 2917
rawHit column vs. row: Sector 9 Ladder 2 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 3134
rawHit column vs. row: Sector 9 Ladder 3 Sensor 1
row
column
×10^3


Entries 3134
rawHit column vs. row: Sector 9 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 3134
rawHit column vs. row: Sector 9 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 4223
rawHit column vs. row: Sector 9 Ladder 3 Sensor 2
row
column
×10^3


Entries 4223
rawHit column vs. row: Sector 9 Ladder 3 Sensor 2
Counts
column
×10^3


Entries 4223
rawHit column vs. row: Sector 9 Ladder 3 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 5295
rawHit column vs. row: Sector 9 Ladder 3 Sensor 3
row
column
×10^3


Entries 5295
rawHit column vs. row: Sector 9 Ladder 3 Sensor 3
Counts
column
×10^3


Entries 5295
rawHit column vs. row: Sector 9 Ladder 3 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 5184
rawHit column vs. row: Sector 9 Ladder 3 Sensor 4
row
column


Entries 5184
rawHit column vs. row: Sector 9 Ladder 3 Sensor 4
Counts
column


Entries 5184
rawHit column vs. row: Sector 9 Ladder 3 Sensor 4
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 4955
rawHit column vs. row: Sector 9 Ladder 3 Sensor 5
row
column
×10^3


Entries 4955
rawHit column vs. row: Sector 9 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 4955
rawHit column vs. row: Sector 9 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 3005
rawHit column vs. row: Sector 9 Ladder 3 Sensor 6
row
column
×10^3


Entries 3005
rawHit column vs. row: Sector 9 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 3005
rawHit column vs. row: Sector 9 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 4006
rawHit column vs. row: Sector 9 Ladder 3 Sensor 7
row
column
×10^3


Entries 4006
rawHit column vs. row: Sector 9 Ladder 3 Sensor 7
Counts
column
×10^3


Entries 4006
rawHit column vs. row: Sector 9 Ladder 3 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3078
rawHit column vs. row: Sector 9 Ladder 3 Sensor 8
row
column


Entries 3078
rawHit column vs. row: Sector 9 Ladder 3 Sensor 8
Counts
column


Entries 3078
rawHit column vs. row: Sector 9 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 3409
rawHit column vs. row: Sector 9 Ladder 3 Sensor 9
row
column


Entries 3409
rawHit column vs. row: Sector 9 Ladder 3 Sensor 9
Counts
column


Entries 3409
rawHit column vs. row: Sector 9 Ladder 3 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3137
rawHit column vs. row: Sector 9 Ladder 3 Sensor 10
row
column
×10^3


Entries 3137
rawHit column vs. row: Sector 9 Ladder 3 Sensor 10
Counts
column
×10^3


Entries 3137
rawHit column vs. row: Sector 9 Ladder 3 Sensor 10
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 5646
rawHit column vs. row: Sector 9 Ladder 4 Sensor 1
row
column


Entries 5646
rawHit column vs. row: Sector 9 Ladder 4 Sensor 1
Counts
column


Entries 5646
rawHit column vs. row: Sector 9 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 6052
rawHit column vs. row: Sector 9 Ladder 4 Sensor 2
row
column
×10^3


Entries 6052
rawHit column vs. row: Sector 9 Ladder 4 Sensor 2
Counts
column
×10^3


Entries 6052
rawHit column vs. row: Sector 9 Ladder 4 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 3790
rawHit column vs. row: Sector 9 Ladder 4 Sensor 3
row
column


Entries 3790
rawHit column vs. row: Sector 9 Ladder 4 Sensor 3
Counts
column


Entries 3790
rawHit column vs. row: Sector 9 Ladder 4 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 5015
rawHit column vs. row: Sector 9 Ladder 4 Sensor 4
row
column
×10^3


Entries 5015
rawHit column vs. row: Sector 9 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 5015
rawHit column vs. row: Sector 9 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 5658
rawHit column vs. row: Sector 9 Ladder 4 Sensor 5
row
column


Entries 5658
rawHit column vs. row: Sector 9 Ladder 4 Sensor 5
Counts
column


Entries 5658
rawHit column vs. row: Sector 9 Ladder 4 Sensor 5
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 41059
rawHit column vs. row: Sector 9 Ladder 4 Sensor 6
row
column


Entries 41059
rawHit column vs. row: Sector 9 Ladder 4 Sensor 6
Counts
column


Entries 41059
rawHit column vs. row: Sector 9 Ladder 4 Sensor 6
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 3438
rawHit column vs. row: Sector 9 Ladder 4 Sensor 7
row
column
×10^3


Entries 3438
rawHit column vs. row: Sector 9 Ladder 4 Sensor 7
Counts
column
×10^3


Entries 3438
rawHit column vs. row: Sector 9 Ladder 4 Sensor 7
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 4833
rawHit column vs. row: Sector 9 Ladder 4 Sensor 8
row
column


Entries 4833
rawHit column vs. row: Sector 9 Ladder 4 Sensor 8
Counts
column


Entries 4833
rawHit column vs. row: Sector 9 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 156471
rawHit column vs. row: Sector 9 Ladder 4 Sensor 9
row
column


Entries 156471
rawHit column vs. row: Sector 9 Ladder 4 Sensor 9
Counts
column


Entries 156471
rawHit column vs. row: Sector 9 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 5376
rawHit column vs. row: Sector 9 Ladder 4 Sensor 10
row
column


Entries 5376
rawHit column vs. row: Sector 9 Ladder 4 Sensor 10
Counts
column


Entries 5376
rawHit column vs. row: Sector 9 Ladder 4 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 9 Ladder 4 Sensor 10
<rawhits>
EventID (Time)


Entries 2682
rawHit column vs. row: Sector 10 Ladder 1 Sensor 1
row
column
×10^3


Entries 2682
rawHit column vs. row: Sector 10 Ladder 1 Sensor 1
Counts
column
×10^3


Entries 2682
rawHit column vs. row: Sector 10 Ladder 1 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 1
<rawhits>
EventID (Time)


Entries 3817
rawHit column vs. row: Sector 10 Ladder 1 Sensor 2
row
column
×10^3


Entries 3817
rawHit column vs. row: Sector 10 Ladder 1 Sensor 2
Counts
column
×10^3


Entries 3817
rawHit column vs. row: Sector 10 Ladder 1 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 2
<rawhits>
EventID (Time)


Entries 4264
rawHit column vs. row: Sector 10 Ladder 1 Sensor 3
row
column
×10^3


Entries 4264
rawHit column vs. row: Sector 10 Ladder 1 Sensor 3
Counts
column
×10^3


Entries 4264
rawHit column vs. row: Sector 10 Ladder 1 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 3
<rawhits>
EventID (Time)


Entries 4046
rawHit column vs. row: Sector 10 Ladder 1 Sensor 4
row
column
×10^3


Entries 4046
rawHit column vs. row: Sector 10 Ladder 1 Sensor 4
Counts
column
×10^3


Entries 4046
rawHit column vs. row: Sector 10 Ladder 1 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 4
<rawhits>
EventID (Time)


Entries 4156
rawHit column vs. row: Sector 10 Ladder 1 Sensor 5
row
column
×10^3


Entries 4156
rawHit column vs. row: Sector 10 Ladder 1 Sensor 5
Counts
column
×10^3


Entries 4156
rawHit column vs. row: Sector 10 Ladder 1 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 5
<rawhits>
EventID (Time)


Entries 3231
rawHit column vs. row: Sector 10 Ladder 1 Sensor 6
row
column
×10^3


Entries 3231
rawHit column vs. row: Sector 10 Ladder 1 Sensor 6
Counts
column
×10^3


Entries 3231
rawHit column vs. row: Sector 10 Ladder 1 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 6
<rawhits>
EventID (Time)


Entries 2900
rawHit column vs. row: Sector 10 Ladder 1 Sensor 7
row
column


Entries 2900
rawHit column vs. row: Sector 10 Ladder 1 Sensor 7
Counts
column


Entries 2900
rawHit column vs. row: Sector 10 Ladder 1 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 7
<rawhits>
EventID (Time)


Entries 2154
rawHit column vs. row: Sector 10 Ladder 1 Sensor 8
row
column
×10^3


Entries 2154
rawHit column vs. row: Sector 10 Ladder 1 Sensor 8
Counts
column
×10^3


Entries 2154
rawHit column vs. row: Sector 10 Ladder 1 Sensor 8
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 8
<rawhits>
EventID (Time)


Entries 1941
rawHit column vs. row: Sector 10 Ladder 1 Sensor 9
row
column
×10^3


Entries 1941
rawHit column vs. row: Sector 10 Ladder 1 Sensor 9
Counts
column
×10^3


Entries 1941
rawHit column vs. row: Sector 10 Ladder 1 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 9
<rawhits>
EventID (Time)


Entries 2529
rawHit column vs. row: Sector 10 Ladder 1 Sensor 10
row
column


Entries 2529
rawHit column vs. row: Sector 10 Ladder 1 Sensor 10
Counts
column


Entries 2529
rawHit column vs. row: Sector 10 Ladder 1 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 1 Sensor 10
<rawhits>
EventID (Time)


Entries 4039
rawHit column vs. row: Sector 10 Ladder 2 Sensor 1
row
column
×10^3


Entries 4039
rawHit column vs. row: Sector 10 Ladder 2 Sensor 1
Counts
column
×10^3


Entries 4039
rawHit column vs. row: Sector 10 Ladder 2 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 1
<rawhits>
EventID (Time)


Entries 3244
rawHit column vs. row: Sector 10 Ladder 2 Sensor 2
row
column
×10^3


Entries 3244
rawHit column vs. row: Sector 10 Ladder 2 Sensor 2
Counts
column
×10^3


Entries 3244
rawHit column vs. row: Sector 10 Ladder 2 Sensor 2
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 2
<rawhits>
EventID (Time)


Entries 5005
rawHit column vs. row: Sector 10 Ladder 2 Sensor 3
row
column


Entries 5005
rawHit column vs. row: Sector 10 Ladder 2 Sensor 3
Counts
column


Entries 5005
rawHit column vs. row: Sector 10 Ladder 2 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 3
<rawhits>
EventID (Time)


Entries 4187
rawHit column vs. row: Sector 10 Ladder 2 Sensor 4
row
column
×10^3


Entries 4187
rawHit column vs. row: Sector 10 Ladder 2 Sensor 4
Counts
column
×10^3


Entries 4187
rawHit column vs. row: Sector 10 Ladder 2 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 4
<rawhits>
EventID (Time)


Entries 2657
rawHit column vs. row: Sector 10 Ladder 2 Sensor 5
row
column
×10^3


Entries 2657
rawHit column vs. row: Sector 10 Ladder 2 Sensor 5
Counts
column
×10^3


Entries 2657
rawHit column vs. row: Sector 10 Ladder 2 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 5
<rawhits>
EventID (Time)


Entries 3168
rawHit column vs. row: Sector 10 Ladder 2 Sensor 6
row
column
×10^3


Entries 3168
rawHit column vs. row: Sector 10 Ladder 2 Sensor 6
Counts
column
×10^3


Entries 3168
rawHit column vs. row: Sector 10 Ladder 2 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 6
<rawhits>
EventID (Time)


Entries 2880
rawHit column vs. row: Sector 10 Ladder 2 Sensor 7
row
column


Entries 2880
rawHit column vs. row: Sector 10 Ladder 2 Sensor 7
Counts
column


Entries 2880
rawHit column vs. row: Sector 10 Ladder 2 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 7
<rawhits>
EventID (Time)


Entries 3322
rawHit column vs. row: Sector 10 Ladder 2 Sensor 8
row
column


Entries 3322
rawHit column vs. row: Sector 10 Ladder 2 Sensor 8
Counts
column


Entries 3322
rawHit column vs. row: Sector 10 Ladder 2 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 8
<rawhits>
EventID (Time)


Entries 2621
rawHit column vs. row: Sector 10 Ladder 2 Sensor 9
row
column
×10^3


Entries 2621
rawHit column vs. row: Sector 10 Ladder 2 Sensor 9
Counts
column
×10^3


Entries 2621
rawHit column vs. row: Sector 10 Ladder 2 Sensor 9
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 9
<rawhits>
EventID (Time)


Entries 2791
rawHit column vs. row: Sector 10 Ladder 2 Sensor 10
row
column


Entries 2791
rawHit column vs. row: Sector 10 Ladder 2 Sensor 10
Counts
column


Entries 2791
rawHit column vs. row: Sector 10 Ladder 2 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 2 Sensor 10
<rawhits>
EventID (Time)


Entries 3545
rawHit column vs. row: Sector 10 Ladder 3 Sensor 1
row
column
×10^3


Entries 3545
rawHit column vs. row: Sector 10 Ladder 3 Sensor 1
Counts
column
×10^3


Entries 3545
rawHit column vs. row: Sector 10 Ladder 3 Sensor 1
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 1
<rawhits>
EventID (Time)


Entries 3098
rawHit column vs. row: Sector 10 Ladder 3 Sensor 2
row
column


Entries 3098
rawHit column vs. row: Sector 10 Ladder 3 Sensor 2
Counts
column


Entries 3098
rawHit column vs. row: Sector 10 Ladder 3 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 2
<rawhits>
EventID (Time)


Entries 3266
rawHit column vs. row: Sector 10 Ladder 3 Sensor 3
row
column


Entries 3266
rawHit column vs. row: Sector 10 Ladder 3 Sensor 3
Counts
column


Entries 3266
rawHit column vs. row: Sector 10 Ladder 3 Sensor 3
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 3
<rawhits>
EventID (Time)


Entries 2963
rawHit column vs. row: Sector 10 Ladder 3 Sensor 4
row
column
×10^3


Entries 2963
rawHit column vs. row: Sector 10 Ladder 3 Sensor 4
Counts
column
×10^3


Entries 2963
rawHit column vs. row: Sector 10 Ladder 3 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 4
<rawhits>
EventID (Time)


Entries 3599
rawHit column vs. row: Sector 10 Ladder 3 Sensor 5
row
column
×10^3


Entries 3599
rawHit column vs. row: Sector 10 Ladder 3 Sensor 5
Counts
column
×10^3


Entries 3599
rawHit column vs. row: Sector 10 Ladder 3 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 5
<rawhits>
EventID (Time)


Entries 4261
rawHit column vs. row: Sector 10 Ladder 3 Sensor 6
row
column
×10^3


Entries 4261
rawHit column vs. row: Sector 10 Ladder 3 Sensor 6
Counts
column
×10^3


Entries 4261
rawHit column vs. row: Sector 10 Ladder 3 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 6
<rawhits>
EventID (Time)


Entries 3259
rawHit column vs. row: Sector 10 Ladder 3 Sensor 7
row
column


Entries 3259
rawHit column vs. row: Sector 10 Ladder 3 Sensor 7
Counts
column


Entries 3259
rawHit column vs. row: Sector 10 Ladder 3 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 7
<rawhits>
EventID (Time)


Entries 3224
rawHit column vs. row: Sector 10 Ladder 3 Sensor 8
row
column


Entries 3224
rawHit column vs. row: Sector 10 Ladder 3 Sensor 8
Counts
column


Entries 3224
rawHit column vs. row: Sector 10 Ladder 3 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 8
<rawhits>
EventID (Time)


Entries 2820
rawHit column vs. row: Sector 10 Ladder 3 Sensor 9
row
column


Entries 2820
rawHit column vs. row: Sector 10 Ladder 3 Sensor 9
Counts
column


Entries 2820
rawHit column vs. row: Sector 10 Ladder 3 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 9
<rawhits>
EventID (Time)


Entries 3309
rawHit column vs. row: Sector 10 Ladder 3 Sensor 10
row
column


Entries 3309
rawHit column vs. row: Sector 10 Ladder 3 Sensor 10
Counts
column


Entries 3309
rawHit column vs. row: Sector 10 Ladder 3 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 3 Sensor 10
<rawhits>
EventID (Time)


Entries 55366
rawHit column vs. row: Sector 10 Ladder 4 Sensor 1
row
column


Entries 55366
rawHit column vs. row: Sector 10 Ladder 4 Sensor 1
Counts
column


Entries 55366
rawHit column vs. row: Sector 10 Ladder 4 Sensor 1
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 1
<rawhits>
EventID (Time)


Entries 4368
rawHit column vs. row: Sector 10 Ladder 4 Sensor 2
row
column


Entries 4368
rawHit column vs. row: Sector 10 Ladder 4 Sensor 2
Counts
column


Entries 4368
rawHit column vs. row: Sector 10 Ladder 4 Sensor 2
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 2
<rawhits>
EventID (Time)


Entries 4118
rawHit column vs. row: Sector 10 Ladder 4 Sensor 3
row
column
×10^3


Entries 4118
rawHit column vs. row: Sector 10 Ladder 4 Sensor 3
Counts
column
×10^3


Entries 4118
rawHit column vs. row: Sector 10 Ladder 4 Sensor 3
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 3
<rawhits>
EventID (Time)


Entries 4051
rawHit column vs. row: Sector 10 Ladder 4 Sensor 4
row
column
×10^3


Entries 4051
rawHit column vs. row: Sector 10 Ladder 4 Sensor 4
Counts
column
×10^3


Entries 4051
rawHit column vs. row: Sector 10 Ladder 4 Sensor 4
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 4
<rawhits>
EventID (Time)


Entries 4730
rawHit column vs. row: Sector 10 Ladder 4 Sensor 5
row
column
×10^3


Entries 4730
rawHit column vs. row: Sector 10 Ladder 4 Sensor 5
Counts
column
×10^3


Entries 4730
rawHit column vs. row: Sector 10 Ladder 4 Sensor 5
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 5
<rawhits>
EventID (Time)


Entries 4196
rawHit column vs. row: Sector 10 Ladder 4 Sensor 6
row
column
×10^3


Entries 4196
rawHit column vs. row: Sector 10 Ladder 4 Sensor 6
Counts
column
×10^3


Entries 4196
rawHit column vs. row: Sector 10 Ladder 4 Sensor 6
Counts
row
×10^3


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 6
<rawhits>
EventID (Time)


Entries 6342
rawHit column vs. row: Sector 10 Ladder 4 Sensor 7
row
column


Entries 6342
rawHit column vs. row: Sector 10 Ladder 4 Sensor 7
Counts
column


Entries 6342
rawHit column vs. row: Sector 10 Ladder 4 Sensor 7
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 7
<rawhits>
EventID (Time)


Entries 5770
rawHit column vs. row: Sector 10 Ladder 4 Sensor 8
row
column


Entries 5770
rawHit column vs. row: Sector 10 Ladder 4 Sensor 8
Counts
column


Entries 5770
rawHit column vs. row: Sector 10 Ladder 4 Sensor 8
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 8
<rawhits>
EventID (Time)


Entries 63281
rawHit column vs. row: Sector 10 Ladder 4 Sensor 9
row
column


Entries 63281
rawHit column vs. row: Sector 10 Ladder 4 Sensor 9
Counts
column


Entries 63281
rawHit column vs. row: Sector 10 Ladder 4 Sensor 9
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 9
<rawhits>
EventID (Time)


Entries 46183
rawHit column vs. row: Sector 10 Ladder 4 Sensor 10
row
column


Entries 46183
rawHit column vs. row: Sector 10 Ladder 4 Sensor 10
Counts
column


Entries 46183
rawHit column vs. row: Sector 10 Ladder 4 Sensor 10
Counts
row


Entries 2500
rawHits vs. EventID: Sector 10 Ladder 4 Sensor 10
<rawhits>
EventID (Time)