
PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 88
am05k2_6000_4.0.spc
Total χ^2/DOF= 0.47
Lines χ^2/DOF= 1.04
Fe/H=−0.5 T_{eff}= 6000. g=4.0 cz= −42.
Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 114
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.82
Lines χ^2/DOF= 1.90
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −60.
Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 161
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.04
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= −41.
Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 265
am10k2_5750_4.5.spc
Total χ^2/DOF= 0.90
Lines χ^2/DOF= 1.90
Fe/H=-1.0 T_{eff}= 5750. g=4.5 cz= 98.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 285
am05k2_6250_4.5.spc
Total χ^2/DOF= 0.88
Lines χ^2/DOF= 1.05
Fe/H=-0.5 T_{eff}= 6250. g=4.5 cz= -92.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 286
am10k2_6000_4.5.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 1.48
Fe/H=-1.0 T_{eff}= 6000. g=4.5 cz= 140.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 311
am05k2_5750_4.5.spc
Total χ^2/DOF= 0.82
Lines χ^2/DOF= 1.15
Fe/H=-0.5 T_{eff}= 5750. g=4.5 cz= 17.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 316
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 1.45
Fe/H=-0.5 T_{eff}= 6000. g=4.5 cz= -56.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Exp #00052611
Fiber 315
Fiber 310
Fiber 285
Fiber 284
Fiber 264
Fiber 160
Fiber 113
Fiber 87
Flux−calib
Wavelength [Ang]


PLATE=2188 MJD=54592 Exp #00052612
Fiber 315
Fiber 310
Fiber 285
Fiber 284
Fiber 264
Fiber 160
Fiber 113
Fiber 87
Flux−calib
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2188 MJD=54592 Spectro−Photo Calib for b1−00052611
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
22
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2188 MJD=54592 Spectro−Photo Calib for r1−00052611
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
70
60
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
25
20
15
10
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2188 MJD=54592 Spectro−Photo Calib for b1−00052612
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
22
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2188 MJD=54592 Spectro−Photo Calib for r1−00052612
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
70
60
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
25
20
15
10
7500
8000
8500
9000


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 355
am15k2_6500_4.0.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 1.34
Fe/H=−1.5 T_{eff}= 6500. g=4.0 cz= −78.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 376
am05k2_5000_4.0.spc
Total χ^2/DOF= 0.00
Lines χ^2/DOF= 0.00
Fe/H=−0.5 T_{eff}= 5000. g=4.0 cz=−690.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 381
am10k2_5500_4.5.spc
Total χ^2/DOF= 0.95
Lines χ^2/DOF= 0.75
Fe/H=−1.0 T_{eff}= 5500. g=4.5 cz= −87.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 396
am05k2_5750_4.0.spc
Total χ^2/DOF= 0.91
Lines χ^2/DOF= 1.35
Fe/H=−0.5 T_{eff}= 5750. g=4.0 cz= −36.
Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 410
am05k2_5750_4.5.spc
Total χ^2/DOF= 1.13
Lines χ^2/DOF= 1.13
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= −39.
Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 416
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 0.93
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= 11.
Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 441
am05k2_5750_4.0.spc
Total χ^2/DOF= 0.56
Lines χ^2/DOF= 1.31
Fe/H=−0.5 T_{eff}= 5750. g=4.0 cz=−105.
Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 469
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.62
Lines χ^2/DOF= 1.46
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= 9.
Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 499
am15k2_6250_4.0.spc
Total χ^2/DOF= 0.82
Lines χ^2/DOF= 0.81
Fe/H=−1.5 T_{eff}= 6250. g=4.0 cz=−114.
Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 513
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.72
Lines χ^2/DOF= 1.39
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −57.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 516
am05k2_5750_4.0.spc
Total χ^2/DOF= 0.64
Lines χ^2/DOF= 1.62
Fe/H=−0.5 T_{eff}= 5750. g=4.0 cz=−130.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 529
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.57
Lines χ^2/DOF= 2.01
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −48.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Spectro-Photo Star Fiber 571
am05k2_5750_4.0.spc
Total χ^2/DOF= 0.69
Lines χ^2/DOF= 1.54
Fe/H=-0.5 T_{eff}= 5750. g=4.0 cz= 13.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2188 MJD=54592 Exp #00052611
Fiber 570
Fiber 515
Fiber 512
Fiber 498
Fiber 468
Fiber 440
Fiber 415
Fiber 409
Fiber 395
Fiber 354
Flux−calib
Wavelength [Ang]


PLATE=2188 MJD=54592 Exp #00052612
Fiber 570
Fiber 515
Fiber 512
Fiber 498
Fiber 468
Fiber 440
Fiber 415
Fiber 409
Fiber 395
Fiber 354
Flux−calib
Wavelength [Ang]


100
80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2188 MJD=54592 Spectro−Photo Calib for b2−00052611
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


100
80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2188 MJD=54592 Spectro−Photo Calib for r2−00052611
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
80
70
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
30
25
20
15
10
7500
8000
8500
9000


100
80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2188 MJD=54592 Spectro−Photo Calib for b2−00052612
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
25
20
15
10
4000
4200
4400
4600
4800
70
60
50
40
30
20
5000
5200
5400
5600
5800
6000


100
80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2188 MJD=54592 Spectro−Photo Calib for r2−00052612
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
80
70
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
30
25
20
15
10
7500
8000
8500
9000