
PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 41
837
Total χ^2/DOF= 0.88
Lines χ^2/DOF= 0.84
Fe/H=-2.5 T_{eff}= 6000. g=3.0 cz= 341.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 101
847
Total χ^2/DOF= 0.73
Lines χ^2/DOF= 0.86
Fe/H=-1.5 T_{eff}= 6000. g=4.0 cz= 252.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 212
919
Total χ^2/DOF= 0.80
Lines χ^2/DOF= 0.85
Fe/H=-1.5 T_{eff}= 6500. g=5.0 cz= 7.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 244
847
Total χ^2/DOF= 0.75
Lines χ^2/DOF= 0.79
Fe/H=-1.5 T_{eff}= 6000. g=4.0 cz= 22.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 358
847
Total χ^2/DOF= 0.82
Lines χ^2/DOF= 0.91
Fe/H=-1.5 T_{eff}= 6000. g=4.0 cz= 24.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 362
919
Total χ^2/DOF= 0.76
Lines χ^2/DOF= 0.84
Fe/H=-1.5 T_{eff}= 6500. g=5.0 cz= 106.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 364
847
Total χ^2/DOF= 0.78
Lines χ^2/DOF= 0.82
Fe/H=−1.5 T_{eff}= 6000. g=4.0 cz= −86.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Exp #00236745
Fiber 363
Fiber 361
Fiber 357
Fiber 243
Fiber 211
Fiber 100
Fiber 40
Flux−calib
Wavelength [Ang]
20
40
60
80
4000
6000
8000
10000


PLATE=9577 MJD=57786 Exp #00236746
Fiber 363
Fiber 361
Fiber 357
Fiber 243
Fiber 211
Fiber 100
Fiber 40
Flux−calib
Wavelength [Ang]
20
40
60
80
4000
6000
8000
10000


PLATE=9577 MJD=57786 Exp #00236747
Fiber 363
Fiber 361
Fiber 357
Fiber 243
Fiber 211
Fiber 100
Fiber 40
Flux−calib
Wavelength [Ang]
20
40
60
80
4000
6000
8000
10000


PLATE=9577 MJD=57786 Spectro−Photo Calib for b1−00236745
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
10
15
20
25
30
35
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50
60
70


PLATE=9577 MJD=57786 Spectro−Photo Calib for r1−00236745
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
45
40
35
30
25
20
15
8000
8500
9000
9500
10000


PLATE=9577 MJD=57786 Spectro−Photo Calib for b1−00236746
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
10
15
20
25
30
35
4800
5000
5200
5400
5600
5800
6000
6200
40
50
60
70


PLATE=9577 MJD=57786 Spectro−Photo Calib for r1−00236746
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
45
40
35
30
25
20
8000
8500
9000
9500
10000


PLATE=9577 MJD=57786 Spectro−Photo Calib for b1−00236747
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
10
15
20
25
30
35
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50
60
70


PLATE=9577 MJD=57786 Spectro−Photo Calib for r1−00236747
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
45
40
35
30
25
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 506
920
Total χ^2/DOF= 0.93
Lines χ^2/DOF= 1.01
Fe/H=−2.0 T_{eff}= 6500. g=5.0 cz= −24.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 523
847
Total χ^2/DOF= 0.87
Lines χ^2/DOF= 0.86
Fe/H=−1.5 T_{eff}= 6000. g=4.0 cz= 113.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 533
920
Total χ^2/DOF= 0.82
Lines χ^2/DOF= 0.88
Fe/H=−2.0 T_{eff}= 6500. g=5.0 cz= 118.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 632
920
Total χ^2/DOF= 0.85
Lines χ^2/DOF= 0.94
Fe/H=−2.0 T_{eff}= 6500. g=5.0 cz= 127.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 651
920
Total χ^2/DOF= 0.85
Lines χ^2/DOF= 0.90
Fe/H=−2.0 T_{eff}= 6500. g=5.0 cz= 82.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 701
860
Total χ^2/DOF= 0.89
Lines χ^2/DOF= 0.92
Fe/H=−2.0 T_{eff}= 6000. g=5.0 cz= 304.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 743
919
Total χ^2/DOF= 0.90
Lines χ^2/DOF= 0.95
Fe/H=−1.5 T_{eff}= 6500. g=5.0 cz= 186.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 851
920
Total χ^2/DOF= 0.82
Lines χ^2/DOF= 0.91
Fe/H=−2.0 T_{eff}= 6500. g=5.0 cz= −8.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 860
849
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 0.98
Fe/H=−2.5 T_{eff}= 6000. g=4.0 cz= 216.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 862
835
Total χ^2/DOF= 0.91
Lines χ^2/DOF= 0.97
Fe/H=-1.5 T_{eff}= 6000. g=3.0 cz= 98.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 967
920
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 1.00
Fe/H=-2.0 T_{eff}= 6500. g=5.0 cz= 335.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 980
546
Total χ^2/DOF= 0.00
Lines χ^2/DOF= 0.00
Fe/H= 0.5 T_{eff}= 4000. g=3.0 cz=-690.
Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro-Photo Star Fiber 985
920
Total χ^2/DOF= 0.84
Lines χ^2/DOF= 1.00
Fe/H=−2.0 T_{eff}= 6500. g=5.0 cz= −40.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=9577 MJD=57786 Exp #00236745
Fiber 984
Fiber 966
Fiber 861
Fiber 859
Fiber 850
Fiber 742
Fiber 700
Fiber 650
Fiber 631
Fiber 532
Fiber 522
Fiber 505
Flux−calib
Wavelength [Ang]


PLATE=9577 MJD=57786 Exp #00236746
Fiber 984
Fiber 966
Fiber 861
Fiber 859
Fiber 850
Fiber 742
Fiber 700
Fiber 650
Fiber 631
Fiber 532
Fiber 522
Fiber 505
Flux−calib
Wavelength [Ang]


PLATE=9577 MJD=57786 Exp #00236747
Fiber 984
Fiber 966
Fiber 861
Fiber 859
Fiber 850
Fiber 742
Fiber 700
Fiber 650
Fiber 631
Fiber 532
Fiber 522
ber 505
80
60
40
20
Flux−calib
4000
6000
8000
10000
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro−Photo Calib for b2−00236745
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
10
15
20
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50
60
70


PLATE=9577 MJD=57786 Spectro−Photo Calib for r2−00236745
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro−Photo Calib for b2−00236746
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
15
10
3800
4000
4200
4400
4600
70
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=9577 MJD=57786 Spectro−Photo Calib for r2−00236746
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=9577 MJD=57786 Spectro−Photo Calib for b2−00236747
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
20
15
10
3800
4000
4200
4400
4600
70
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=9577 MJD=57786 Spectro−Photo Calib for r2−00236747
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
80
60
40
20
8000
8500
9000
9500
10000
Wavelength [Ang]