

AliFlowEventSimpleMakerOnTheFly

fCount	fUniformFluctuationsV2	fPhiMax1
fMinMult	fMinV2	fProbability1
fMaxMult	fMaxV2	fPhiMin2
fPtSpectra	fPtDependentV2	fPhiMax2
fMass	fV2vsPtCutOff	fProbability2
fTemperature	fV2vsPtMax	fPi
fPhiDistribution	fEtaMinA	fUniformEfficiency
fV1	fEtaMaxA	fPtMin
fV2	fEtaMinB	fPtMax
fV3	fEtaMaxB	fPtProbability
fV4	fNTimes	fIgsA
fV5	fUniformAcceptance	
fV6	fPhiMin1	

@~AliFlowEventSimpleMakerOnTheFly	GetFirstSectorProbability
AliFlowEventSimpleMakerOnTheFly	SetSecondSectorPhiMin
Init	SetUniformFluctuationsV2
AcceptPhi	GetUniformFluctuationsV2
AcceptPt	SetMinV2
CreateEventOnTheFly	GetMinV2
SetMinMult	SetMaxV2
GetMinMult	GetMaxV2
SetMaxMult	SetPtDependentV2
GetMaxMult	GetPtDependentV2
SetMass	SetV2vsPtCutOff
GetMass	GetV2vsPtCutOff
SetTemperature	SetV2vsPtMax
GetTemperature	GetV2vsPtMax
SetV1	SetSubeventEtaRange
GetV1	SetNTimes
SetV2	GetNTimes
GetV2	SetUniformAcceptance
SetV3	GetUniformAcceptance
GetV3	SetFirstSectorPhiMin
SetV4	GetFirstSectorPhiMin
GetV4	SetFirstSectorPhiMax
SetV5	GetFirstSectorPhiMax
GetV5	SetFirstSectorProbability