

| TObject | | |
|---------------------|------------------|------------------|
| fUniqueID | kIsReference | kZombie |
| fBits | kHasUUID | kBitMask |
| fgDtorOnly | kCannotPick | kSingleKey |
| fgObjectStat | kNoContextMenu | kOverwrite |
| kCanDelete | kInvalidObject | kWriteDelete |
| kMustCleanup | kIsOnHeap | fgIsA |
| kObjInCanvas | kNotDeleted | |
| | | |
| @-TObject | GetObjectInfo | operator new@ |
| MakeZombie | GetTitle | operator delete |
| DoError | HandleTimer | operator delete@ |
| TObject | Hash | operator delete@ |
| TObject | InheritsFrom | operator delete@ |
| operator= | InheritsFrom | SetBit |
| AppendPad | Inspect | SetBit |
| Browse | IsFolder | ResetBit |
| ClassName | IsEqual | TestBit |
| Clear | IsSortable | TestBits |
| Clone | IsOnHeap | InvertBit |
| Compare | IsZombie | Info |
| Copy | Notify | Warning |
| Delete | Is | Error |
| DistancetoPrimitive | IsA | SysError |
| Draw | Pop | Fatal |
| DrawClass | Print | AbstractMethod |
| DrawClone | Read | MayNotUse |
| Dump | RecursiveRebuild | Obsolete |
| Execute | SaveAs | GetDtorOnly |
| Execute | SavePrimitive | SetDtorOnly |
| ExecuteEvent | SetDrawOptions | GetObjectStat |
| FindObject | SetUniqueID | SetObjectStat |
| FindObject | UseCurrentStyle | Class |
| GetDrawOptions | Write | Class_Name |
| GetUniqueID | Write | IsA |
| GetName | operator new | ShowMembers |
| GetIconName | operator new@ | @@ |
| GetOption | operator new | |

| TNamed |
|--------------|
| fName |
| fTitle |
| fgIsA |
| @-TNamed |
| TNamed |
| TNamed |
| operator= |
| Clear |
| Clone |
| Compare |
| Copy |
| FillBuffer |
| GetName |
| GetTitle |
| Hash |
| IsSortable |
| SetName |
| SetNameTitle |
| SetTitle |
| Is |
| Print |
| Sizeof |
| Class |
| Class_Name |
| IsA |
| ShowMembers |

| AliLoader | | |
|---------------------------|---------------------|--------------------------------------|
| kHits | kDataTypes | fModuleFolder |
| kSDigits | fDataLoaders | fgkDefaultHitsContainerName |
| kDigits | fDetectorName | fgkDefaultDigitsContainerName |
| kRecPoints | fEventFolder | fgkDefaultSDigitsContainerName |
| kTracks | fDataFolder | fgkDefaultRecPointsContainerName |
| kRecParticles | fDetectorDataFolder | fgkDefaultTracksContainerName |
| | | |
| @-AliLoaderTreeS | SetHitsFileName | SetDetectorName |
| AliLoader | TreeD | SetSDigitsFileName |
| AliLoader | TreeR | SetDigitsFileName |
| AliLoader | TreeT | SetRecPointsFileName |
| GetEvent | TreeP | SetTracksFileName |
| SetEvent | LoadHits | SetRecParticlesFileName |
| MakeTree | LoadSDigits | GetHitsFileNameOptionWritable |
| GetHitsDataLoad | LoadDigits | GetSDigitsFileNameDebug |
| GetSDigitsDataLoad | LoadRecPoints | GetDigitsFileNameBits |
| GetDigitsDataLoad | LoadTracks | GetRecPointsFileNameDigits |
| GetRecPointsDataLoad | LoadBackTracks | GetTracksFileNameDigits |
| GetTracksDataLoad | LoadHits | GetRecParticlesFileNamePoints |
| GetRecParticlesDataLoad | LoadDigits | CleanHits |
| GetDataLoad | LoadDigits | CleanSDigits |
| AddDataLoad | LoadRecPoints | ManDigits |
| SetEventFolder | LoadTrackClean | RecPointsClean |
| Register | UnloadRecPoints | CleanTracks |
| GetTopFolder | UnloadAll | SetHitsFileNameOptionDetectorData |
| GetEventFolder | ReloadHits | SetSDigitsFileNameOptionDetectorData |
| GetDataFolder | ReloadSDigits | SetDigitsFileNameOptionDefaults |
| GetDetectorDataFolder | LoadDigits | SetRecPointsFileNameOptionInfo |
| GetModulesFolder | LoadRecPoints | SetTracksFileNameOptionAddrInDet |
| MakeHitsContainer | LoadTracks | SetRecParticlesFileNameOption |
| MakeSDigitsContainer | LoadRecPoints | SetHitsCompressionLevel= |
| MakeDigitsContainer | LoadAll | SetDigitsCompressionLevel |
| MakeRecPointsContainer | WriteHits | SetSDigitsCompressionLevel |
| MakeTracksContainer | WriteDigits | SetRecPointsCompressionLevel |
| MakeRecParticlesContainer | WriteComps | SetTracksCompressionLevel |
| CleanFolders | WriteRecPoints | SetRecParticlesCompressionLevel |
| CloseFiles | WriteTracks | SetCompressionLevel |
| TreeH | WriteRecParticles | SetDirName |

| AliITSLoader | |
|----------------------|------------------------------------|
| fGeom | fgIsA |
| @-AliITSLoader | LoadCascades |
| AliITSLoader | WriteCascades |
| AliITSLoader | TreeX |
| AliITSLoader | GetBackTracksDataLoader |
| MakeTree | CleanBackTracks |
| SetupDigits | LoadBackTracks |
| GetDigit | SetBackTracksFileName |
| GetRawCIO | TreeB |
| CleanRawCIO | LoadBackTracks |
| LoadRawCIO | WriteBackTracks |
| SetRawClusters | GetFileName |
| TreeC | SetITSgeom |
| UnloadRawClusters | SetDefaultRawClustersContainerName |
| WriteRawClusters | SetDefaultBackTracksContainerName |
| GetVertexData | SetDefaultVerticesContainerName |
| CleanVertices | SetDefaultV0ContainerName |
| LoadVertices | GetDefaultCascadeContainerName |
| SetVerticesFileName | WriteLoader |
| UnloadVertices | operator= |
| WriteVertices | MakeRawClustersContainer |
| PostVertex | PostRawClusters |
| GetVertex | MakeBackTracksContainer |
| GetV0DataLoad | GetBackTracks |
| CleanV0s | MakeV0Container |
| LoadV0s | PostV0s |
| SetV0FileName | MakeCascadeContainer |
| UnloadV0s | PostCascades |
| WriteV0s | Class |
| TreeV0 | Class_Name |
| GetCascadeDataLoader | |
| CleanCascades | ShowMembers |
| LoadCascades | |
| SetCascadeFileName | |