

| Object              |                  |                     |
|---------------------|------------------|---------------------|
| fUniqueID           | kIsReferenced    | kZombie             |
| fBits               | kHasUUID         | kBitMask            |
| fgDtorOnly          | kCannotPick      | kSingleKey          |
| fgObjectStat        | kNoContextMenu   | kOverwrite          |
| kCanDelete          | kInvalidObject   | kWriteDelete        |
| kMustCleanup        | kIsOnHeap        | fgIsA               |
| kObjInCanvas        | kNotDeleted      |                     |
| @~TObject           | GetObjectInfo    | operator new@[@]    |
| MakeZombie          | GetTitle         | operator delete     |
| DoError             | HandleTimer      | operator delete@[@] |
| TObject             | Hash             | operator delete     |
| TObject             | InheritsFrom     | operator delete@[@] |
| operator=           | InheritsFrom     | SetBit              |
| AppendPad           | Inspect          | SetBit              |
| Browse              | IsFolder         | ResetBit            |
| ClassName           | IsEqual          | TestBit             |
| Clear               | IsSortable       | TestBits            |
| Clone               | IsOnHeap         | InvertBit           |
| Compare             | IsZombie         | Info                |
| Copy                | Notify           | Warning             |
| Delete              | Is               | Error               |
| DistancetoPrimitive | Paint            | SysError            |
| Draw                | Pop              | Fatal               |
| DrawClass           | Print            | AbstractMethod      |
| DrawClone           | Read             | MayNotUse           |
| Dump                | RecursiveRemove  | Obsolete            |
| Execute             | SaveAs           | GetDtorOnly         |
| Execute             | SavePrimitive    | SetDtorOnly         |
| ExecuteEvent        | SetDrawOption    | GetObjectStat       |
| FindObject          | SetUniqueID      | SetObjectStat       |
| FindObject          | UseCurrentStyle  | Class               |
| GetDrawOption       | Write            | Class_Name          |
| GetUniqueID         | Write            | IsA                 |
| GetName             | operator new     | ShowMembers         |
| GetIconName         | operator new@[@] |                     |
| GetOption           | operator new     |                     |

| AliMpVPadIterator   |
|---------------------|
| fgIsA               |
| @~AliMpVPadIterator |
| operator=           |
| First               |
| Next                |
| IsDone              |
| CurrentItem         |
| Invalidate          |
| Class               |
| Class_Name          |
| IsA                 |
| ShowMembers         |

| AliMpSectorAreaHPadIterator   |
|-------------------------------|
| fkSegmentation                |
| fkArea                        |
| fCurrentPad                   |
| fCurrentRowPosition           |
| fgIsA                         |
| @~AliMpSectorAreaHPadIterator |
| AliMpSectorAreaHPadIterator   |
| AliMpSectorAreaHPadIterator   |
| AliMpSectorAreaHPadIterator   |
| operator=                     |
| First                         |
| Next                          |
| IsDone                        |
| CurrentItem                   |
| Invalidate                    |
| IsValid                       |
| MoveUp                        |
| Class                         |
| Class_Name                    |
| IsA                           |
| ShowMembers                   |