

| TObject             |                  |                     |
|---------------------|------------------|---------------------|
| fUniqueID           | kIsReferenced    | kZombie             |
| fBits               | kHasUUID         | kBitMask            |
| fgDtorOnly          | kCannotPick      | kSingleKey          |
| fgObjectStat        | kNoContextMenu   | kOverwrite          |
| kCanDelete          | kInvalidObject   | kWriteDelete        |
| kMustCleanup        | kIsOnHeap        | fgIsA               |
| kObjInCanvas        | kNotDeleted      |                     |
| @~TObject           | GetObjectInfo    | operator new@[@]    |
| MakeZombie          | GetTitle         | operator delete     |
| DoError             | HandleTimer      | operator delete@[@] |
| TObject             | Hash             | operator delete     |
| TObject             | InheritsFrom     | operator delete@[@] |
| operator=           | InheritsFrom     | SetBit              |
| AppendPad           | Inspect          | SetBit              |
| Browse              | IsFolder         | ResetBit            |
| ClassName           | IsEqual          | TestBit             |
| Clear               | IsSortable       | TestBits            |
| Clone               | IsOnHeap         | InvertBit           |
| Compare             | IsZombie         | Info                |
| Copy                | Notify           | Warning             |
| Delete              | Is               | Error               |
| DistancetoPrimitive | Paint            | SysError            |
| Draw                | Pop              | Fatal               |
| DrawClass           | Print            | AbstractMethod      |
| DrawClone           | Read             | MayNotUse           |
| Dump                | RecursiveRemove  | Obsolete            |
| Execute             | SaveAs           | GetDtorOnly         |
| Execute             | SavePrimitive    | SetDtorOnly         |
| ExecuteEvent        | SetDrawOption    | GetObjectStat       |
| FindObject          | SetUniqueID      | SetObjectStat       |
| FindObject          | UseCurrentStyle  | Class               |
| GetDrawOption       | Write            | Class_Name          |
| GetUniqueID         | Write            | IsA                 |
| GetName             | operator new     | ShowMembers         |
| GetIconName         | operator new@[@] |                     |
| GetOption           | operator new     |                     |

| AliRawReader         |                                    |                     |
|----------------------|------------------------------------|---------------------|
| kErrMagic            | fCount                             | fEventNumber        |
| kErrNoDataHeader     | fSelectEquipmentType               | fPerLogs            |
| kErrSize             | fSelectMinEquipmentHeaderSwapped   |                     |
| kErrOutOfBounds      | fSelectMaxEquipmentHeaderSwappedV3 |                     |
| fEquipmentIdIn       | fSkipInvalid                       | fIsValid            |
| fEquipmentIdsOut     | fSelectEventTypes                  | fIsTriggerClassLoac |
| fRequireHeader       | fSelectTriggerMask                 | fgIsA               |
| fHeader              | fSelectTriggerExpr                 |                     |
| fHeaderV3            | fErrorCode                         |                     |
| @~AliRawReader       | GetMappedEquipmentName             | GetNumberOfEvents   |
| operator=            | LoadEquipmentIDMask                | MaskData            |
| Create               | GetEquipmentAttr                   | GetErrorCode        |
| Select               | GetEquipmentElement                | DumpData            |
| Select               | GetEquipmentHeader                 | AddErrorLog         |
| SelectEquipment      | GetDetectorID                      | AddMinorErrorLog    |
| SkipInvalid          | GetDDLID                           | AddMajorErrorLog    |
| RequireHeader        | GetDataSize                        | AddFatalErrorLog    |
| GetEventHeader       | GetVersion                         | GetNumberOfErrorL   |
| GetEvent             | IsValid                            | GetAllErrorLogs     |
| GetType              | IsCompressed                       | GetErrorLog         |
| GetRunNumber         | TestBlockAttribute                 | UseAutoSaveESD      |
| GetEventId           | GetBlockAttribute                  | GetChain            |
| GetPeriod            | GetStatusBits                      | IsRawReaderValid    |
| GetOrbitID           | GetDataHeader                      | LoadTriggerClass    |
| GetBCID              | GetDataHeaderV3                    | LoadTriggerAlias    |
| GetEventIdAsLong     | GetHeader                          | CloneSingleEvent    |
| GetTriggerPattern    | ReadNextData                       | SelectEvents        |
| GetClassMask         | ReadNextInt                        | IsSelected          |
| GetDetectorPattern   | ReadNextShort                      | IsEventSelected     |
| GetAttributes        | ReadNextChar                       | SwapWord            |
| GetSubEventAttribute | ReadNext                           | SwapShort           |
| GetLDCId             | Reset                              | Class               |
| GetGDCId             | NextEvent                          | Class_Name          |
| GetTimestamp         | RewindEvents                       | IsA                 |
| GetEquipmentSize     | GotoEvent                          | ShowMembers         |
| GetEquipmentType     | GotoEventWithID                    |                     |
| GetEquipmentId       | GetEventIndex                      |                     |

| AliRawReaderFile       |                    |
|------------------------|--------------------|
| fEventIndex            | fDDLCurrent        |
| fDirName               | fType              |
| fDirectory             | fRunNb             |
| fStream                | fld[2]             |
| fEquipmentId           | fTriggerPattern[4] |
| fBuffer                | fDetectorPattern   |
| fBufferSize            | fTimestamp         |
| fEquipmentSize         | fgIsA              |
| fDDLIndex              |                    |
| @~AliRawReaderFile     | ReadHeader         |
| AliRawReaderFile       | ReadNextData       |
| AliRawReaderFile       | ReadNext           |
| RequireHeader          | Reset              |
| GetType                | NextEvent          |
| GetRunNumber           | RewindEvents       |
| GetEventId             | SetEventType       |
| GetTriggerPattern      | SetRunNb           |
| GetDetectorPattern     | SetDetectorPattern |
| GetAttributes          | GetDirName         |
| GetSubEventAttribute   | OpenDirectory      |
| GetLDCId               | OpenNextFile       |
| GetGDCId               | CreateFileIndex    |
| GetTimestamp           | AliRawReaderFile   |
| GetEquipmentSize       | operator=          |
| GetEquipmentType       | Class              |
| GetEquipmentId         | Class_Name         |
| GetEquipmentAttributes | IsA                |
| GetEquipmentElement    | ShowMembers        |
| GetEquipmentHeaderSize |                    |