

| TObject             |                  |                     |
|---------------------|------------------|---------------------|
| fUniqueID           | kIsReferenced    | kZombie             |
| fBits               | kHasUUID         | kBitMask            |
| fgDtorOnly          | kCannotPick      | kSingleKey          |
| fgObjectStat        | kNoContextMenu   | kOverwrite          |
| kCanDelete          | kInvalidObject   | kWriteDelete        |
| kMustCleanup        | kIsOnHeap        | fgIsA               |
| kObjInCanvas        | kNotDeleted      |                     |
|                     |                  |                     |
| @~TObject           | GetObjectInfo    | operator new@[@]    |
| MakeZombie          | GetTitle         | operator delete     |
| DoError             | HandleTimer      | operator delete@[@] |
| TObject             | Hash             | operator delete@[@] |
| TObject             | InheritsFrom     | operator delete@[@] |
| operator=           | InheritsFrom     | SetBit              |
| AppendPad           | Inspect          | SetBit              |
| Browse              | IsFolder         | ResetBit            |
| ClassName           | IsEqual          | TestBit             |
| Clear               | IsSortable       | TestBits            |
| Clone               | IsOnHeap         | InvertBit           |
| Compare             | IsZombie         | Info                |
| Copy                | Notify           | Warning             |
| Delete              | Is               | Error               |
| DistancetoPrimitive | Paint            | SysError            |
| Draw                | Pop              | Fatal               |
| DrawClass           | Print            | AbstractMethod      |
| DrawClone           | Read             | MayNotUse           |
| Dump                | RecursiveRemove  | Obsolete            |
| Execute             | SaveAs           | GetDtorOnly         |
| Execute             | SavePrimitive    | SetDtorOnly         |
| ExecuteEvent        | SetDrawOption    | GetObjectStat       |
| FindObject          | SetUniqueID      | SetObjectStat       |
| FindObject          | UseCurrentStyle  | Class               |
| GetDrawOption       | Write            | Class_Name          |
| GetUniqueID         | Write            | IsA                 |
| GetName             | operator new     | ShowMembers         |
| GetIconName         | operator new@[@] |                     |
| GetOption           | operator new     |                     |

| TNamed       |  |
|--------------|--|
| fName        |  |
| fTitle       |  |
| fgIsA        |  |
|              |  |
| @~TNamed     |  |
| TNamed       |  |
| TNamed       |  |
| TNamed       |  |
| TNamed       |  |
| operator=    |  |
| Clear        |  |
| Clone        |  |
| Compare      |  |
| Copy         |  |
| FillBuffer   |  |
| GetName      |  |
| GetTitle     |  |
| Hash         |  |
| IsSortable   |  |
| SetName      |  |
| SetNameTitle |  |
| SetTitle     |  |
| Is           |  |
| Print        |  |
| Sizeof       |  |
| Class        |  |
| Class_Name   |  |
| IsA          |  |
| ShowMembers  |  |

| AliTenderSupply   |  |
|-------------------|--|
| fTender           |  |
| fgIsA             |  |
|                   |  |
| @~AliTenderSupply |  |
| operator=         |  |
| Init              |  |
| ProcessEvent      |  |
| SetTender         |  |
| Class             |  |
| Class_Name        |  |
| IsA               |  |
| ShowMembers       |  |

| AliTRDTenderSupply     |                    |
|------------------------|--------------------|
| kNNpid                 | fPthreshold        |
| k1DLQpid               | fBadChamberID[54]  |
| k2DLQpid               | fSlicesForPID[2]   |
| kNPlanes               | fNBadChambers      |
| kNStacks               | fGeoFile           |
| kNChambers             | fGainCorrection    |
| fESD                   | fLoadDeadChambe    |
| fESDpid                | fHasReferences     |
| fTrdOnlineTrackMat     | fHasNewCalibration |
| fChamberGainOld        | fDebugMode         |
| fChamberGainNew        | fRedoTrdMatching   |
| fChamberVdriftOld      | fNameRunByRunCo    |
| fChamberVdriftNew      | fNormalizationFact |
| fRunByRunCorrection    | fgIsA              |
| fPIDmethod             |                    |
| fNormalizationFactor   |                    |
|                        |                    |
| @~AliTRDTenderSupply   | GetTRDchamberID    |
| AliTRDTenderSupply     | SetChamberGain     |
| AliTRDTenderSupply     | ApplyGainCorrectio |
| SetRunByRunCorrectio   | ApplyRunByRunCo    |
| SetLoadDeadChamber     | MaskForGDRs        |
| SetPIDmethod           | LoadReferences     |
| SetNormalizationFacto  | LoadDeadChamber    |
| SetNormalizationFacto  | LoadRunByRunCo     |
| SetCalibLowpThresho    | LoadChamber        |
| SetGeoFile             | GetNormalizationFa |
| SetDebugMode           | AliTRDTenderSupp   |
| SetRedoTRDMatching     | operator=          |
| Init                   | Class              |
| ProcessEvent           | Class_Name         |
| SwitchOnGainCorrectio  | IsA                |
| SwitchOffGainCorrectio | ShowMembers        |
| SetSlicesForPID        |                    |
| AddBadChamber          |                    |