
PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 138
am05k2_6000_4.0.spc
Total χ^2/DOF= 0.63
Lines χ^2/DOF= 1.00
Fe/H=−0.5 T_{eff}= 6000. g=4.0 cz= −32.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 172
am15k2_6250_4.0.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 1.28
Fe/H=−1.5 T_{eff}= 6250. g=4.0 cz= −27.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 240
am05k2_5750_4.5.spc
Total χ^2/DOF= 0.80
Lines χ^2/DOF= 1.47
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= −82.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 269
am10k2_5750_4.5.spc
Total χ^2/DOF= 1.09
Lines χ^2/DOF= 1.64
Fe/H=−1.0 T_{eff}= 5750. g=4.5 cz= 104.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 298
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.14
Lines χ^2/DOF= 1.42
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −39.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 299
am05k2_6250_4.5.spc
Total χ^2/DOF= 1.07
Lines χ^2/DOF= 1.03
Fe/H=−0.5 T_{eff}= 6250. g=4.5 cz= −79.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 320
am05k2_5750_4.5.spc
Total χ^2/DOF= 1.05
Lines χ^2/DOF= 1.59
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= −1.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Exp #00051351
Fiber 319
Fiber 297
Fiber 239
Fiber 171
Flux−calib
Wavelength [Ang]
10
20
30
40
50
60
4000
5000
6000
7000
8000
9000


PLATE=2177 MJD=54554 Exp #00051352
Fiber 319
Fiber 297
Fiber 239
Fiber 171
Flux−calib
Wavelength [Ang]
10
20
30
40
50
60
4000
5000
6000
7000
8000
9000


PLATE=2177 MJD=54554 Exp #00051353
Fiber 319
Fiber 297
Fiber 239
Fiber 171
Flux−calib
Wavelength [Ang]
10
20
30
40
50
60
4000
5000
6000
7000
8000
9000


PLATE=2177 MJD=54554 Exp #00051354
Fiber 319
Fiber 297
Fiber 239
Fiber 171
Flux−calib
Wavelength [Ang]
10
20
30
40
50
60
4000
5000
6000
7000
8000
9000


PLATE=2177 MJD=54554 Exp #00051397
Fiber 319
Fiber 297
Fiber 239
Fiber 171
Flux−calib
Wavelength [Ang]
10
20
30
40
50
60
4000
5000
6000
7000
8000
9000


PLATE=2177 MJD=54554 Exp #00051398
Fiber 319
Fiber 297
Fiber 239
Fiber 171
Flux−calib
Wavelength [Ang]
10
20
30
40
50
60
4000
5000
6000
7000
8000
9000


PLATE=2177 MJD=54554 Exp #00051399
Fiber 319
Fiber 297
Fiber 239
Fiber 171
Flux−calib
Wavelength [Ang]
10
20
30
40
50
60
4000
5000
6000
7000
8000
9000


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54553 Spectro−Photo Calib for b1−00051351
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
8
10
12
14
16
18
20
22
4000
4200
4400
4600
4800
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
20
30
40
50
60
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54553 Spectro−Photo Calib for r1−00051351
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
60
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54553 Spectro−Photo Calib for b1−00051352
Counts/(10^-17 erg/cm^2/s/Ang
10
15
20
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
10
20
30
40
50
60
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54553 Spectro−Photo Calib for r1−00051352
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
60
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54553 Spectro−Photo Calib for b1−00051353
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
8
10
12
14
16
18
20
22
4000
4200
4400
4600
4800
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
20
30
40
50
60
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54553 Spectro−Photo Calib for r1−00051353
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
60
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54553 Spectro−Photo Calib for b1−00051354
Counts/(10^-17 erg/cm^2/s/Ang
10
15
20
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
10
20
30
40
50
60
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54553 Spectro−Photo Calib for r1−00051354
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
60
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54554 Spectro−Photo Calib for b1−00051397
Counts/(10^-17erg/cm^2/s/Ang
10
15
20
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
10
20
30
40
50
60
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54554 Spectro−Photo Calib for r1−00051397
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
60
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54554 Spectro−Photo Calib for b1−00051398
Counts/(10^-17erg/cm^2/s/Ang
10
15
20
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
10
20
30
40
50
60
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54554 Spectro−Photo Calib for r1−00051398
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54554 Spectro−Photo Calib for b1−00051399
Counts/(10^-17 erg/cm^2/s/Ang
10
15
20
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
10
20
30
40
50
60
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54554 Spectro−Photo Calib for r1−00051399
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
60
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 376
am05k2_5750_4.5.spc
Total χ^2/DOF= 0.70
Lines χ^2/DOF= 1.74
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= −5.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 410
am05k2_5750_4.5.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.31
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= −32.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 420
am05k2_6000_4.0.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 0.96
Fe/H=−0.5 T_{eff}= 6000. g=4.0 cz= −47.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 425
am05k2_6000_4.0.spc
Total χ^2/DOF= 0.84
Lines χ^2/DOF= 1.75
Fe/H=−0.5 T_{eff}= 6000. g=4.0 cz=−103.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 437
am05k2_5750_4.5.spc
Total χ^2/DOF= 0.83
Lines χ^2/DOF= 1.67
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= −29.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 439
am05k2_5750_4.5.spc
Total χ^2/DOF= 0.77
Lines χ^2/DOF= 1.41
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= 11.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 447
am05k2_5750_4.0.spc
Total χ^2/DOF= 0.60
Lines χ^2/DOF= 1.24
Fe/H=−0.5 T_{eff}= 5750. g=4.0 cz= −96.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 481
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.52
Lines χ^2/DOF= 1.20
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= 19.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 509
am15k2_6250_4.0.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 1.18
Fe/H=−1.5 T_{eff}= 6250. g=4.0 cz=−109.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 530
am05k2_5750_4.0.spc
Total χ^2/DOF= 0.56
Lines χ^2/DOF= 1.36
Fe/H=−0.5 T_{eff}= 5750. g=4.0 cz= −39.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 543
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.58
Lines χ^2/DOF= 1.25
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −57.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 552
am05k2_5750_4.0.spc
Total χ^2/DOF= 0.58
Lines χ^2/DOF= 1.71
Fe/H=−0.5 T_{eff}= 5750. g=4.0 cz=−122.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 556
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.77
Lines χ^2/DOF= 1.58
Fe/H=-0.5 T_{eff}= 6000. g=4.5 cz= -47.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Spectro-Photo Star Fiber 580
am05k2_5750_4.0.spc
Total χ^2/DOF= 0.78
Lines χ^2/DOF= 1.84
Fe/H=-0.5 T_{eff}= 5750. g=4.0 cz= 17.
Normalized Flux
Wavelength [Ang]


PLATE=2177 MJD=54554 Exp #00051351
Fiber 551
Fiber 542
Fiber 529
Fiber 508
Fiber 480
Fiber 446
Fiber 438
Fiber 436
Fiber 419
Fiber 409
Flux−calib
Wavelength [Ang]
70
60
50
40
30
20
10
4000
5000
6000
7000
8000
9000


PLATE=2177 MJD=54554 Exp #00051352
Fiber 551
Fiber 542
Fiber 529
Fiber 508
Fiber 480
Fiber 446
Fiber 438
Fiber 436
Fiber 419
Fiber 409
Flux−calib
Wavelength [Ang]
70
60
50
40
30
20
10
4000
5000
6000
7000
8000
9000


PLATE=2177 MJD=54554 Exp #00051353
Fiber 551
Fiber 542
Fiber 529
Fiber 508
Fiber 480
Fiber 446
Fiber 438
Fiber 436
Fiber 419
Fiber 409
Flux−calib
Wavelength [Ang]


PLATE=2177 MJD=54554 Exp #00051354
Fiber 551
Fiber 542
Fiber 529
Fiber 508
Fiber 480
Fiber 446
Fiber 438
Fiber 436
Fiber 419
Fiber 409
Flux−calib
Wavelength [Ang]


PLATE=2177 MJD=54554 Exp #00051397
Fiber 551
Fiber 542
Fiber 529
Fiber 508
Fiber 480
Fiber 446
Fiber 438
Fiber 436
Fiber 419
Fiber 409
Flux−calib
Wavelength [Ang]
70
60
50
40
30
20
10
4000
5000
6000
7000
8000
9000


PLATE=2177 MJD=54554 Exp #00051398
Fiber 551
Fiber 542
Fiber 529
Fiber 508
Fiber 480
Fiber 446
Fiber 438
Fiber 436
Fiber 419
Fiber 409
Flux−calib
Wavelength [Ang]
70
60
50
40
30
20
10
4000
5000
6000
7000
8000
9000


PLATE=2177 MJD=54554 Exp #00051399
Fiber 551
Fiber 542
Fiber 529
Fiber 508
Fiber 480
Fiber 446
Fiber 438
Fiber 436
Fiber 419
Fiber 409
Flux−calib
Wavelength [Ang]
70
60
50
40
30
20
10
4000
5000
6000
7000
8000
9000


100
80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54553 Spectro−Photo Calib for b2−00051351
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


100
80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54553 Spectro−Photo Calib for r2−00051351
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
30
40
50
60
70
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
30
7500
8000
8500
9000


100
80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54553 Spectro−Photo Calib for b2−00051352
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


100
80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54553 Spectro−Photo Calib for r2−00051352
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
30
25
20
15
10
7500
8000
8500
9000
Wavelength [Ang]


100
80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54553 Spectro−Photo Calib for b2−00051353
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


100
80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54553 Spectro−Photo Calib for r2−00051353
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
70
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
30
25
20
15
10
7500
8000
8500
9000


100
80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54553 Spectro−Photo Calib for b2−00051354
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
4000
4200
4400
4600
4800
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
20
30
40
50
60
70
5000
5200
5400
5600
5800
6000


100
80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54553 Spectro−Photo Calib for r2−00051354
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
30
25
20
15
10
7500
8000
8500
9000
Wavelength [Ang]


100
80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54554 Spectro−Photo Calib for b2−00051397
Counts/(10^-17erg/cm^2/s/Ang
25
20
15
10
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
70
60
50
40
30
20
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


100
80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54554 Spectro−Photo Calib for r2−00051397
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
30
40
50
60
70
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
30
7500
8000
8500
9000


100
80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54554 Spectro−Photo Calib for b2−00051398
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


100
80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54554 Spectro−Photo Calib for r2−00051398
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
30
40
50
60
70
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
30
7500
8000
8500
9000


100
80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2177 MJD=54554 Spectro−Photo Calib for b2−00051399
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


100
80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2177 MJD=54554 Spectro−Photo Calib for r2−00051399
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
30
40
50
60
70
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
30
7500
8000
8500
9000