
PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 88
am20k2_6000_4.5.spc
Total χ^2/DOF= 0.95
Lines χ^2/DOF= 0.92
Fe/H=−2.0 T_{eff}= 6000. g=4.5 cz= 78.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 116
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 0.98
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= −27.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 124
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.31
Lines χ^2/DOF= 0.78
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= −11.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 140
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.00
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= −99.
Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 162
am20k2_6000_4.5.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 0.99
Fe/H=−2.0 T_{eff}= 6000. g=4.5 cz= −61.
Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 168
am10k2_6500_4.5.spc
Total χ^2/DOF= 1.12
Lines χ^2/DOF= 0.83
Fe/H=−1.0 T_{eff}= 6500. g=4.5 cz=−171.
Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 212
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 0.96
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= -90.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 230
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.95
Lines χ^2/DOF= 0.97
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz= 64.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 364
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.15
Lines χ^2/DOF= 0.97
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz=-165.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 428
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.66
Lines χ^2/DOF= 1.01
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz=-235.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 442
am20k2_6500_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.01
Fe/H=-2.0 T_{eff}= 6500. g=4.5 cz=-334.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Exp #00121354
Fiber 441
Fiber 427
Fiber 363
Fiber 229
Fiber 211
Fiber 167
Fiber 161
Fiber 139
Fiber 123
Fiber 115
ber 87
Flux−calib
Wavelength [Ang]


PLATE=4288 MJD=55501 Exp #00121355
Fiber 441
Fiber 427
Fiber 363
Fiber 229
Fiber 211
Fiber 167
Fiber 161
Fiber 139
Fiber 123
Fiber 115
ber 87
Flux−calib
Wavelength [Ang]


PLATE=4288 MJD=55501 Exp #00121356
Fiber 441
Fiber 427
Fiber 363
Fiber 229
Fiber 211
Fiber 167
Fiber 161
Fiber 139
Fiber 123
Fiber 115
ber 87
100
80
60
40
20
Flux−calib
4000
6000
8000
10000
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro−Photo Calib for b1−00121354
Counts/(10^-17erg/cm^2/s/Ang
16
14
12
10
8
6
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro−Photo Calib for r1−00121354
Counts/(10^-17 erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
40
30
20
10
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro−Photo Calib for b1−00121355
Counts/(10^-17erg/cm^2/s/Ang
16
14
12
10
8
6
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro−Photo Calib for r1−00121355
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
40
30
20
10
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro−Photo Calib for b1−00121356
Counts/(10^-17 erg/cm^2/s/Ang
16
14
12
10
8
6
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro−Photo Calib for r1−00121356
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
40
30
20
10
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 516
am20k2_6000_4.0.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 1.01
Fe/H=-2.0 T_{eff}= 6000. g=4.0 cz=-151.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 552
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.22
Lines χ^2/DOF= 0.95
Fe/H=-1.5 T_{eff}= 6250. g=4.5 cz=-172.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 646
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 0.93
Fe/H=-1.0 T_{eff}= 6000. g=4.0 cz=-391.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 720
am20k2_6000_4.0.spc
Total χ^2/DOF= 1.13
Lines χ^2/DOF= 1.08
Fe/H=−2.0 T_{eff}= 6000. g=4.0 cz=−157.
Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 862
am20k2_6500_4.5.spc
Total χ^2/DOF= 1.07
Lines χ^2/DOF= 0.93
Fe/H=−2.0 T_{eff}= 6500. g=4.5 cz= 140.
Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 932
am15k2_6500_4.0.spc
Total χ^2/DOF= 1.28
Lines χ^2/DOF= 0.87
Fe/H=−1.5 T_{eff}= 6500. g=4.0 cz=−172.
Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 938
am10k2_6500_4.5.spc
Total χ^2/DOF= 1.14
Lines χ^2/DOF= 1.04
Fe/H=−1.0 T_{eff}= 6500. g=4.5 cz=−181.
Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 968
am10k2_6000_4.0.spc
Total χ^2/DOF= 1.02
Lines χ^2/DOF= 1.10
Fe/H=−1.0 T_{eff}= 6000. g=4.0 cz=−223.
Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro-Photo Star Fiber 991
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.06
Lines χ^2/DOF= 1.07
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= −98.
Normalized Flux
Wavelength [Ang]


PLATE=4288 MJD=55501 Exp #00121354
Fiber 990
Fiber 967
Fiber 937
Fiber 931
Fiber 861
Fiber 645
Fiber 551
Fiber 515
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=4288 MJD=55501 Exp #00121355
Fiber 990
Fiber 967
Fiber 937
Fiber 931
Fiber 861
Fiber 645
Fiber 551
Fiber 515
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=4288 MJD=55501 Exp #00121356
Fiber 990
Fiber 967
Fiber 937
Fiber 931
Fiber 861
Fiber 645
Fiber 551
Fiber 515
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro−Photo Calib for b2−00121354
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
16
14
12
10
8
6
3600
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=4288 MJD=55501 Spectro−Photo Calib for r2−00121354
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
40
30
20
10
8000
8500
9000
9500
10000


PLATE=4288 MJD=55501 Spectro−Photo Calib for b2−00121355
Counts/(10^-17erg/cm^2/s/Ang
16
14
12
10
8
6
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4288 MJD=55501 Spectro−Photo Calib for r2−00121355
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
40
30
20
10
8000
8500
9000
9500
10000


PLATE=4288 MJD=55501 Spectro−Photo Calib for b2−00121356
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
16
14
12
10
8
6
3600
3800
4000
4200
4400
4600
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=4288 MJD=55501 Spectro−Photo Calib for r2−00121356
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
40
30
20
10
8000
8500
9000
9500
10000
Wavelength [Ang]