
PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 42
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 0.95
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz= 113.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 113
am20k2_5750_4.0.spc
Total χ^2/DOF= 0.95
Lines χ^2/DOF= 0.94
Fe/H=-2.0 T_{eff}= 5750. g=4.0 cz= 53.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 192
am15k2_6500_4.5.spc
Total χ^2/DOF= 0.93
Lines χ^2/DOF= 0.96
Fe/H=-1.5 T_{eff}= 6500. g=4.5 cz= 98.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 250
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.00
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz= 19.
Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 254
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.06
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz= 150.
Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 258
am20k2_6500_4.0.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.03
Fe/H=-2.0 T_{eff}= 6500. g=4.0 cz= 110.
Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 270
am15k2_6500_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 0.98
Fe/H=-1.5 T_{eff}= 6500. g=4.5 cz= 130.
Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 420
am15k2_6000_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 0.97
Fe/H=-1.5 T_{eff}= 6000. g=4.5 cz= 212.
Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 462
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 0.99
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= 301.
Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 478
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.89
Lines χ^2/DOF= 0.91
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= -31.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Exp #00140260
Fiber 477
Fiber 461
Fiber 419
Fiber 269
Fiber 257
Fiber 253
Fiber 249
Fiber 191
Fiber 112
Fiber 41
Flux−calib
150
100
50
4000
6000
8000
10000
Wavelength [Ang]


PLATE=5325 MJD=55980 Exp #00140261
Fiber 477
Fiber 461
Fiber 419
Fiber 269
Fiber 257
Fiber 253
Fiber 249
Fiber 191
Fiber 112
Fiber 41
Flux−calib
150
100
50
4000
6000
8000
10000
Wavelength [Ang]


PLATE=5325 MJD=55980 Exp #00140262
Fiber 477
Fiber 461
Fiber 419
Fiber 269
Fiber 257
Fiber 253
Fiber 249
Fiber 191
Fiber 112
Fiber 41
150
100
50
Flux−calib
4000
6000
8000
10000
Wavelength [Ang]


PLATE=5325 MJD=55980 Exp #00140263
Fiber 477
Fiber 461
Fiber 419
Fiber 269
Fiber 257
Fiber 253
Fiber 249
Fiber 191
Fiber 112
Fiber 41
150
100
50
Flux−calib
4000
6000
8000
10000
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro−Photo Calib for b1−00140260
Counts/(10^-17 erg/cm^2/s/Ang
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro−Photo Calib for r1−00140260
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro−Photo Calib for b1−00140261
Counts/(10^-17 erg/cm^2/s/Ang
10
15
20
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
10
20
30
40
50
60
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro−Photo Calib for r1−00140261
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
6000
6500
7000
7500
20
40
60
80
8000
8500
9000
9500
10000
10
15
20
25
30
35
40


PLATE=5325 MJD=55980 Spectro−Photo Calib for b1−00140262
Counts/(10^-17 erg/cm^2/s/Ang
10
15
20
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
10
20
30
40
50
60
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro−Photo Calib for r1−00140262
Counts/(10^-17 erg/cm^2/s/Ang
200
150
100
50
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
40
35
30
25
20
15
10
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro−Photo Calib for b1−00140263
Counts/(10^-17 erg/cm^2/s/Ang
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro−Photo Calib for r1−00140263
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
6000
6500
7000
7500
20
40
60
80
8000
8500
9000
9500
10000
10
20
30
40


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 510
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 0.93
Fe/H=-1.5 T_{eff}= 6500. g=4.5 cz= 117.
Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 550
am05k2_5000_4.0.spc
Total χ^2/DOF= 0.00
Lines χ^2/DOF= 0.00
Fe/H=-0.5 T_{eff}= 5000. g=4.0 cz=-690.
Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 608
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 0.97
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= 242.
Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 638
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 0.94
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz= -16.
Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 646
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 0.97
Fe/H=-1.0 T_{eff}= 6000. g=4.0 cz= 16.
Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 748
am10k2_6500_4.5.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 1.12
Fe/H=-1.0 T_{eff}= 6500. g=4.5 cz= 132.
Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 876
am20k2_6500_4.5.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 0.97
Fe/H=-2.0 T_{eff}= 6500. g=4.5 cz= 140.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 912
am20k2_6500_4.5.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 1.06
Fe/H=-2.0 T_{eff}= 6500. g=4.5 cz= 156.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 938
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 0.97
Fe/H=-1.5 T_{eff}= 6250. g=4.5 cz= 94.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro-Photo Star Fiber 946
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.06
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= 253.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5325 MJD=55980 Exp #00140260
Fiber 945
Fiber 937
Fiber 911
Fiber 875
Fiber 747
Fiber 645
Fiber 637
Fiber 607
Fiber 509
Flux−calib
Wavelength [Ang]
20
40
60
80
4000
6000
8000
10000


PLATE=5325 MJD=55980 Exp #00140261
Fiber 945
Fiber 937
Fiber 911
Fiber 875
Fiber 747
Fiber 645
Fiber 637
Fiber 607
Fiber 509
Flux−calib
Wavelength [Ang]
20
40
60
80
4000
6000
8000
10000


PLATE=5325 MJD=55980 Exp #00140262
Fiber 945
Fiber 937
Fiber 911
Fiber 875
Fiber 747
Fiber 645
Fiber 637
Fiber 607
Fiber 509
Flux−calib
Wavelength [Ang]
20
40
60
80
4000
6000
8000
10000


PLATE=5325 MJD=55980 Exp #00140263
Fiber 945
Fiber 937
Fiber 911
Fiber 875
Fiber 747
Fiber 645
Fiber 637
Fiber 607
Fiber 509
Flux−calib
Wavelength [Ang]
20
40
60
80
4000
6000
8000
10000


PLATE=5325 MJD=55980 Spectro−Photo Calib for b2−00140260
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
6
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=5325 MJD=55980 Spectro−Photo Calib for r2−00140260
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
8000
8500
9000
9500
10000


PLATE=5325 MJD=55980 Spectro−Photo Calib for b2−00140261
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
6
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=5325 MJD=55980 Spectro−Photo Calib for r2−00140261
Counts/(10^-17erg/cm^2/s/Ang
20
40
60
80
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
20
30
40
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro−Photo Calib for b2−00140262
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
6
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=5325 MJD=55980 Spectro−Photo Calib for r2−00140262
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=5325 MJD=55980 Spectro−Photo Calib for b2−00140263
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
6
3800
4000
4200
4400
4600
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=5325 MJD=55980 Spectro−Photo Calib for r2−00140263
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]