
PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 2
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.07
Lines χ^2/DOF= 1.21
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz= 35.
Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 6
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 1.21
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz=-181.
Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 36
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.05
Fe/H=-1.5 T_{eff}= 6250. g=4.5 cz=-174.
Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro−Photo Star Fiber 98
am15k2_6000_4.0.spc
Total χ^2/DOF= 1.23
Lines χ^2/DOF= 0.87
Fe/H=−1.5 T_{eff}= 6000. g=4.0 cz= 221.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro−Photo Star Fiber 122
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.11
Lines χ^2/DOF= 1.11
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= 210.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro−Photo Star Fiber 188
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 0.94
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz=−174.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 278
am15k2_5750_4.5.spc
Total χ^2/DOF= 1.02
Lines χ^2/DOF= 0.97
Fe/H=−1.5 T_{eff}= 5750. g=4.5 cz=−165.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 282
am15k2_6250_4.0.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.03
Fe/H=−1.5 T_{eff}= 6250. g=4.0 cz= 33.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 310
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 1.04
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= −14.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 374
am20k2_6500_4.5.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 1.02
Fe/H=−2.0 T_{eff}= 6500. g=4.5 cz= 133.
Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 398
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 0.98
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= 47.
Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 408
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.13
Lines χ^2/DOF= 0.82
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= 55.
Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 488
am15k2_6000_4.0.spc
Total χ^2/DOF= 1.08
Lines χ^2/DOF= 1.08
Fe/H=−1.5 T_{eff}= 6000. g=4.0 cz= −86.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Exp #00120564
Fiber 487
Fiber 407
Fiber 397
Fiber 373
Fiber 309
Fiber 281
Fiber 277
Fiber 187
Fiber 121
Fiber 97
Fiber 35
Fiber 5
Fiber 1
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=4267 MJD=55484 Exp #00120565
Fiber 487
Fiber 407
Fiber 397
Fiber 373
Fiber 309
Fiber 281
Fiber 277
Fiber 187
Fiber 121
Fiber 97
Fiber 35
Fiber 5
Fiber 1
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=4267 MJD=55484 Exp #00120566
Fiber 487
Fiber 407
Fiber 397
Fiber 373
Fiber 309
Fiber 281
Fiber 277
Fiber 187
Fiber 121
Fiber 97
Fiber 35
Fiber 5
Fiber 1
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=4267 MJD=55484 Exp #00120567
Fiber 487
Fiber 407
Fiber 397
Fiber 373
Fiber 309
Fiber 281
Fiber 277
Fiber 187
Fiber 121
Fiber 97
Fiber 35
Fiber 5
Fiber 1
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=4267 MJD=55484 Spectro−Photo Calib for b1−00120564
Counts/(10^-17 erg/cm^2/s/Ang
10
15
20
25
30
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
20
40
60
80
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro−Photo Calib for r1−00120564
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
10
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro−Photo Calib for b1−00120565
Counts/(10^-17erg/cm^2/s/Ang
10
15
20
25
30
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
20
40
60
80
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro−Photo Calib for r1−00120565
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
10
8000
8500
9000
9500
10000


PLATE=4267 MJD=55484 Spectro−Photo Calib for b1−00120566
Counts/(10^-17 erg/cm^2/s/Ang
10
15
20
25
30
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
20
40
60
80
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro−Photo Calib for r1−00120566
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
10
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro−Photo Calib for b1−00120567
Counts/(10^-17 erg/cm^2/s/Ang
10
15
20
25
30
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
20
40
60
80
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro−Photo Calib for r1−00120567
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
10
8000
8500
9000
9500
10000


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 512
am10k2_6000_4.0.spc
Total χ^2/DOF= 1.05
Lines χ^2/DOF= 0.97
Fe/H=-1.0 T_{eff}= 6000. g=4.0 cz=-159.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 525
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 1.06
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= 161.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 548
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.80
Lines χ^2/DOF= 1.00
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz= 73.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 618
am15k2_6250_4.0.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 0.97
Fe/H=−1.5 T_{eff}= 6250. g=4.0 cz= 102.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 704
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 1.07
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= −53.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 878
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.04
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= 210.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro-Photo Star Fiber 912
dm15k2_6500_4.5.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 1.04
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz=−150.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4267 MJD=55484 Exp #00120564
Fiber 911
Fiber 877
Fiber 703
Fiber 617
Fiber 547
Fiber 524
Fiber 511
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=4267 MJD=55484 Exp #00120565
Fiber 911
Fiber 877
Fiber 703
Fiber 617
Fiber 547
Fiber 524
Fiber 511
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=4267 MJD=55484 Exp #00120566
Fiber 911
Fiber 877
Fiber 703
Fiber 617
Fiber 547
Fiber 524
Fiber 511
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=4267 MJD=55484 Exp #00120567
Fiber 911
Fiber 877
Fiber 703
Fiber 617
Fiber 547
Fiber 524
Fiber 511
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=4267 MJD=55484 Spectro−Photo Calib for b2−00120564
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
6
3600
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=4267 MJD=55484 Spectro−Photo Calib for r2−00120564
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro−Photo Calib for b2−00120565
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
6
3600
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=4267 MJD=55484 Spectro−Photo Calib for r2−00120565
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro−Photo Calib for b2−00120566
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
6
3600
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=4267 MJD=55484 Spectro−Photo Calib for r2−00120566
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
10
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=4267 MJD=55484 Spectro−Photo Calib for b2−00120567
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
6
3600
3800
4000
4200
4400
4600
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=4267 MJD=55484 Spectro−Photo Calib for r2−00120567
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
10
8000
8500
9000
9500
10000