
PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 28
gm15k2_6250_4.5.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 1.02
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= −20.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 109
gm10k2_6250_4.5.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 1.05
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= −92.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 138
gm10k2_6250_4.5.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 1.00
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz=−170.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 162
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.02
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= −23.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 226
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 0.99
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= −47.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 236
am10k2_6500_4.5.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 0.88
Fe/H=−1.0 T_{eff}= 6500. g=4.5 cz= −92.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 273
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 1.03
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz=−171.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 322
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.07
Lines χ^2/DOF= 0.88
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= −7.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 343
am15k2_6500_4.5.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 0.95
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz=−158.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 444
am20k2_6750_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.03
Fe/H=-2.0 T_{eff}= 6750. g=4.5 cz=-367.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Exp #00135936
Fiber 443
Fiber 342
Fiber 321
Fiber 235
Fiber 225
Fiber 161
Fiber 137
Fiber 108
ber 27
Flux−calib
80
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=4419 MJD=55867 Exp #00135937
Fiber 443
Fiber 342
Fiber 321
Fiber 235
Fiber 225
Fiber 161
Fiber 137
Fiber 108
ber 27
Flux−calib
80
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=4419 MJD=55867 Exp #00135938
Fiber 443
Fiber 342
Fiber 321
Fiber 235
Fiber 225
Fiber 161
Fiber 137
Fiber 108
ber 27
Flux−calib
Wavelength [Ang]
4000
6000
8000
10000
20
40
60
80


PLATE=4419 MJD=55867 Exp #00135998
Fiber 443
Fiber 342
Fiber 321
Fiber 235
Fiber 225
Fiber 161
Fiber 137
Fiber 108
ber 27
Flux−calib
Wavelength [Ang]
4000
6000
8000
10000
20
40
60
80


PLATE=4419 MJD=55866 Spectro−Photo Calib for b1−00135936
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
25
20
15
10
3600
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=4419 MJD=55866 Spectro−Photo Calib for r1−00135936
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
40
30
20
10
8000
8500
9000
9500
10000


PLATE=4419 MJD=55866 Spectro−Photo Calib for b1−00135937
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4419 MJD=55866 Spectro−Photo Calib for r1−00135937
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
40
30
20
10
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=4419 MJD=55866 Spectro−Photo Calib for b1−00135938
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4419 MJD=55866 Spectro−Photo Calib for r1−00135938
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
40
60
80
6000
6500
7000
7500
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
20
30
40
8000
8500
9000
9500
10000


PLATE=4419 MJD=55867 Spectro−Photo Calib for b1−00135998
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro−Photo Calib for r1−00135998
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
40
60
80
6000
6500
7000
7500
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
20
30
40
8000
8500
9000
9500
10000


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 526
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.11
Lines χ^2/DOF= 0.93
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz=−135.
Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 594
am10k2_6500_4.5.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 1.02
Fe/H=−1.0 T_{eff}= 6500. g=4.5 cz= 42.
Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 606
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.02
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz=−229.
Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 632
am20k2_5500_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 1.03
Fe/H=−2.0 T_{eff}= 5500. g=4.5 cz= 42.
Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 704
am15k2_6000_4.5.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 1.07
Fe/H=−1.5 T_{eff}= 6000. g=4.5 cz= −13.
Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 737
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.06
Lines χ^2/DOF= 1.01
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= −25.
Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 883
am20k2_6500_4.5.spc
Total χ^2/DOF= 0.89
Lines χ^2/DOF= 1.02
Fe/H=−2.0 T_{eff}= 6500. g=4.5 cz=−241.
Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 910
am15k2_6500_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 1.06
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= −75.
Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 926
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.31
Lines χ^2/DOF= 0.82
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= −98.
Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Spectro-Photo Star Fiber 963
am15k2_6250_4.0.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 1.11
Fe/H=−1.5 T_{eff}= 6250. g=4.0 cz= −26.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4419 MJD=55867 Exp #00135936
Fiber 962
Fiber 925
Fiber 909
Fiber 882
Fiber 736
Fiber 703
Fiber 631
Fiber 605
Fiber 593
Fiber 525
Flux−calib
Wavelength [Ang]
80
60
40
20
4000
6000
8000
10000


PLATE=4419 MJD=55867 Exp #00135937
Fiber 962
Fiber 925
Fiber 909
Fiber 882
Fiber 736
Fiber 703
Fiber 631
Fiber 605
Fiber 593
Fiber 525
Flux−calib
Wavelength [Ang]
80
60
40
20
4000
6000
8000
10000


PLATE=4419 MJD=55867 Exp #00135938
Fiber 962
Fiber 925
Fiber 909
Fiber 882
Fiber 736
Fiber 703
Fiber 631
Fiber 605
Fiber 593
Fiber 525
Flux−calib
Wavelength [Ang]
80
60
40
20
4000
6000
8000
10000


PLATE=4419 MJD=55867 Exp #00135998
Fiber 962
Fiber 925
Fiber 909
Fiber 882
Fiber 736
Fiber 703
Fiber 631
Fiber 605
Fiber 593
Fiber 525
Flux−calib
Wavelength [Ang]
80
60
40
20
4000
6000
8000
10000


PLATE=4419 MJD=55866 Spectro−Photo Calib for b2−00135936
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
5
10
15
20
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50
60


PLATE=4419 MJD=55866 Spectro−Photo Calib for r2−00135936
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
6000
6500
7000
7500
8000
8500
9000
9500
10000
10
15
20
25
30
35
40
60
80


PLATE=4419 MJD=55866 Spectro−Photo Calib for b2−00135937
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
15
10
5
3600
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=4419 MJD=55866 Spectro−Photo Calib for r2−00135937
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
6000
6500
7000
7500
8000
8500
9000
9500
10000
20
40
60
80
10
15
25
30
35


PLATE=4419 MJD=55866 Spectro−Photo Calib for b2−00135938
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
15
10
5
3600
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=4419 MJD=55866 Spectro−Photo Calib for r2−00135938
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
6000
6500
7000
7500
8000
8500
9000
9500
10000
20
40
60
80
10
15
25
30
35


PLATE=4419 MJD=55867 Spectro−Photo Calib for b2−00135998
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
6
8
10
12
14
16
18
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50
60


PLATE=4419 MJD=55867 Spectro−Photo Calib for r2−00135998
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
6000
6500
7000
7500
8000
8500
9000
9500
10000
20
40
60
80
10
15
25
30
35