
PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 82
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.12
Lines χ^2/DOF= 1.02
Fe/H=-1.5 T_{eff}= 6500. g=4.5 cz= 56.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 87
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.05
Lines χ^2/DOF= 1.03
Fe/H=-1.5 T_{eff}= 6250. g=4.5 cz=-116.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 102
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 1.05
Fe/H=-1.5 T_{eff}= 6250. g=4.5 cz=-267.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 194
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 0.93
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= 4.
Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 314
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 0.96
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= 6.
Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 322
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.07
Lines χ^2/DOF= 1.03
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= −96.
Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 333
am10k2_6500_4.5.spc
Total χ^2/DOF= 1.51
Lines χ^2/DOF= 0.94
Fe/H=−1.0 T_{eff}= 6500. g=4.5 cz=−145.
Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 354
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.08
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= 128.
Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 390
am20k2_6000_4.0.spc
Total χ^2/DOF= 1.91
Lines χ^2/DOF= 0.84
Fe/H=−2.0 T_{eff}= 6000. g=4.0 cz=−273.
Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 460
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.07
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz=−221.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 482
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.09
Lines χ^2/DOF= 1.09
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= 10.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 486
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.11
Lines χ^2/DOF= 1.08
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= −53.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 492
am10k2_6500_4.0.spc
Total χ^2/DOF= 1.09
Lines χ^2/DOF= 1.23
Fe/H=−1.0 T_{eff}= 6500. g=4.0 cz= −7.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Exp #00147750
Fiber 491
Fiber 485
Fiber 481
Fiber 459
Fiber 353
Fiber 332
Fiber 321
Fiber 313
Fiber 193
Fiber 101
Fiber 86
Fiber 81
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=4660 MJD=56191 Exp #00147751
Fiber 491
Fiber 485
Fiber 481
Fiber 459
Fiber 353
Fiber 332
Fiber 321
Fiber 313
Fiber 193
Fiber 101
Fiber 86
Fiber 81
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=4660 MJD=56191 Exp #00147752
Fiber 491
Fiber 485
Fiber 481
Fiber 459
Fiber 353
Fiber 332
Fiber 321
Fiber 313
Fiber 193
Fiber 101
ber 86
er 81
100
80
60
40
20
Flux−calib
4000
6000
8000
10000
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro−Photo Calib for b1−00147750
Counts/(10^-17 erg/cm^2/s/Ang
30
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro−Photo Calib for r1−00147750
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
10
8000
8500
9000
9500
10000


PLATE=4660 MJD=56191 Spectro−Photo Calib for b1−00147751
Counts/(10^-17erg/cm^2/s/Ang
30
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro−Photo Calib for r1−00147751
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
10
8000
8500
9000
9500
10000


PLATE=4660 MJD=56191 Spectro−Photo Calib for b1−00147752
Counts/(10^-17erg/cm^2/s/Ang
30
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro−Photo Calib for r1−00147752
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
50
40
30
20
10
8000
8500
9000
9500
10000


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 532
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.59
Lines χ^2/DOF= 1.00
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz=-105.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 550
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 1.07
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz=-245.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 576
am10k2_6500_4.5.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 1.03
Fe/H=-1.0 T_{eff}= 6500. g=4.5 cz= 47.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 602
am15k2_6500_4.5.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 1.01
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz=−116.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 812
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.14
Lines χ^2/DOF= 0.99
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= 87.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 820
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.16
Lines χ^2/DOF= 1.00
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz=−150.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro-Photo Star Fiber 998
am20k2_6250_4.0.spc
Total χ^2/DOF= 1.25
Lines χ^2/DOF= 1.17
Fe/H=−2.0 T_{eff}= 6250. g=4.0 cz=−235.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4660 MJD=56191 Exp #00147750
Fiber 819
Fiber 811
Fiber 601
Fiber 575
Fiber 549
Fiber 531
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=4660 MJD=56191 Exp #00147751
Fiber 819
Fiber 811
Fiber 601
Fiber 575
Fiber 549
Fiber 531
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=4660 MJD=56191 Exp #00147752
Fiber 819
Fiber 811
Fiber 601
Fiber 575
Fiber 549
Fiber 531
Flux−calib
100
80
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro−Photo Calib for b2−00147750
Counts/(10^-17erg/cm^2/s/Ang
25
20
15
10
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro−Photo Calib for r2−00147750
Counts/(10^-17erg/cm^2/s/Ang
120
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
60
50
40
30
20
10
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro−Photo Calib for b2−00147751
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
25
20
15
10
3800
4000
4200
4400
4600
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=4660 MJD=56191 Spectro−Photo Calib for r2−00147751
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
120
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
8000
8500
9000
9500
10000


PLATE=4660 MJD=56191 Spectro−Photo Calib for b2−00147752
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
100
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=4660 MJD=56191 Spectro−Photo Calib for r2−00147752
Counts/(10^-17erg/cm^2/s/Ang
120
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
60
50
40
30
20
10
8000
8500
9000
9500
10000
Wavelength [Ang]