
PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 16
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 1.05
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz=−131.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 40
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 1.09
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz=−267.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 74
am10k2_6500_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 0.99
Fe/H=−1.0 T_{eff}= 6500. g=4.5 cz=−301.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 108
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.00
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= −39.
Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 136
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 0.96
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz=−228.
Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 266
am20k2_6500_4.5.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 0.97
Fe/H=−2.0 T_{eff}= 6500. g=4.5 cz=−198.
Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 388
am15k2_6000_4.5.spc
Total χ^2/DOF= 1.07
Lines χ^2/DOF= 0.97
Fe/H=−1.5 T_{eff}= 6000. g=4.5 cz= −4.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 408
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.13
Lines χ^2/DOF= 1.04
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= −40.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 413
am10k2_6000_4.5.spc
Total χ^2/DOF= 1.18
Lines χ^2/DOF= 0.94
Fe/H=−1.0 T_{eff}= 6000. g=4.5 cz=−238.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 448
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 1.03
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz=−149.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 456
am20k2_6500_4.5.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 1.06
Fe/H=−2.0 T_{eff}= 6500. g=4.5 cz=−112.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 484
am15k2_6250_4.0.spc
Total χ^2/DOF= 1.02
Lines χ^2/DOF= 1.03
Fe/H=−1.5 T_{eff}= 6250. g=4.0 cz=−112.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Exp #00132755
Fiber 483
Fiber 455
Fiber 447
Fiber 412
Fiber 407
Fiber 387
Fiber 265
Fiber 135
Fiber 107
Fiber 73
Fiber 39
Fiber 15
Flux−calib
Wavelength [Ang]


PLATE=4971 MJD=55747 Exp #00132756
Fiber 483
Fiber 455
Fiber 447
Fiber 412
Fiber 407
Fiber 387
Fiber 265
Fiber 135
Fiber 107
Fiber 73
Fiber 39
Fiber 15
Flux−calib
Wavelength [Ang]


PLATE=4971 MJD=55747 Exp #00132757
Fiber 483
Fiber 455
Fiber 447
Fiber 412
Fiber 407
Fiber 387
Fiber 265
Fiber 135
Fiber 107
Fiber 73
Fiber 39
Fiber 15
Flux−calib
Wavelength [Ang]
10
20
30
40
50
60
70
4000
6000
8000
10000


PLATE=4971 MJD=55747 Exp #00132758
Fiber 483
Fiber 455
Fiber 447
Fiber 412
Fiber 407
Fiber 387
Fiber 265
Fiber 135
Fiber 107
Fiber 73
Fiber 39
Fiber 15
Flux−calib
Wavelength [Ang]
10
20
30
40
50
60
70
4000
6000
8000
10000


PLATE=4971 MJD=55747 Spectro−Photo Calib for b1−00132755
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
5
10
15
20
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50


PLATE=4971 MJD=55747 Spectro−Photo Calib for r1−00132755
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
20
30
40
50
60
70
6000
6500
7000
7500
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
30
35
8000
8500
9000
9500
10000


PLATE=4971 MJD=55747 Spectro−Photo Calib for b1−00132756
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
5
10
15
20
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50


PLATE=4971 MJD=55747 Spectro−Photo Calib for r1−00132756
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
20
30
40
50
60
70
6000
6500
7000
7500
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
30
35
8000
8500
9000
9500
10000


PLATE=4971 MJD=55747 Spectro−Photo Calib for b1−00132757
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
5
10
15
20
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50


PLATE=4971 MJD=55747 Spectro−Photo Calib for r1−00132757
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
6000
6500
7000
7500
8000
8500
9000
9500
10000


PLATE=4971 MJD=55747 Spectro−Photo Calib for b1−00132758
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
5
10
15
20
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50


PLATE=4971 MJD=55747 Spectro−Photo Calib for r1−00132758
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
20
30
40
50
60
70
6000
6500
7000
7500
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5
10
15
20
25
30
35
8000
8500
9000
9500
10000


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 516
am20k2_6500_4.0.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.04
Fe/H=−2.0 T_{eff}= 6500. g=4.0 cz= −85.
Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 582
am15k2_6500_4.5.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 0.98
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= −11.
Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 588
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 1.00
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz=−212.
Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 650
am20k2_6250_4.5.spc
Total χ^2/DOF= 1.27
Lines χ^2/DOF= 0.94
Fe/H=−2.0 T_{eff}= 6250. g=4.5 cz= −88.
Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 656
am20k2_6000_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.01
Fe/H=−2.0 T_{eff}= 6000. g=4.5 cz=−106.
Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 796
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.07
Lines χ^2/DOF= 1.05
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= −26.
Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 846
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 0.98
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz=−346.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro-Photo Star Fiber 908
am15k2_6000_4.5.spc
Total χ^2/DOF= 1.21
Lines χ^2/DOF= 0.95
Fe/H=−1.5 T_{eff}= 6000. g=4.5 cz= −24.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=4971 MJD=55747 Exp #00132755
Fiber 907
Fiber 845
Fiber 795
Fiber 655
Fiber 649
Fiber 587
Fiber 581
Fiber 515
Flux−calib
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=4971 MJD=55747 Exp #00132756
Fiber 907
Fiber 845
Fiber 795
Fiber 655
Fiber 649
Fiber 587
Fiber 581
Fiber 515
Flux−calib
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=4971 MJD=55747 Exp #00132757
Fiber 907
Fiber 845
Fiber 795
Fiber 655
Fiber 649
Fiber 587
Fiber 581
Fiber 515
Flux−calib
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=4971 MJD=55747 Exp #00132758
Fiber 907
Fiber 845
Fiber 795
Fiber 655
Fiber 649
Fiber 587
Fiber 581
Fiber 515
Flux−calib
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro−Photo Calib for b2−00132755
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
6
3600
3800
4000
4200
4400
4600


Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=4971 MJD=55747 Spectro−Photo Calib for r2−00132755
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
6000
6500
7000
7500
35
30
25
20
15
10
8000
8500
9000
9500
10000


PLATE=4971 MJD=55747 Spectro−Photo Calib for b2−00132756
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
6
8
10
12
14
16
18
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50
60


PLATE=4971 MJD=55747 Spectro−Photo Calib for r2−00132756
Counts/(10^-17 erg/cm^2/s/Ang
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
35
30
25
20
15
10
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=4971 MJD=55747 Spectro−Photo Calib for b2−00132757
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
6
3600
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=4971 MJD=55747 Spectro−Photo Calib for r2−00132757
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
6000
6500
7000
7500
35
30
25
20
15
10
8000
8500
9000
9500
10000


PLATE=4971 MJD=55747 Spectro−Photo Calib for b2−00132758
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
6
8
10
12
14
16
18
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50
60


PLATE=4971 MJD=55747 Spectro−Photo Calib for r2−00132758
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
35
30
25
20
15
10
5
8000
8500
9000
9500
10000