
PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 48
am20k2_6250_4.5.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 1.03
Fe/H=-2.0 T_{eff}= 6250. g=4.5 cz= 171.
Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 76
am15k2_6500_4.0.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 1.03
Fe/H=-1.5 T_{eff}= 6500. g=4.0 cz= 32.
Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 86
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 1.06
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= 188.
Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 104
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 0.96
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= 176.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 122
am20k2_6250_4.5.spc
Total χ^2/DOF= 0.95
Lines χ^2/DOF= 1.00
Fe/H=−2.0 T_{eff}= 6250. g=4.5 cz= 244.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 138
am15k2_6000_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 1.04
Fe/H=−1.5 T_{eff}= 6000. g=4.5 cz= −52.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 340
am20k2_6250_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 1.04
Fe/H=−2.0 T_{eff}= 6250. g=4.5 cz= 127.
Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 341
am10k2_6500_4.5.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.10
Fe/H=−1.0 T_{eff}= 6500. g=4.5 cz= 253.
Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 402
am20k2_6500_4.0.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 0.99
Fe/H=−2.0 T_{eff}= 6500. g=4.0 cz= 51.
Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 454
am15k2_6500_4.0.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 0.93
Fe/H=-1.5 T_{eff}= 6500. g=4.0 cz= 50.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 480
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.23
Lines χ^2/DOF= 0.77
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= 11.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 482
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 1.08
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= 172.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Exp #00141505
Fiber 481
Fiber 479
Fiber 453
Fiber 401
Fiber 340
Fiber 339
Fiber 137
Fiber 121
Fiber 103
Fiber 85
Fiber 75
Fiber 47
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=5347 MJD=56008 Exp #00141506
Fiber 481
Fiber 479
Fiber 453
Fiber 401
Fiber 340
Fiber 339
Fiber 137
Fiber 121
Fiber 103
Fiber 85
Fiber 75
Fiber 47
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=5347 MJD=56008 Exp #00141507
Fiber 481
Fiber 479
Fiber 453
Fiber 401
Fiber 340
Fiber 339
Fiber 137
Fiber 121
Fiber 103
Fiber 85
Fiber 75
Fiber 47
Flux−calib
80
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro−Photo Calib for b1−00141505
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro−Photo Calib for r1−00141505
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro−Photo Calib for b1−00141506
Counts/(10^-17 erg/cm^2/s/Ang
10
15
20
25
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
10
20
30
40
50
60
70
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro−Photo Calib for r1−00141506
Counts/(10^-17 erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro−Photo Calib for b1−00141507
Counts/(10^-17erg/cm^2/s/Ang
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
70
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro−Photo Calib for r1−00141507
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 542
am10k2_6000_4.5.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 0.98
Fe/H=−1.0 T_{eff}= 6000. g=4.5 cz= 23.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 586
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 0.94
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= 162.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 614
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 0.98
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= −87.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 828
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 0.89
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz= 6.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 894
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 0.97
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= 194.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 932
am10k2_6500_4.5.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 1.00
Fe/H=-1.0 T_{eff}= 6500. g=4.5 cz= 259.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 960
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 1.02
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= 31.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro-Photo Star Fiber 968
am10k2_6500_4.5.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 0.93
Fe/H=-1.0 T_{eff}= 6500. g=4.5 cz= 196.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5347 MJD=56008 Exp #00141505
Fiber 967
Fiber 959
Fiber 931
Fiber 893
Fiber 827
Fiber 613
Fiber 585
Fiber 541
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=5347 MJD=56008 Exp #00141506
Fiber 967
Fiber 959
Fiber 931
Fiber 893
Fiber 827
Fiber 613
Fiber 585
Fiber 541
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=5347 MJD=56008 Exp #00141507
Fiber 967
Fiber 959
Fiber 931
Fiber 893
Fiber 827
Fiber 613
Fiber 585
Fiber 541
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro−Photo Calib for b2−00141505
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
10
15
20
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
20
40
60
80


PLATE=5347 MJD=56008 Spectro−Photo Calib for r2−00141505
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro−Photo Calib for b2−00141506
Counts/(10^-17erg/cm^2/s/Ang
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro−Photo Calib for r2−00141506
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro−Photo Calib for b2−00141507
Counts/(10^-17erg/cm^2/s/Ang
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=5347 MJD=56008 Spectro−Photo Calib for r2−00141507
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]