
PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 12
dm05k2_5000_4.0.spc
Total χ^2/DOF= 0.00
Lines χ^2/DOF= 0.00
Fe/H=-0.5 T_{eff}= 5000. g=4.0 cz=-690.
Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 58
dm15k2_6000_4.0.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 0.93
Fe/H=-1.5 T_{eff}= 6000. g=4.0 cz= 54.
Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 92
dm15k2_6250_4.5.spc
Total χ^2/DOF= 0.95
Lines χ^2/DOF= 0.92
Fe/H=-1.5 T_{eff}= 6250. g=4.5 cz= 100.
Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 184
am10k2_6500_4.5.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 0.96
Fe/H=−1.0 T_{eff}= 6500. g=4.5 cz= −97.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 296
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 0.97
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= 15.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 388
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.91
Lines χ^2/DOF= 0.96
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= −19.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 458
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 1.04
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= 121.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 474
am20k2_6250_4.5.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 1.01
Fe/H=−2.0 T_{eff}= 6250. g=4.5 cz= −31.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Exp #00141682
Fiber 473
Fiber 457
Fiber 387
Fiber 295
Fiber 183
Fiber 91
Fiber 57
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=5451 MJD=56010 Exp #00141683
Fiber 473
Fiber 457
Fiber 387
Fiber 295
Fiber 183
Fiber 91
Fiber 57
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=5451 MJD=56010 Exp #00141684
Fiber 473
Fiber 457
Fiber 387
Fiber 295
Fiber 183
Fiber 91
Fiber 57
Flux−calib
100
80
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro−Photo Calib for b1−00141682
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
35
30
25
20
15
10
3600
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=5451 MJD=56010 Spectro−Photo Calib for r1−00141682
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
8000
8500
9000
9500
10000


PLATE=5451 MJD=56010 Spectro−Photo Calib for b1−00141683
Counts/(10^-17erg/cm^2/s/Ang
35
30
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro−Photo Calib for r1−00141683
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro−Photo Calib for b1−00141684
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
10
15
20
25
30
35
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50
60
70


PLATE=5451 MJD=56010 Spectro−Photo Calib for r1−00141684
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
8000
8500
9000
9500
10000


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 508
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.02
Lines χ^2/DOF= 1.05
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= 52.
Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 530
am15k2_5750_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.02
Fe/H=−1.5 T_{eff}= 5750. g=4.5 cz= 50.
Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 548
am15k2_6000_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 0.98
Fe/H=−1.5 T_{eff}= 6000. g=4.5 cz= 39.
Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 566
am15k2_6000_4.0.spc
Total χ^2/DOF= 1.02
Lines χ^2/DOF= 0.92
Fe/H=−1.5 T_{eff}= 6000. g=4.0 cz= −44.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 728
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 0.89
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz=−106.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 794
am15k2_6000_4.0.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 1.06
Fe/H=−1.5 T_{eff}= 6000. g=4.0 cz= 72.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 841
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 0.93
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= 70.
Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 854
am15k2_6250_4.0.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 0.97
Fe/H=−1.5 T_{eff}= 6250. g=4.0 cz= 15.
Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 930
am20k2_5750_4.0.spc
Total χ^2/DOF= 1.09
Lines χ^2/DOF= 0.98
Fe/H=−2.0 T_{eff}= 5750. g=4.0 cz= 40.
Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 948
am20k2_6250_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 0.99
Fe/H=−2.0 T_{eff}= 6250. g=4.5 cz= −66.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 966
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 0.87
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= 13.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro-Photo Star Fiber 990
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.21
Lines χ^2/DOF= 0.68
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= 133.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=5451 MJD=56010 Exp #00141682
Fiber 989
Fiber 965
Fiber 947
Fiber 853
Fiber 840
Fiber 793
Fiber 727
Fiber 565
Fiber 547
Fiber 529
Fiber 507
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=5451 MJD=56010 Exp #00141683
Fiber 989
Fiber 965
Fiber 947
Fiber 853
Fiber 840
Fiber 793
Fiber 727
Fiber 565
Fiber 547
Fiber 529
Fiber 507
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=5451 MJD=56010 Exp #00141684
Fiber 989
Fiber 965
Fiber 947
Fiber 853
Fiber 840
Fiber 793
Fiber 727
Fiber 565
Fiber 547
Fiber 529
Fiber 507
Flux−calib
100
80
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro−Photo Calib for b2−00141682
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
6
3800
4000
4200
4400
4600
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=5451 MJD=56010 Spectro−Photo Calib for r2−00141682
Counts/(10^-17 erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
50
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro−Photo Calib for b2−00141683
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
6
3800
4000
4200
4400
4600
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=5451 MJD=56010 Spectro−Photo Calib for r2−00141683
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=5451 MJD=56010 Spectro−Photo Calib for b2−00141684
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
6
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=5451 MJD=56010 Spectro−Photo Calib for r2−00141684
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]