
PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 2
am05k2_5000_4.0.spc
Total χ^2/DOF= 0.00
Lines χ^2/DOF= 0.00
Fe/H=−0.5 T_{eff}= 5000. g=4.0 cz=−690.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 84
am10k2_6500_4.5.spc
Total χ^2/DOF= 0.92
Lines χ^2/DOF= 1.04
Fe/H=−1.0 T_{eff}= 6500. g=4.5 cz=−404.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 90
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.95
Lines χ^2/DOF= 1.00
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz=−102.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 120
am10k2_6500_4.5.spc
Total χ^2/DOF= 0.92
Lines χ^2/DOF= 0.99
Fe/H=-1.0 T_{eff}= 6500. g=4.5 cz=-187.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 136
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.87
Lines χ^2/DOF= 0.99
Fe/H=-1.5 T_{eff}= 6250. g=4.5 cz=-202.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 162
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.61
Lines χ^2/DOF= 0.81
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz=-130.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 247
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.92
Lines χ^2/DOF= 0.96
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz=−135.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 260
am15k2_6500_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 1.08
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz=−220.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 282
am15k2_6500_4.5.spc
Total χ^2/DOF= 0.91
Lines χ^2/DOF= 1.00
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz=−160.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 368
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.92
Lines χ^2/DOF= 1.03
Fe/H=−1.0 T_{eff}= 6000. g=4.0 cz= −47.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 400
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 1.08
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= −36.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 459
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.66
Lines χ^2/DOF= 0.74
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= −80.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 494
qm15k2_6500_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.13
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz=−296.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 498
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 1.06
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz=−136.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Exp #00150805
Fiber 497
Fiber 493
Fiber 458
Fiber 399
Fiber 367
Fiber 281
Fiber 259
Fiber 246
Fiber 161
Fiber 135
Fiber 119
Fiber 89
Fiber 83
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6155 MJD=56245 Exp #00150806
Fiber 497
Fiber 493
Fiber 458
Fiber 399
Fiber 367
Fiber 281
Fiber 259
Fiber 246
Fiber 161
Fiber 135
Fiber 119
Fiber 89
Fiber 83
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6155 MJD=56245 Exp #00150807
Fiber 497
Fiber 493
Fiber 458
Fiber 399
Fiber 367
Fiber 281
Fiber 259
Fiber 246
Fiber 161
Fiber 135
Fiber 119
Fiber 89
Fiber 83
Flux−calib
80
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro−Photo Calib for b1−00150805
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
30
3600
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
20
30
40
50
60
70
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=6155 MJD=56245 Spectro−Photo Calib for r1−00150805
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
45
40
35
30
25
20
8000
8500
9000
9500
10000


PLATE=6155 MJD=56245 Spectro−Photo Calib for b1−00150806
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
30
3600
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
20
30
40
50
60
70
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=6155 MJD=56245 Spectro−Photo Calib for r1−00150806
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
45
40
35
30
25
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro−Photo Calib for b1−00150807
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3600
3800
4000
4200
4400
4600
10
15
20
25
30
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
4800
5000
5200
5400
5600
5800
6000
6200
10
20
30
40
50
60
70


PLATE=6155 MJD=56245 Spectro−Photo Calib for r1−00150807
Counts/(10^-17 erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
45
40
35
30
25
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 536
am20k2_6250_4.5.spc
Total χ^2/DOF= 0.90
Lines χ^2/DOF= 0.95
Fe/H=-2.0 T_{eff}= 6250. g=4.5 cz=-242.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 544
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 1.01
Fe/H=-1.5 T_{eff}= 6250. g=4.5 cz=-155.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 582
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.93
Lines χ^2/DOF= 0.94
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz=-255.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 700
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.87
Lines χ^2/DOF= 0.92
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz=−257.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 801
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.90
Lines χ^2/DOF= 0.89
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz=−229.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro-Photo Star Fiber 882
am05k2_6250_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 1.00
Fe/H=−0.5 T_{eff}= 6250. g=4.5 cz= −40.
Normalized Flux
Wavelength [Ang]


PLATE=6155 MJD=56245 Exp #00150805
Fiber 881
Fiber 800
Fiber 699
Fiber 581
Fiber 543
Fiber 535
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=6155 MJD=56245 Exp #00150806
Fiber 881
Fiber 800
Fiber 699
Fiber 581
Fiber 543
Fiber 535
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=6155 MJD=56245 Exp #00150807
Fiber 881
Fiber 800
Fiber 699
Fiber 581
Fiber 543
Fiber 535
Flux−calib
100
80
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro−Photo Calib for b2−00150805
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
30
3800
4000
4200
4400
4600
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
40
60
80
4800
5000
5200
5400
5600
5800
6000
6200


PLATE=6155 MJD=56245 Spectro−Photo Calib for r2−00150805
Counts/(10^-17erg/cm^2/s/Ang
120
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
80
60
40
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro−Photo Calib for b2−00150806
Counts/(10^-17erg/cm^2/s/Ang
30
25
20
15
10
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro−Photo Calib for r2−00150806
Counts/(10^-17erg/cm^2/s/Ang
120
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
80
60
40
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro−Photo Calib for b2−00150807
Counts/(10^-17erg/cm^2/s/Ang
30
25
20
15
10
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6155 MJD=56245 Spectro−Photo Calib for r2−00150807
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
120
100
80
60
40
20
6000
6500
7000
7500
70
60
50
40
30
20
8000
8500
9000
9500
10000