
PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 93
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.90
Lines χ^2/DOF= 0.95
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz= -66.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 124
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.80
Lines χ^2/DOF= 0.88
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz=-157.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 172
am05k2_5000_4.0.spc
Total χ^2/DOF= 0.00
Lines χ^2/DOF= 0.00
Fe/H=-0.5 T_{eff}= 5000. g=4.0 cz=-690.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 260
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.93
Lines χ^2/DOF= 0.97
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= 27.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 292
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.81
Lines χ^2/DOF= 0.86
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= 45.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 312
am20k2_6750_4.5.spc
Total χ^2/DOF= 0.93
Lines χ^2/DOF= 0.98
Fe/H=−2.0 T_{eff}= 6750. g=4.5 cz= −60.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 370
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.66
Lines χ^2/DOF= 0.98
Fe/H=−1.0 T_{eff}= 6000. g=4.0 cz= 48.
Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 442
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.05
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= 86.
Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 462
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.07
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= −2.
Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Exp #00156802
Fiber 461
Fiber 441
Fiber 369
Fiber 311
Fiber 291
Fiber 259
Fiber 123
ber 92
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6480 MJD=56340 Exp #00156803
Fiber 461
Fiber 441
Fiber 369
Fiber 311
Fiber 291
Fiber 259
Fiber 123
ber 92
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6480 MJD=56340 Exp #00156804
Fiber 461
Fiber 441
Fiber 369
Fiber 311
Fiber 291
Fiber 259
Fiber 123
Fiber 92
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6480 MJD=56340 Exp #00156805
Fiber 461
Fiber 441
Fiber 369
Fiber 311
Fiber 291
Fiber 259
Fiber 123
Fiber 92
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6480 MJD=56340 Exp #00156806
Fiber 461
Fiber 441
Fiber 369
Fiber 311
Fiber 291
Fiber 259
Fiber 123
Fiber 92
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for b1−00156802
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for r1−00156802
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
45
40
35
30
25
20
8000
8500
9000
9500
10000


PLATE=6480 MJD=56340 Spectro−Photo Calib for b1−00156803
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for r1−00156803
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
45
40
35
30
25
20
8000
8500
9000
9500
10000


PLATE=6480 MJD=56340 Spectro−Photo Calib for b1−00156804
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for r1−00156804
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
45
40
35
30
25
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for b1−00156805
Counts/(10^-17erg/cm^2/s/Ang
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
70
60
50
40
30
20
10
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for r1−00156805
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
45
40
35
30
25
20
8000
8500
9000
9500
10000


PLATE=6480 MJD=56340 Spectro−Photo Calib for b1−00156806
Counts/(10^-17 erg/cm^2/s/Ang
10
15
20
25
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
10
20
30
40
50
60
70
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for r1−00156806
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
45
40
35
30
25
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 554
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 0.98
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz=−182.
Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 566
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.93
Lines χ^2/DOF= 0.94
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= −85.
Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 578
am20k2_6250_4.0.spc
Total χ^2/DOF= 0.95
Lines χ^2/DOF= 0.94
Fe/H=−2.0 T_{eff}= 6250. g=4.0 cz=−111.
Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 616
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.92
Lines χ^2/DOF= 0.91
Fe/H=−1.0 T_{eff}= 6000. g=4.0 cz= −43.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 632
am15k2_6250_4.5.spc
Total χ^2/DOF= 0.83
Lines χ^2/DOF= 0.97
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= 27.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 732
am20k2_6750_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 1.03
Fe/H=−2.0 T_{eff}= 6750. g=4.5 cz= −83.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 772
am15k2_6500_4.5.spc
Total χ^2/DOF= 0.63
Lines χ^2/DOF= 0.91
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= 44.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 906
am20k2_6500_4.5.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 1.02
Fe/H=−2.0 T_{eff}= 6500. g=4.5 cz= −33.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 910
am10k2_6000_4.5.spc
Total χ^2/DOF= 0.93
Lines χ^2/DOF= 0.91
Fe/H=−1.0 T_{eff}= 6000. g=4.5 cz= 83.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 918
am20k2_6250_4.0.spc
Total χ^2/DOF= 0.95
Lines χ^2/DOF= 1.29
Fe/H=-2.0 T_{eff}= 6250. g=4.0 cz= 250.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro-Photo Star Fiber 984
dm10k2_6250_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 1.01
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz= 10.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6480 MJD=56340 Exp #00156802
Fiber 983
Fiber 917
Fiber 909
Fiber 905
Fiber 771
Fiber 731
Fiber 631
Fiber 615
Fiber 577
Fiber 565
Fiber 553
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=6480 MJD=56340 Exp #00156803
Fiber 983
Fiber 917
Fiber 909
Fiber 905
Fiber 771
Fiber 731
Fiber 631
Fiber 615
Fiber 577
Fiber 565
Fiber 553
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=6480 MJD=56340 Exp #00156804
Fiber 983
Fiber 917
Fiber 909
Fiber 905
Fiber 771
Fiber 731
Fiber 631
Fiber 615
Fiber 577
Fiber 565
Fiber 553
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=6480 MJD=56340 Exp #00156805
Fiber 983
Fiber 917
Fiber 909
Fiber 905
Fiber 771
Fiber 731
Fiber 631
Fiber 615
Fiber 577
Fiber 565
Fiber 553
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=6480 MJD=56340 Exp #00156806
Fiber 983
Fiber 917
Fiber 909
Fiber 905
Fiber 771
Fiber 731
Fiber 631
Fiber 615
Fiber 577
Fiber 565
Fiber 553
Flux−calib
100
80
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for b2−00156802
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for r2−00156802
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
45
40
35
30
25
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for b2−00156803
Counts/(10^-17erg/cm^2/s/Ang
25
20
15
10
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for r2−00156803
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
45
40
35
30
25
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for b2−00156804
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for r2−00156804
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
45
40
35
30
25
8000
8500
9000
9500
10000


PLATE=6480 MJD=56340 Spectro−Photo Calib for b2−00156805
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for r2−00156805
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
45
40
35
30
25
20
8000
8500
9000
9500
10000


PLATE=6480 MJD=56340 Spectro−Photo Calib for b2−00156806
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6480 MJD=56340 Spectro−Photo Calib for r2−00156806
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
45
40
35
30
25
20
8000
8500
9000
9500
10000