
PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 31
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 1.01
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= −32.
Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 34
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.08
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= −18.
Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 92
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 1.04
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz=−147.
Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 121
am20k2_6250_4.5.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 0.95
Fe/H=−2.0 T_{eff}= 6250. g=4.5 cz= −12.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 146
am15k2_6250_4.0.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 1.12
Fe/H=−1.5 T_{eff}= 6250. g=4.0 cz= −29.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 164
am15k2_6500_4.5.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 0.82
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= 26.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 284
am15k2_6750_4.5.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 0.94
Fe/H=−1.5 T_{eff}= 6750. g=4.5 cz= 21.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 306
am15k2_6000_4.5.spc
Total χ^2/DOF= 0.96
Lines χ^2/DOF= 1.01
Fe/H=−1.5 T_{eff}= 6000. g=4.5 cz= −8.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 330
am15k2_6000_4.5.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 0.94
Fe/H=−1.5 T_{eff}= 6000. g=4.5 cz= 24.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 342
am20k2_6250_4.5.spc
Total χ^2/DOF= 0.95
Lines χ^2/DOF= 0.88
Fe/H=-2.0 T_{eff}= 6250. g=4.5 cz=-186.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 498
am15k2_6250_4.0.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 0.97
Fe/H=-1.5 T_{eff}= 6250. g=4.0 cz= 12.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Exp #00159416
Fiber 497
Fiber 341
Fiber 329
Fiber 305
Fiber 283
Fiber 163
Fiber 145
Fiber 120
Fiber 91
Fiber 33
Fiber 30
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=6677 MJD=56385 Exp #00159417
Fiber 497
Fiber 341
Fiber 329
Fiber 305
Fiber 283
Fiber 163
Fiber 145
Fiber 120
Fiber 91
Fiber 33
Fiber 30
Flux−calib
Wavelength [Ang]
100
80
60
40
20
4000
6000
8000
10000


PLATE=6677 MJD=56385 Exp #00159418
Fiber 497
Fiber 341
Fiber 329
Fiber 305
Fiber 283
Fiber 163
Fiber 145
Fiber 120
Fiber 91
Fiber 33
Fiber 30
Flux−calib
100
80
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro−Photo Calib for b1−00159416
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro−Photo Calib for r1−00159416
Counts/(10^-17erg/cm^2/s/Ang
100
80
60
40
20
6000
6500
7000
7500
Wavelength [Ang]


Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
8000
8500
9000
9500
10000
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro−Photo Calib for b1−00159417
Counts/(10^-17erg/cm^2/s/Ang
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro−Photo Calib for r1−00159417
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
70
60
50
40
30
20
8000
8500
9000
9500
10000


PLATE=6677 MJD=56385 Spectro−Photo Calib for b1−00159418
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
3600
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro−Photo Calib for r1−00159418
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
70
60
50
40
30
20
8000
8500
9000
9500
10000


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 506
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.02
Lines χ^2/DOF= 1.02
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= 119.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 522
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.07
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= 4.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 588
am10k2_6500_4.5.spc
Total χ^2/DOF= 1.11
Lines χ^2/DOF= 0.80
Fe/H=−1.0 T_{eff}= 6500. g=4.5 cz= −48.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 636
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 1.02
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz=−141.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 750
am15k2_6500_4.0.spc
Total χ^2/DOF= 1.13
Lines χ^2/DOF= 0.90
Fe/H=−1.5 T_{eff}= 6500. g=4.0 cz= 51.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 865
am05k2_6250_4.0.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.01
Fe/H=−0.5 T_{eff}= 6250. g=4.0 cz= 269.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 923
am10k2_6500_4.5.spc
Total χ^2/DOF= 0.98
Lines χ^2/DOF= 0.98
Fe/H=−1.0 T_{eff}= 6500. g=4.5 cz=−226.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 924
am15k2_6250_4.5.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 1.03
Fe/H=−1.5 T_{eff}= 6250. g=4.5 cz= 70.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro-Photo Star Fiber 956
am05k2_6250_4.0.spc
Total χ^2/DOF= 1.00
Lines χ^2/DOF= 1.09
Fe/H=−0.5 T_{eff}= 6250. g=4.0 cz=−177.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=6677 MJD=56385 Exp #00159416
Fiber 955
Fiber 923
Fiber 922
Fiber 864
Fiber 749
Fiber 635
Fiber 587
Fiber 521
Fiber 505
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6677 MJD=56385 Exp #00159417
Fiber 955
Fiber 923
Fiber 922
Fiber 864
Fiber 749
Fiber 635
Fiber 587
Fiber 521
Fiber 505
Flux−calib
20
40
60
80
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6677 MJD=56385 Exp #00159418
Fiber 955
Fiber 923
Fiber 922
Fiber 864
Fiber 749
Fiber 635
Fiber 587
Fiber 521
Fiber 505
Flux−calib
80
60
40
20
4000
6000
8000
10000
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro−Photo Calib for b2−00159416
Counts/(10^-17 erg/cm^2/s/Ang
20
15
10
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro−Photo Calib for r2−00159416
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
8000
8500
9000
9500
10000


PLATE=6677 MJD=56385 Spectro−Photo Calib for b2−00159417
Counts/(10^-17 erg/cm^2/s/Ang
20
15
10
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro−Photo Calib for r2−00159417
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
8000
8500
9000
9500
10000


PLATE=6677 MJD=56385 Spectro−Photo Calib for b2−00159418
Counts/(10^-17erg/cm^2/s/Ang
20
15
10
3800
4000
4200
4400
4600
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
80
60
40
20
4800
5000
5200
5400
5600
5800
6000
6200
Wavelength [Ang]


PLATE=6677 MJD=56385 Spectro−Photo Calib for r2−00159418
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
100
80
60
40
20
6000
6500
7000
7500
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
8000
8500
9000
9500
10000