
PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 8
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.24
Lines χ^2/DOF= 1.45
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz=-150.
Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 169
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.81
Lines χ^2/DOF= 1.05
Fe/H=-1.0 T_{eff}= 6000. g=4.0 cz= 55.
Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 238
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.74
Lines χ^2/DOF= 0.92
Fe/H=-1.0 T_{eff}= 6000. g=4.0 cz= 21.
Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 275
am05k2_6250_4.0.spc
Total χ^2/DOF= 1.08
Lines χ^2/DOF= 1.03
Fe/H=−0.5 T_{eff}= 6250. g=4.0 cz= 97.
Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 280
am15k2_5750_4.0.spc
Total χ^2/DOF= 0.68
Lines χ^2/DOF= 0.75
Fe/H=−1.5 T_{eff}= 5750. g=4.0 cz= −41.
Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 288
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.99
Lines χ^2/DOF= 1.49
Fe/H=−1.0 T_{eff}= 6000. g=4.0 cz= −98.
Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Exp #00019117
Fiber 287
Fiber 274
Fiber 237
Fiber 168
Fiber 7
Flux−calib
Wavelength [Ang]
40
30
20
10
4000
5000
6000
7000
8000
9000


PLATE=0873 MJD=52674 Exp #00019118
Fiber 287
Fiber 274
Fiber 237
Fiber 168
Fiber 7
Flux−calib
Wavelength [Ang]
40
30
20
10
4000
5000
6000
7000
8000
9000


PLATE=0873 MJD=52674 Exp #00019119
Fiber 287
Fiber 274
Fiber 237
Fiber 168
Fiber 7
Flux−calib
Wavelength [Ang]
40
30
20
10
4000
5000
6000
7000
8000
9000


50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0873 MJD=52674 Spectro−Photo Calib for b1−00019117
Counts/(10^-17 erg/cm^2/s/Ang
10
8
6
4000
4200
4400
4600
4800
Wavelength [Ang]
35
30
25
20
15
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


50
40
30
20
10
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0873 MJD=52674 Spectro−Photo Calib for r1−00019117
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
15
20
25
30
35
40
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
4
6
8
10
12
14
16
18


50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0873 MJD=52674 Spectro−Photo Calib for b1−00019118
Counts/(10^-17 erg/cm^2/s/Ang
10
8
6
3800
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
35
30
25
20
15
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


50
40
30
20
10
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0873 MJD=52674 Spectro−Photo Calib for r1−00019118
Counts/(10^-17 erg/cm^2/s/Ang
40
35
30
25
20
15
5800
6000
6200
6400
6600
6800
7000
7200
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
18
16
14
12
10
8
6
4
7500
8000
8500
9000
Wavelength [Ang]


50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0873 MJD=52674 Spectro−Photo Calib for b1−00019119
Counts/(10^-17 erg/cm^2/s/Ang
10
8
6
3800
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
35
30
25
20
15
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


50
40
30
20
10
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0873 MJD=52674 Spectro−Photo Calib for r1−00019119
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
15
20
25
30
35
40
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
4
6
8
10
12
14
16
18


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 332
am10k2_6000_4.5.spc
Total χ^2/DOF= 0.80
Lines χ^2/DOF= 1.17
Fe/H=−1.0 T_{eff}= 6000. g=4.5 cz= 117.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 348
am15k2_6250_4.0.spc
Total χ^2/DOF= 1.30
Lines χ^2/DOF= 1.20
Fe/H=−1.5 T_{eff}= 6250. g=4.0 cz= 83.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 388
am15k2_6000_4.5.spc
Total χ^2/DOF= 1.09
Lines χ^2/DOF= 1.64
Fe/H=−1.5 T_{eff}= 6000. g=4.5 cz= −42.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 485
am10k2_5500_4.5.spc
Total χ^2/DOF= 1.12
Lines χ^2/DOF= 2.11
Fe/H=−1.0 T_{eff}= 5500. g=4.5 cz= 39.
Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 497
am10k2_5750_4.5.spc
Total χ^2/DOF= 0.71
Lines χ^2/DOF= 1.04
Fe/H=−1.0 T_{eff}= 5750. g=4.5 cz= −19.
Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 510
am10k2_5750_4.5.spc
Total χ^2/DOF= 0.71
Lines χ^2/DOF= 1.46
Fe/H=−1.0 T_{eff}= 5750. g=4.5 cz= −96.
Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 518
am10k2_6500_4.0.spc
Total χ^2/DOF= 1.28
Lines χ^2/DOF= 0.93
Fe/H=−1.0 T_{eff}= 6500. g=4.0 cz= 24.
Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 521
am05k2_5000_4.0.spc
Total χ^2/DOF= 0.00
Lines χ^2/DOF= 0.00
Fe/H=−0.5 T_{eff}= 5000. g=4.0 cz=−690.
Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 523
am15k2_5250_4.0.spc
Total χ^2/DOF= 1.13
Lines χ^2/DOF= 1.10
Fe/H=−1.5 T_{eff}= 5250. g=4.0 cz=−114.
Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Spectro-Photo Star Fiber 529
am05k2_5750_4.0.spc
Total χ^2/DOF= 1.39
Lines χ^2/DOF= 0.94
Fe/H=−0.5 T_{eff}= 5750. g=4.0 cz=−114.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=0873 MJD=52674 Exp #00019117
Fiber 528
Fiber 517
Fiber 496
Fiber 387
Fiber 347
Fiber 331
Flux−calib
10
20
30
40
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=0873 MJD=52674 Exp #00019118
Fiber 528
Fiber 517
Fiber 496
Fiber 387
Fiber 347
Fiber 331
Flux−calib
10
20
30
40
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=0873 MJD=52674 Exp #00019119
Fiber 528
Fiber 517
Fiber 496
Fiber 387
Fiber 347
Fiber 331
Flux−calib
10
20
30
40
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0873 MJD=52674 Spectro−Photo Calib for b2−00019117
Counts/(10^-17 erg/cm^2/s/Ang
14
12
10
8
6
3800
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


60
50
40
30
20
10
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0873 MJD=52674 Spectro−Photo Calib for r2−00019117
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
6
7500
8000
8500
9000


60
50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0873 MJD=52674 Spectro−Photo Calib for b2−00019118
Counts/(10^-17 erg/cm^2/s/Ang
14
12
10
8
6
3800
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


60
50
40
30
20
10
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0873 MJD=52674 Spectro−Photo Calib for r2−00019118
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
7500
8000
8500
9000
6
8
10
12
14
16
18
20


60
50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0873 MJD=52674 Spectro−Photo Calib for b2−00019119
Counts/(10^-17 erg/cm^2/s/Ang
14
12
10
8
6
3800
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


60
50
40
30
20
10
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0873 MJD=52674 Spectro−Photo Calib for r2−00019119
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
7500
8000
8500
9000
6
8
10
12
14
16
18
20