
PLATE=2872 MJD=54533 Spectro−Photo Star Fiber 48
am05k2_6000_4.0.spc
Total χ^2/DOF= 0.53
Lines χ^2/DOF= 1.08
Fe/H=−0.5 T_{eff}= 6000. g=4.0 cz= 14.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro−Photo Star Fiber 56
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.82
Lines χ^2/DOF= 1.35
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= 135.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro−Photo Star Fiber 194
am05k2_5750_4.5.spc
Total χ^2/DOF= 0.76
Lines χ^2/DOF= 1.48
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= 34.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 225
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.90
Lines χ^2/DOF= 1.44
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= 14.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 231
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.06
Lines χ^2/DOF= 1.55
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= 4.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 245
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 0.97
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −78.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 251
am05k2_5000_4.0.spc
Total χ^2/DOF= 0.00
Lines χ^2/DOF= 0.00
Fe/H=−0.5 T_{eff}= 5000. g=4.0 cz=−690.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 261
am10k2_6000_4.5.spc
Total χ^2/DOF= 0.92
Lines χ^2/DOF= 1.13
Fe/H=−1.0 T_{eff}= 6000. g=4.5 cz= −61.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 270
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.81
Lines χ^2/DOF= 1.18
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= 24.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 291
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.07
Lines χ^2/DOF= 1.50
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −42.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050623
Fiber 290
Fiber 269
Fiber 260
Fiber 244
Fiber 230
Fiber 224
Fiber 193
Fiber 55
Fiber 47
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050624
Fiber 290
Fiber 269
Fiber 260
Fiber 244
Fiber 230
Fiber 224
Fiber 193
Fiber 55
Fiber 47
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050625
Fiber 290
Fiber 269
Fiber 260
Fiber 244
Fiber 230
Fiber 224
Fiber 193
Fiber 55
Fiber 47
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050670
Fiber 290
Fiber 269
Fiber 260
Fiber 244
Fiber 230
Fiber 224
Fiber 193
Fiber 55
Fiber 47
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050671
Fiber 290
Fiber 269
Fiber 260
Fiber 244
Fiber 230
Fiber 224
Fiber 193
Fiber 55
Fiber 47
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050796
Fiber 290
Fiber 269
Fiber 260
Fiber 244
Fiber 230
Fiber 224
Fiber 193
Fiber 55
Fiber 47
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050797
Fiber 290
Fiber 269
Fiber 260
Fiber 244
Fiber 230
Fiber 224
Fiber 193
Fiber 55
Fiber 47
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050800
Fiber 290
Fiber 269
Fiber 260
Fiber 244
Fiber 230
Fiber 224
Fiber 193
Fiber 55
Fiber 47
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050801
Fiber 290
Fiber 269
Fiber 260
Fiber 244
Fiber 230
Fiber 224
Fiber 193
Fiber 55
Fiber 47
Flux-calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54529 Spectro−Photo Calib for b1−00050623
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
22
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54529 Spectro−Photo Calib for r1−00050623
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54529 Spectro−Photo Calib for b1−00050624
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
22
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54529 Spectro−Photo Calib for r1−00050624
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54529 Spectro−Photo Calib for b1−00050625
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54529 Spectro−Photo Calib for r1−00050625
Counts/(10^-17erg/cm^2/s/Ang
20
30
40
50
5800
6000
6200
6400
6600
6800
7000
7200
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
10
15
20
25
7500
8000
8500
9000
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54530 Spectro−Photo Calib for b1−00050670
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54530 Spectro−Photo Calib for r1−00050670
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
30
40
50
5800
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54530 Spectro−Photo Calib for b1−00050671
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
4000
4200
4400
4600
4800
8
10
12
14
16
18
20
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5000
5200
5400
5600
5800
6000
10
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54530 Spectro−Photo Calib for r1−00050671
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54533 Spectro−Photo Calib for b1−00050796
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
60
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54533 Spectro−Photo Calib for r1−00050796
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54533 Spectro−Photo Calib for b1−00050797
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
60
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54533 Spectro−Photo Calib for r1−00050797
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
30
40
50
5800
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54533 Spectro−Photo Calib for b1−00050800
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
60
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54533 Spectro−Photo Calib for r1−00050800
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54533 Spectro−Photo Calib for b1−00050801
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
60
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54533 Spectro−Photo Calib for r1−00050801
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 337
am10k2_7000_4.0.spc
Total χ^2/DOF= 1.72
Lines χ^2/DOF= 6.62
Fe/H=−1.0 T_{eff}= 7000. g=4.0 cz= 18.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 366
am05k2_6000_4.0.spc
Total χ^2/DOF= 0.71
Lines χ^2/DOF= 0.97
Fe/H=−0.5 T_{eff}= 6000. g=4.0 cz= −22.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 369
am05k2_6000_4.0.spc
Total χ^2/DOF= 1.13
Lines χ^2/DOF= 2.64
Fe/H=−0.5 T_{eff}= 6000. g=4.0 cz= −2.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 408
am10k2_6000_4.5.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 1.32
Fe/H=−1.0 T_{eff}= 6000. g=4.5 cz= −48.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 420
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.77
Lines χ^2/DOF= 1.22
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −89.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 432
am10k2_6250_4.5.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 0.93
Fe/H=−1.0 T_{eff}= 6250. g=4.5 cz= −30.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 500
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.01
Lines χ^2/DOF= 0.96
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= 129.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 520
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.90
Lines χ^2/DOF= 1.01
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= 134.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 556
am05k2_5750_4.5.spc
Total χ^2/DOF= 0.73
Lines χ^2/DOF= 1.50
Fe/H=-0.5 T_{eff}= 5750. g=4.5 cz= -52.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 563
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 1.51
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz=−114.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 565
am05k2_6250_4.5.spc
Total χ^2/DOF= 0.82
Lines χ^2/DOF= 1.22
Fe/H=−0.5 T_{eff}= 6250. g=4.5 cz= 66.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Spectro-Photo Star Fiber 570
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.88
Lines χ^2/DOF= 1.39
Fe/H=−1.0 T_{eff}= 6000. g=4.0 cz= 96.
Normalized Flux
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050623
Fiber 569
Fiber 564
Fiber 562
Fiber 555
Fiber 519
Fiber 499
Fiber 419
Fiber 407
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050624
Fiber 569
Fiber 564
Fiber 562
Fiber 555
Fiber 519
Fiber 499
Fiber 419
Fiber 407
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050625
Fiber 569
Fiber 564
Fiber 562
Fiber 555
Fiber 519
Fiber 499
Fiber 419
Fiber 407
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050670
Fiber 569
Fiber 564
Fiber 562
Fiber 555
Fiber 519
Fiber 499
Fiber 419
Fiber 407
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050671
Fiber 569
Fiber 564
Fiber 562
Fiber 555
Fiber 519
Fiber 499
Fiber 419
Fiber 407
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050796
Fiber 569
Fiber 564
Fiber 562
Fiber 555
Fiber 519
Fiber 499
Fiber 419
Fiber 407
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050797
Fiber 569
Fiber 564
Fiber 562
Fiber 555
Fiber 519
Fiber 499
Fiber 419
Fiber 407
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050800
Fiber 569
Fiber 564
Fiber 562
Fiber 555
Fiber 519
Fiber 499
Fiber 419
Fiber 407
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2872 MJD=54533 Exp #00050801
Fiber 569
Fiber 564
Fiber 562
Fiber 555
Fiber 519
Fiber 499
Fiber 419
Fiber 407
Flux-calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54529 Spectro−Photo Calib for b2−00050623
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
4000
4200
4400
4600
4800
10
15
20
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
5000
5200
5400
5600
5800
6000
10
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54529 Spectro−Photo Calib for r2−00050623
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
60
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54529 Spectro−Photo Calib for b2−00050624
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
10
15
20
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
5000
5200
5400
5600
5800
6000
10
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54529 Spectro−Photo Calib for r2−00050624
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
25
20
15
10
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54529 Spectro−Photo Calib for b2−00050625
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
10
15
20
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
5000
5200
5400
5600
5800
6000
10
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54529 Spectro−Photo Calib for r2−00050625
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
60
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54530 Spectro−Photo Calib for b2−00050670
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
10
15
20
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5000
5200
5400
5600
5800
6000
10
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54530 Spectro−Photo Calib for r2−00050670
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
25
20
15
10
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54530 Spectro−Photo Calib for b2−00050671
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
10
15
20
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
5000
5200
5400
5600
5800
6000
10
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54530 Spectro−Photo Calib for r2−00050671
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
30
40
50
60
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
15
20
25
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54533 Spectro−Photo Calib for b2−00050796
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
10
15
20
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
5000
5200
5400
5600
5800
6000
10
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54533 Spectro−Photo Calib for r2−00050796
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
60
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54533 Spectro−Photo Calib for b2−00050797
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
10
15
20
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5000
5200
5400
5600
5800
6000
10
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54533 Spectro−Photo Calib for r2−00050797
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
60
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54533 Spectro−Photo Calib for b2−00050800
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
10
15
20
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5000
5200
5400
5600
5800
6000
10
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54533 Spectro−Photo Calib for r2−00050800
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
60
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2872 MJD=54533 Spectro−Photo Calib for b2−00050801
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
10
15
20
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5000
5200
5400
5600
5800
6000
10
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2872 MJD=54533 Spectro−Photo Calib for r2−00050801
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
60
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
10
15
20
25