
PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 36
am15k2_6500_4.5.spc
Total χ^2/DOF= 0.64
Lines χ^2/DOF= 1.19
Fe/H=-1.5 T_{eff}= 6500. g=4.5 cz= 36.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 75
am10k2_6000_4.0.spc
Total χ^2/DOF= 1.36
Lines χ^2/DOF= 2.30
Fe/H=-1.0 T_{eff}= 6000. g=4.0 cz= -81.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 148
am05k2_5750_4.5.spc
Total χ^2/DOF= 0.92
Lines χ^2/DOF= 1.07
Fe/H=-0.5 T_{eff}= 5750. g=4.5 cz= 98.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 255
am10k2_6500_4.0.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 1.79
Fe/H=−1.0 T_{eff}= 6500. g=4.0 cz= 28.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 273
am05k2_5000_4.0.spc
Total χ^2/DOF= 0.00
Lines χ^2/DOF= 0.00
Fe/H=−0.5 T_{eff}= 5000. g=4.0 cz=−690.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 294
am05k2_5750_4.0.spc
Total χ^2/DOF= 1.22
Lines χ^2/DOF= 1.12
Fe/H=−0.5 T_{eff}= 5750. g=4.0 cz= 103.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 299
am05k2_5750_4.5.spc
Total χ^2/DOF= 1.10
Lines χ^2/DOF= 1.44
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= −29.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 300
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.92
Lines χ^2/DOF= 2.21
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −7.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Exp #00009424
Fiber 293
Fiber 254
Fiber 147
Fiber 35
Flux−calib
Wavelength [Ang]
40
30
20
10
4000
5000
6000
7000
8000
9000


PLATE=0286 MJD=51999 Exp #00009425
Fiber 293
Fiber 254
Fiber 147
Fiber 35
Flux−calib
Wavelength [Ang]
40
30
20
10
4000
5000
6000
7000
8000
9000


PLATE=0286 MJD=51999 Exp #00009426
Fiber 293
Fiber 254
Fiber 147
Fiber 35
Flux−calib
Wavelength [Ang]
40
30
20
10
4000
5000
6000
7000
8000
9000


60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0286 MJD=51999 Spectro−Photo Calib for b1−00009424
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
10
9
8
7
6
5
4
3800
4000
4200
4400
4600
4800
40
30
20
10
5000
5200
5400
5600
5800
6000


50
40
30
20
10
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0286 MJD=51999 Spectro−Photo Calib for r1−00009424
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
15
20
25
30
35
40
7500
8000
8500
9000
4
6
8
10
12
14
16


60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0286 MJD=51999 Spectro−Photo Calib for b1−00009425
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
4
5
6
7
8
9
4000
4200
4400
4600
4800
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
10
20
30
40
5000
5200
5400
5600
5800
6000


50
40
30
20
10
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0286 MJD=51999 Spectro−Photo Calib for r1−00009425
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
15
20
25
30
35
40
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
4
6
8
10
12
14
16


50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0286 MJD=51999 Spectro−Photo Calib for b1−00009426
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
4
5
6
7
8
9
10
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
5000
5200
5400
5600
5800
6000
10
20
30
40


50
40
30
20
10
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0286 MJD=51999 Spectro−Photo Calib for r1−00009426
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
15
20
25
30
35
40
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
4
6
8
10
12
14
16


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 331
am15k2_6500_4.5.spc
Total χ^2/DOF= 1.27
Lines χ^2/DOF= 1.02
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= 98.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 388
am05k2_6250_4.5.spc
Total χ^2/DOF= 1.18
Lines χ^2/DOF= 1.44
Fe/H=−0.5 T_{eff}= 6250. g=4.5 cz= −17.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 414
am05k2_6250_4.5.spc
Total χ^2/DOF= 1.12
Lines χ^2/DOF= 0.97
Fe/H=−0.5 T_{eff}= 6250. g=4.5 cz= 39.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 548
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.88
Lines χ^2/DOF= 1.38
Fe/H=−1.0 T_{eff}= 6000. g=4.0 cz= 36.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 581
am05k2_5750_4.5.spc
Total χ^2/DOF= 0.72
Lines χ^2/DOF= 1.40
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= 45.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 599
am10k2_5750_4.5.spc
Total χ^2/DOF= 1.18
Lines χ^2/DOF= 1.10
Fe/H=−1.0 T_{eff}= 5750. g=4.5 cz= −40.
Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 607
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.70
Lines χ^2/DOF= 1.18
Fe/H=-1.0 T_{eff}= 6000. g=4.0 cz= -0.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Spectro-Photo Star Fiber 617
am05k2_5750_4.0.spc
Total χ^2/DOF= 0.97
Lines χ^2/DOF= 0.99
Fe/H=-0.5 T_{eff}= 5750. g=4.0 cz= 52.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=0286 MJD=51999 Exp #00009424
Fiber 616
Fiber 606
Fiber 598
Fiber 580
Fiber 547
Fiber 413
Fiber 387
Fiber 330
Flux−calib
Wavelength [Ang]
10
20
30
40
4000
5000
6000
7000
8000
9000


PLATE=0286 MJD=51999 Exp #00009425
Fiber 616
Fiber 606
Fiber 598
Fiber 580
Fiber 547
Fiber 413
Fiber 387
Fiber 330
Flux−calib
Wavelength [Ang]
10
20
30
40
4000
5000
6000
7000
8000
9000


PLATE=0286 MJD=51999 Exp #00009426
Fiber 616
Fiber 606
Fiber 598
Fiber 580
Fiber 547
Fiber 413
Fiber 387
Fiber 330
Flux−calib
10
20
30
40
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


60
50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0286 MJD=51999 Spectro−Photo Calib for b2−00009424
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
10
9
8
7
6
5
4000
4200
4400
4600
4800
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
40
30
20
10
5000
5200
5400
5600
5800
6000


60
50
40
30
20
10
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0286 MJD=51999 Spectro−Photo Calib for r2−00009424
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
45
40
35
30
25
20
15
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
6
7500
8000
8500
9000


50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0286 MJD=51999 Spectro−Photo Calib for b2−00009425
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
10
9
8
7
6
5
4000
4200
4400
4600
4800
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
40
30
20
10
5000
5200
5400
5600
5800
6000


60
50
40
30
20
10
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0286 MJD=51999 Spectro−Photo Calib for r2−00009425
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
45
40
35
30
25
20
15
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
6
7500
8000
8500
9000


50
40
30
20
10
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0286 MJD=51999 Spectro−Photo Calib for b2−00009426
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
10
9
8
7
6
5
4000
4200
4400
4600
4800
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
40
30
20
10
5000
5200
5400
5600
5800
6000


60
50
40
30
20
10
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0286 MJD=51999 Spectro−Photo Calib for r2−00009426
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
45
40
35
30
25
20
15
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
6
7500
8000
8500
9000