
PLATE=1468 MJD=52996 Spectro−Photo Star Fiber 41
am05k2_6250_4.5.spc
Total χ^2/DOF= 0.83
Lines χ^2/DOF= 1.18
Fe/H=−0.5 T_{eff}= 6250. g=4.5 cz= −25.
Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro−Photo Star Fiber 88
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.92
Lines χ^2/DOF= 1.05
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz=−116.
Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro−Photo Star Fiber 219
am15k2_6250_4.0.spc
Total χ^2/DOF= 1.39
Lines χ^2/DOF= 2.13
Fe/H=−1.5 T_{eff}= 6250. g=4.0 cz=−253.
Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 241
am05k2_6250_4.5.spc
Total χ^2/DOF= 1.15
Lines χ^2/DOF= 1.12
Fe/H=−0.5 T_{eff}= 6250. g=4.5 cz= −54.
Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 242
am05k2_6000_4.0.spc
Total χ^2/DOF= 1.09
Lines χ^2/DOF= 1.27
Fe/H=−0.5 T_{eff}= 6000. g=4.0 cz=−217.
Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 258
am05k2_6000_4.0.spc
Total χ^2/DOF= 1.11
Lines χ^2/DOF= 1.14
Fe/H=−0.5 T_{eff}= 6000. g=4.0 cz= −4.
Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 281
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.11
Lines χ^2/DOF= 1.40
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −55.
Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 287
am05k2_5750_4.5.spc
Total χ^2/DOF= 1.25
Lines χ^2/DOF= 1.23
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= −79.
Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 291
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.23
Lines χ^2/DOF= 1.23
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz=−118.
Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 295
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.37
Lines χ^2/DOF= 1.39
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −66.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 312
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.15
Lines χ^2/DOF= 1.71
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz=−124.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 315
am05k2_5750_4.5.spc
Total χ^2/DOF= 1.19
Lines χ^2/DOF= 1.50
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= −92.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Exp #00024127
Fiber 314
Fiber 311
Fiber 294
Fiber 290
Fiber 286
Fiber 280
Fiber 257
Fiber 241
Fiber 240
Fiber 87
Fiber 40
Flux−calib
Wavelength [Ang]


PLATE=1468 MJD=52996 Exp #00024128
Fiber 314
Fiber 311
Fiber 294
Fiber 290
Fiber 286
Fiber 280
Fiber 257
Fiber 241
Fiber 240
Fiber 87
Fiber 40
Flux−calib
Wavelength [Ang]


PLATE=1468 MJD=52996 Exp #00024129
Fiber 314
Fiber 311
Fiber 294
Fiber 290
Fiber 286
Fiber 280
Fiber 257
Fiber 241
Fiber 240
Fiber 87
Fiber 40
Flux−calib
Wavelength [Ang]


PLATE=1468 MJD=52996 Exp #00024130
Fiber 314
Fiber 311
Fiber 294
Fiber 290
Fiber 286
Fiber 280
Fiber 257
Fiber 241
Fiber 240
Fiber 87
Fiber 40
Flux−calib
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1468 MJD=52996 Spectro−Photo Calib for b1−00024127
Counts/(10^-17erg/cm^2/s/Ang
14
12
10
8
6
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1468 MJD=52996 Spectro−Photo Calib for r1−00024127
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
7500
8000
8500
9000
10
15
20


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1468 MJD=52996 Spectro−Photo Calib for b1−00024128
Counts/(10^-17 erg/cm^2/s/Ang
14
12
10
8
6
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
50
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1468 MJD=52996 Spectro−Photo Calib for r1−00024128
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
7500
8000
8500
9000
10
15
20


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1468 MJD=52996 Spectro−Photo Calib for b1−00024129
Counts/(10^-17 erg/cm^2/s/Ang
14
12
10
8
6
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
50
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1468 MJD=52996 Spectro−Photo Calib for r1−00024129
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
7500
8000
8500
9000
10
15
20


60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1468 MJD=52996 Spectro−Photo Calib for b1−00024130
Counts/(10^-17erg/cm^2/s/Ang
14
12
10
8
6
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1468 MJD=52996 Spectro−Photo Calib for r1−00024130
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
7500
8000
8500
9000
10
15
20


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 403
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.88
Lines χ^2/DOF= 1.14
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −65.
Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 444
am05k2_6250_4.5.spc
Total χ^2/DOF= 1.04
Lines χ^2/DOF= 1.31
Fe/H=−0.5 T_{eff}= 6250. g=4.5 cz= −45.
Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 468
am05k2_6250_4.5.spc
Total χ^2/DOF= 0.89
Lines χ^2/DOF= 0.93
Fe/H=−0.5 T_{eff}= 6250. g=4.5 cz= −26.
Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Spectro-Photo Star Fiber 518
cm05k2_5750_4.5.spc
Total χ^2/DOF= 1.06
Lines χ^2/DOF= 1.17
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz=−100.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1468 MJD=52996 Exp #00024127
Fiber 517
Fiber 467
Fiber 443
Fiber 402
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=1468 MJD=52996 Exp #00024128
Fiber 517
Fiber 467
Fiber 443
Fiber 402
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=1468 MJD=52996 Exp #00024129
Fiber 517
Fiber 467
Fiber 443
Fiber 402
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=1468 MJD=52996 Exp #00024130
Fiber 517
Fiber 467
Fiber 443
Fiber 402
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1468 MJD=52996 Spectro−Photo Calib for b2−00024127
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
14
12
10
8
6
3800
4000
4200
4400
4600
4800
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1468 MJD=52996 Spectro−Photo Calib for r2−00024127
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
25
20
15
10
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1468 MJD=52996 Spectro−Photo Calib for b2−00024128
Counts/(10^-17erg/cm^2/s/Ang
14
12
10
8
6
3800
4000
4200
4400
4600
4800
Wavelength [Ang]


Counts/(10^-17erg/cm^2/s/Ang
50
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1468 MJD=52996 Spectro−Photo Calib for r2−00024128
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
25
20
15
10
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000
0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1468 MJD=52996 Spectro−Photo Calib for b2−00024129
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
6
8
10
12
14
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5000
5200
5400
5600
5800
6000
10
20
30
40
50


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1468 MJD=52996 Spectro−Photo Calib for r2−00024129
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
25
20
15
10
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1468 MJD=52996 Spectro−Photo Calib for b2−00024130
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
14
12
10
8
6
4000
4200
4400
4600
4800
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000
0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1468 MJD=52996 Spectro−Photo Calib for r2−00024130
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
25
20
15
10
7500
8000
8500
9000