
PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 6
am10k2_7000_4.5.spc
Total χ^2/DOF= 1.23
Lines χ^2/DOF= 1.24
Fe/H=−1.0 T_{eff}= 7000. g=4.5 cz=−101.
Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 33
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.05
Lines χ^2/DOF= 1.02
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= 75.
Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 40
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.76
Lines χ^2/DOF= 0.87
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= 6.
Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 79
am05k2_6000_4.0.spc
Total χ^2/DOF= 0.74
Lines χ^2/DOF= 1.06
Fe/H=−0.5 T_{eff}= 6000. g=4.0 cz= −37.
Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 108
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.02
Lines χ^2/DOF= 1.05
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −15.
Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 193
am05k2_6250_4.5.spc
Total χ^2/DOF= 0.90
Lines χ^2/DOF= 1.56
Fe/H=−0.5 T_{eff}= 6250. g=4.5 cz= 9.
Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 254
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.90
Lines χ^2/DOF= 1.15
Fe/H=-0.5 T_{eff}= 6000. g=4.5 cz= -24.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 287
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.25
Lines χ^2/DOF= 1.18
Fe/H=-0.5 T_{eff}= 6000. g=4.5 cz= -14.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Exp #00011354
Fiber 286
Fiber 253
Fiber 192
Fiber 107
Fiber 78
Fiber 39
Fiber 32
Fiber 5
Flux−calib
Wavelength [Ang]
50
40
30
20
10
4000
5000
6000
7000
8000
9000


PLATE=0711 MJD=52202 Exp #00011355
Fiber 286
Fiber 253
Fiber 192
Fiber 107
Fiber 78
Fiber 39
Fiber 32
Fiber 5
Flux−calib
Wavelength [Ang]
50
40
30
20
10
4000
5000
6000
7000
8000
9000


PLATE=0711 MJD=52202 Exp #00011356
Fiber 286
Fiber 253
Fiber 192
Fiber 107
Fiber 78
Fiber 39
Fiber 32
Fiber 5
Flux−calib
Wavelength [Ang]
50
40
30
20
10
4000
5000
6000
7000
8000
9000


60
50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0711 MJD=52202 Spectro−Photo Calib for b1−00011354
Counts/(10^-17 erg/cm^2/s/Ang
12
10
8
6
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0711 MJD=52202 Spectro−Photo Calib for r1−00011354
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
7500
8000
8500
9000
5
10
15
20


60
50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0711 MJD=52202 Spectro−Photo Calib for b1−00011355
Counts/(10^-17 erg/cm^2/s/Ang
12
10
8
6
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0711 MJD=52202 Spectro−Photo Calib for r1−00011355
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
5
10
15
20


60
50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0711 MJD=52202 Spectro−Photo Calib for b1−00011356
Counts/(10^-17 erg/cm^2/s/Ang
12
10
8
6
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0711 MJD=52202 Spectro−Photo Calib for r1−00011356
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
5
10
15
20


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 400
am10k2_6250_4.5.spc
Total χ^2/DOF= 0.83
Lines χ^2/DOF= 1.08
Fe/H=-1.0 T_{eff}= 6250. g=4.5 cz= -86.
Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 438
am10k2_5250_4.5.spc
Total χ^2/DOF= 1.16
Lines χ^2/DOF= 1.52
Fe/H=-1.0 T_{eff}= 5250. g=4.5 cz= -21.
Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 489
am20k2_6250_4.0.spc
Total χ^2/DOF= 0.70
Lines χ^2/DOF= 0.98
Fe/H=-2.0 T_{eff}= 6250. g=4.0 cz= 112.
Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 511
dm10k2_6250_4.0.spc
Total χ^2/DOF= 1.22
Lines χ^2/DOF= 1.53
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz=−192.
Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 527
dm05k2_5750_4.5.spc
Total χ^2/DOF= 0.74
Lines χ^2/DOF= 1.49
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= −29.
Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 528
dm05k2_5000_4.0.spc
Total χ^2/DOF= 0.00
Lines χ^2/DOF= 0.00
Fe/H=−0.5 T_{eff}= 5000. g=4.0 cz=−690.
Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 535
am10k2_5750_4.0.spc
Total χ^2/DOF= 1.29
Lines χ^2/DOF= 1.32
Fe/H=-1.0 T_{eff}= 5750. g=4.0 cz= -84.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Spectro-Photo Star Fiber 589
am10k2_5750_4.5.spc
Total χ^2/DOF= 1.03
Lines χ^2/DOF= 1.14
Fe/H=-1.0 T_{eff}= 5750. g=4.5 cz= 33.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=0711 MJD=52202 Exp #00011354
Fiber 588
Fiber 534
Fiber 526
Fiber 488
Fiber 437
Fiber 399
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=0711 MJD=52202 Exp #00011355
Fiber 588
Fiber 534
Fiber 526
Fiber 488
Fiber 437
Fiber 399
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=0711 MJD=52202 Exp #00011356
Fiber 588
Fiber 534
Fiber 526
Fiber 488
Fiber 437
Fiber 399
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0711 MJD=52202 Spectro−Photo Calib for b2−00011354
Counts/(10^-17 erg/cm^2/s/Ang
14
12
10
8
6
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
50
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0711 MJD=52202 Spectro−Photo Calib for r2−00011354
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
25
20
15
10
7500
8000
8500
9000


60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0711 MJD=52202 Spectro−Photo Calib for b2−00011355
Counts/(10^-17 erg/cm^2/s/Ang
14
12
10
8
6
3800
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
50
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0711 MJD=52202 Spectro−Photo Calib for r2−00011355
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
25
20
15
10
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=0711 MJD=52202 Spectro−Photo Calib for b2−00011356
Counts/(10^-17 erg/cm^2/s/Ang
14
12
10
8
6
3800
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
50
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=0711 MJD=52202 Spectro−Photo Calib for r2−00011356
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
25
20
15
10
7500
8000
8500
9000