
PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 13
am05k2_5750_4.0.spc
Total χ^2/DOF= 1.07
Lines χ^2/DOF= 1.12
Fe/H=−0.5 T_{eff}= 5750. g=4.0 cz=−138.
Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 176
am05k2_5750_4.0.spc
Total χ^2/DOF= 1.14
Lines χ^2/DOF= 1.34
Fe/H=−0.5 T_{eff}= 5750. g=4.0 cz= −25.
Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 220
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.70
Lines χ^2/DOF= 1.46
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz=−110.
Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 225
am05k2_6000_4.5.spc
Total χ^2/DOF= 1.33
Lines χ^2/DOF= 1.49
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −14.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 268
am05k2_6000_4.5.spc
Total χ^2/DOF= 0.87
Lines χ^2/DOF= 1.79
Fe/H=−0.5 T_{eff}= 6000. g=4.5 cz= −9.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Exp #00017287
Fiber 267
Fiber 224
Fiber 219
Flux−calib
Wavelength [Ang]
10
20
30
40
50
4000
5000
6000
7000
8000
9000


PLATE=1126 MJD=52618 Exp #00017288
Fiber 267
Fiber 224
Fiber 219
Flux−calib
Wavelength [Ang]
10
20
30
40
50
4000
5000
6000
7000
8000
9000


PLATE=1126 MJD=52618 Exp #00017289
Fiber 267
Fiber 224
Fiber 219
Flux−calib
Wavelength [Ang]
10
20
30
40
50
4000
5000
6000
7000
8000
9000


PLATE=1126 MJD=52618 Exp #00017350
Fiber 267
Fiber 224
Fiber 219
Flux−calib
Wavelength [Ang]
10
20
30
40
50
4000
5000
6000
7000
8000
9000


PLATE=1126 MJD=52618 Exp #00017351
Fiber 267
Fiber 224
Fiber 219
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1126 MJD=52615 Spectro−Photo Calib for b1−00017287
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
4000
4200
4400
4600
4800
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1126 MJD=52615 Spectro−Photo Calib for r1−00017287
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
15
10
5
7500
8000
8500
9000


60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1126 MJD=52615 Spectro−Photo Calib for b1−00017288
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
4000
4200
4400
4600
4800
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1126 MJD=52615 Spectro−Photo Calib for r1−00017288
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
15
10
5
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1126 MJD=52615 Spectro−Photo Calib for b1−00017289
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
4000
4200
4400
4600
4800
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1126 MJD=52615 Spectro−Photo Calib for r1−00017289
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200


Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
15
10
5
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1126 MJD=52618 Spectro−Photo Calib for b1−00017350
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
4000
4200
4400
4600
4800
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1126 MJD=52618 Spectro−Photo Calib for r1−00017350
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
15
10
5
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1126 MJD=52618 Spectro−Photo Calib for b1−00017351
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
4000
4200
4400
4600
4800
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1126 MJD=52618 Spectro−Photo Calib for r1−00017351
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
20
15
10
5
7500
8000
8500
9000


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 322
am05k2_6000_4.0.spc
Total χ^2/DOF= 1.11
Lines χ^2/DOF= 1.71
Fe/H=−0.5 T_{eff}= 6000. g=4.0 cz= −72.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 337
am05k2_5750_4.5.spc
Total χ^2/DOF= 1.05
Lines χ^2/DOF= 1.72
Fe/H=−0.5 T_{eff}= 5750. g=4.5 cz= −37.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 346
am10k2_5500_4.5.spc
Total χ^2/DOF= 1.38
Lines χ^2/DOF= 2.28
Fe/H=−1.0 T_{eff}= 5500. g=4.5 cz= 79.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 367
am05k2_6000_4.0.spc
Total χ^2/DOF= 1.28
Lines χ^2/DOF= 1.10
Fe/H=−0.5 T_{eff}= 6000. g=4.0 cz= −75.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 374
am15k2_6000_4.0.spc
Total χ^2/DOF= 1.31
Lines χ^2/DOF= 1.66
Fe/H=−1.5 T_{eff}= 6000. g=4.0 cz=−293.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 426
am15k2_5500_4.5.spc
Total χ^2/DOF= 1.29
Lines χ^2/DOF= 1.52
Fe/H=−1.5 T_{eff}= 5500. g=4.5 cz=−189.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 432
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.36
Lines χ^2/DOF= 1.28
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= −59.
Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 459
am15k2_6000_4.0.spc
Total χ^2/DOF= 1.46
Lines χ^2/DOF= 1.26
Fe/H=−1.5 T_{eff}= 6000. g=4.0 cz=−147.
Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 472
am05k2_6250_4.5.spc
Total χ^2/DOF= 0.79
Lines χ^2/DOF= 1.09
Fe/H=−0.5 T_{eff}= 6250. g=4.5 cz= −93.
Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 476
am10k2_5500_4.5.spc
Total χ^2/DOF= 1.40
Lines χ^2/DOF= 1.49
Fe/H=-1.0 T_{eff}= 5500. g=4.5 cz=-107.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Spectro-Photo Star Fiber 635
am15k2_5750_4.0.spc
Total χ^2/DOF= 0.77
Lines χ^2/DOF= 0.98
Fe/H=-1.5 T_{eff}= 5750. g=4.0 cz= 70.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=1126 MJD=52618 Exp #00017287
Fiber 634
Fiber 475
Fiber 471
Fiber 458
Fiber 431
Fiber 425
Fiber 373
Fiber 366
Fiber 336
Fiber 321
Flux−calib
Wavelength [Ang]


PLATE=1126 MJD=52618 Exp #00017288
Fiber 634
Fiber 475
Fiber 471
Fiber 458
Fiber 431
Fiber 425
Fiber 373
Fiber 366
Fiber 336
Fiber 321
Flux−calib
Wavelength [Ang]


PLATE=1126 MJD=52618 Exp #00017289
Fiber 634
Fiber 475
Fiber 471
Fiber 458
Fiber 431
Fiber 425
Fiber 373
Fiber 366
Fiber 336
Fiber 321
Flux−calib
Wavelength [Ang]


PLATE=1126 MJD=52618 Exp #00017350
Fiber 634
Fiber 475
Fiber 471
Fiber 458
Fiber 431
Fiber 425
Fiber 373
Fiber 366
Fiber 336
Fiber 321
Flux−calib
Wavelength [Ang]


PLATE=1126 MJD=52618 Exp #00017351
Fiber 634
Fiber 475
Fiber 471
Fiber 458
Fiber 431
Fiber 425
Fiber 373
Fiber 366
Fiber 336
Fiber 321
Flux-calib
Wavelength [Ang]
10
20
30
40
50
60
4000
5000
6000
7000
8000
9000


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1126 MJD=52615 Spectro−Photo Calib for b2−00017287
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
8
10
12
14
16
18
5000
5200
5400
5600
5800
6000
10
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1126 MJD=52615 Spectro−Photo Calib for r2−00017287
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
7500
8000
8500
9000
Wavelength [Ang]


100
80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1126 MJD=52615 Spectro−Photo Calib for b2−00017288
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
8
10
12
14
16
18
5000
5200
5400
5600
5800
6000
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1126 MJD=52615 Spectro−Photo Calib for r2−00017288
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
7500
8000
8500
9000
Wavelength [Ang]


100
80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1126 MJD=52615 Spectro−Photo Calib for b2−00017289
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
8
10
12
14
16
18
5000
5200
5400
5600
5800
6000
10
20
30
40
50
60


100
80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1126 MJD=52615 Spectro−Photo Calib for r2−00017289
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
7500
8000
8500
9000
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1126 MJD=52618 Spectro−Photo Calib for b2−00017350
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
18
16
14
12
10
8
3800
4000
4200
4400
4600
4800
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1126 MJD=52618 Spectro−Photo Calib for r2−00017350
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
7500
8000
8500
9000
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=1126 MJD=52618 Spectro−Photo Calib for b2−00017351
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
3800
4000
4200
4400
4600
4800
8
10
12
14
16
18
5000
5200
5400
5600
5800
6000
20
30
40
50
60


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=1126 MJD=52618 Spectro−Photo Calib for r2−00017351
Counts/(10^-17 erg/cm^2/s/Ang
70
60
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
7500
8000
8500
9000
Wavelength [Ang]