
PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 76
am15k2_6250_4.0.spc
Total χ^2/DOF= 0.76
Lines χ^2/DOF= 0.89
Fe/H=-1.5 T_{eff}= 6250. g=4.0 cz= 190.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 160
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.84
Lines χ^2/DOF= 1.09
Fe/H=-1.0 T_{eff}= 6000. g=4.0 cz= 305.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 172
am10k2_6250_4.0.spc
Total χ^2/DOF= 1.13
Lines χ^2/DOF= 1.26
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= 71.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 173
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.92
Lines χ^2/DOF= 1.20
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= −61.
Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 185
am05k2_5750_4.0.spc
Total χ^2/DOF= 1.38
Lines χ^2/DOF= 1.07
Fe/H=−0.5 T_{eff}= 5750. g=4.0 cz= 33.
Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 244
am20k2_5250_4.0.spc
Total χ^2/DOF= 1.12
Lines χ^2/DOF= 1.35
Fe/H=−2.0 T_{eff}= 5250. g=4.0 cz= 160.
Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 253
am10k2_6000_4.0.spc
Total χ^2/DOF= 1.13
Lines χ^2/DOF= 1.26
Fe/H=−1.0 T_{eff}= 6000. g=4.0 cz= 84.
Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 281
am20k2_5750_4.0.spc
Total χ^2/DOF= 1.11
Lines χ^2/DOF= 1.00
Fe/H=−2.0 T_{eff}= 5750. g=4.0 cz= 37.
Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 309
am05k2_6250_4.0.spc
Total χ^2/DOF= 0.82
Lines χ^2/DOF= 1.03
Fe/H=−0.5 T_{eff}= 6250. g=4.0 cz= 172.
Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Exp #00038262
Fiber 308
Fiber 280
Fiber 252
Fiber 243
Fiber 184
Fiber 171
Fiber 159
Fiber 75
Flux−calib
10
20
30
40
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2433 MJD=53820 Exp #00038263
Fiber 308
Fiber 280
Fiber 252
Fiber 243
Fiber 184
Fiber 171
Fiber 159
Fiber 75
Flux−calib
10
20
30
40
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2433 MJD=53820 Exp #00038264
Fiber 308
Fiber 280
Fiber 252
Fiber 243
Fiber 184
Fiber 171
Fiber 159
Fiber 75
Flux-calib
10
20
30
40
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2433 MJD=53820 Spectro−Photo Calib for b1−00038262
Counts/(10^-17 erg/cm^2/s/Ang
14
12
10
8
6
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2433 MJD=53820 Spectro−Photo Calib for r1−00038262
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
20
30
40
50
7500
8000
8500
9000
5
10
15
20


60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2433 MJD=53820 Spectro−Photo Calib for b1−00038263
Counts/(10^-17 erg/cm^2/s/Ang
14
12
10
8
6
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2433 MJD=53820 Spectro−Photo Calib for r1−00038263
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
5800
6000
6200
6400
6600
6800
7000
7200
15
10
5
7500
8000
8500
9000


60
50
40
30
20
10
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2433 MJD=53820 Spectro−Photo Calib for b1−00038264
Counts/(10^-17 erg/cm^2/s/Ang
14
12
10
8
6
4000
4200
4400
4600
4800
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
40
30
20
10
5000
5200
5400
5600
5800
6000
Wavelength [Ang]


60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2433 MJD=53820 Spectro−Photo Calib for r1−00038264
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
5800
6000
6200
6400
6600
6800
7000
7200
50
40
30
20
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
7500
8000
8500
9000
20
15
10
5


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 378
am15k2_6500_4.5.spc
Total χ^2/DOF= 0.95
Lines χ^2/DOF= 0.92
Fe/H=−1.5 T_{eff}= 6500. g=4.5 cz= −67.
Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 387
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 1.18
Fe/H=−1.0 T_{eff}= 6250. g=4.0 cz= 72.
Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 401
am15k2_6250_4.0.spc
Total χ^2/DOF= 0.46
Lines χ^2/DOF= 0.81
Fe/H=−1.5 T_{eff}= 6250. g=4.0 cz= 86.
Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 442
am10k2_5750_4.5.spc
Total χ^2/DOF= 1.26
Lines χ^2/DOF= 1.42
Fe/H=−1.0 T_{eff}= 5750. g=4.5 cz= −20.
Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 510
am15k2_6500_4.0.spc
Total χ^2/DOF= 1.11
Lines χ^2/DOF= 1.36
Fe/H=−1.5 T_{eff}= 6500. g=4.0 cz= −36.
Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 560
am10k2_6000_4.0.spc
Total χ^2/DOF= 0.94
Lines χ^2/DOF= 1.53
Fe/H=−1.0 T_{eff}= 6000. g=4.0 cz= −12.
Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Spectro-Photo Star Fiber 575
am10k2_6250_4.0.spc
Total χ^2/DOF= 0.91
Lines χ^2/DOF= 1.08
Fe/H=-1.0 T_{eff}= 6250. g=4.0 cz= 354.
Normalized Flux
Wavelength [Ang]


Normalized Flux
Wavelength [Ang]


PLATE=2433 MJD=53820 Exp #00038262
Fiber 574
Fiber 559
Fiber 509
Fiber 441
Fiber 400
Fiber 386
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2433 MJD=53820 Exp #00038263
Fiber 574
Fiber 559
Fiber 509
Fiber 441
Fiber 400
Fiber 386
Flux−calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


PLATE=2433 MJD=53820 Exp #00038264
Fiber 574
Fiber 559
Fiber 509
Fiber 441
Fiber 400
Fiber 386
Flux-calib
10
20
30
40
50
4000
5000
6000
7000
8000
9000
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2433 MJD=53820 Spectro−Photo Calib for b2−00038262
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2433 MJD=53820 Spectro−Photo Calib for r2−00038262
Counts/(10^-17 erg/cm^2/s/Ang
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Wavelength [Ang]
Counts/(10^-17 erg/cm^2/s/Ang
25
20
15
10
7500
8000
8500
9000
Wavelength [Ang]


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2433 MJD=53820 Spectro−Photo Calib for b2−00038263
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2433 MJD=53820 Spectro−Photo Calib for r2−00038263
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17 erg/cm^2/s/Ang
Wavelength [Ang]
25
20
15
10
7500
8000
8500
9000


80
60
40
20
0
4000
4500
5000
5500
6000


0.2
0.1
0.0
−0.1
−0.2
4000
4500
5000
5500
6000


PLATE=2433 MJD=53820 Spectro−Photo Calib for b2−00038264
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
20
18
16
14
12
10
8
4000
4200
4400
4600
4800
50
40
30
20
10
5000
5200
5400
5600
5800
6000


80
60
40
20
0
6000
6500
7000
7500
8000
8500
9000


0.2
0.1
0.0
−0.1
−0.2
6000
6500
7000
7500
8000
8500
9000


PLATE=2433 MJD=53820 Spectro−Photo Calib for r2−00038264
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
60
50
40
30
20
6000
6200
6400
6600
6800
7000
7200
Counts/(10^-17erg/cm^2/s/Ang
Wavelength [Ang]
25
20
15
10
7500
8000
8500
9000